

LISTING PROGRAM

HTTACCESS

```
<Files ~ "^\. (htaccess|htpasswd)$">
deny from all
</Files>

AddType application/vnd.ms-fontobject .eot
AddType font/ttf .ttf
AddType font/otf .otf
AddType application/font-woff .woff

RewriteRule config.php - [F]

Options +FollowSymLinks
RewriteEngine on

RewriteRule ^index\.html$ index.php [NC]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^(.*)$ index.php/$1 [L]

Options +FollowSymLinks
RewriteEngine on
RewriteCond %{THE_REQUEST} ^[A-Z]+\ /([\^\ ]+)\.php\ [NC]
RewriteRule ^ /%1 [R=301,L]
```

Admin.class.php

```
<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    class admin extends objects {

        var    $adminName,    $adminEmail,    $adminUser,    $adminPass,
$adminNewPass, $adminRetype;

        public function define_table() {

            return array("admin");

        }

        public function define_condition() {

            $condition = "";

            if(in_array("by_id", $this->option) && $this->dtopt != "")
:
                $condition .= "admin.kd_admin = '" . intval($this-
>dtopt) . "'";

            elseif(in_array("by_email", $this->option) && $this->dtopt
```

```

!= ""):
                $condition .= "admin.email_admin = '" . $this->dtopt
. "'";
                if(actionPage()=="edit") :
                    $condition .= " AND admin.kd_admin != '" .
intval(subActionPage()) . "'";
                    endif;

                elseif(in_array("by_pass", $this->option) && $this->dtopt
!= ""):
                    $condition .= "admin.password_admin = '" .
securePass($this->dtopt) . "'";
                    $condition .= " AND admin.user_admin = '" . $this-
>adminUser . "'";
                elseif(in_array("by_user", $this->option) && $this->dtopt
!= ""):
                    $condition .= "admin.user_admin = '" . $this->dtopt .
. "'";
                    if(actionPage()=="edit") :
                        $condition .= " AND admin.kd_admin != '" .
intval(subActionPage()) . "'";
                        endif;
                    endif;

                return $condition;

            }

        }

?>

```

Authentic.class.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    class Authentic extends objects {

        var $adminUser, $adminPass;

        public function define_table() {

            if(is_panel()):
                return array("admin");

            else :
                return array("member");

            endif;

        }

    }

```

```

    }

    public function define_condition() {

        $condition = "";
        if(is_panel()):

            if(in_array("checklogin", $this->option)) :
                $condition .= "user_admin = '". $this->
>adminUser.'" AND password_admin = '".securePass ($this->adminPass)."'";

            endif;

        else :

            if(in_array("checklogin", $this->option)) :
                $condition .= "user_member = '". $this->
>memberUser.'" "
                . "AND password_member =
'".securePass ($this->memberPass)."'";

            endif;

        endif;

        return $condition;

    }

    public function logout() {

        if(is_panel()):

            unset_session ("WEBAUTH");
            header ("Location:".ADMIN_HOST);
            exit();

        else :

            unset_session ("WEBAUTH_KONSUMEN");
            header ("Location:".SITE_HOST);
            exit();

        endif;

    }

}

?>

```

Bank.class.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

```

```

class bank extends objects {
    var $namaBank, $noRekening, $holder;

    public function define_table() {
        return array("bank");
    }

    public function define_condition() {
        $condition = "";

        if(in_array("by_id", $this->option) && $this->dtopt != "")
:
        $condition .= "bank.kd_bank = '" . intval($this-
>dtopt) . "'";

        endif;
        return $condition;
    }
}

?>

```

Ecurrency.class.php

```

<?php
defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

class ecurrency extends objects {
    var $currencyName1, $currencyName2, $currencyVal1, $currencyVal2;

    public function define_table() {
        return array("ecurrency");
    }

    public function define_condition() {
        $condition=NULL;
        if(in_array('by_id', $this->option) && $this->dtopt!=NULL)
:
        $condition .= "kd_ecurrency='".intval($this-
>dtopt)."'";

        endif;
        return $condition;
    }

    public function define_order() {
        return array("ecurrency.kd_ecurrency:DESC");
    }
}

```

```

        public function record_data($opt="", $dtopt="", $limit="") {
            $result= $this->select_data($opt,$dtopt,$limit);
            if(!in_array('count', $this->option) && is_object($result))
:
                $html = NULL;
                if(sizeof($result) > 0) :
                    $currencyName=explode(",", $result->
>nama_ecurrency);
                    $currencyValue = explode("=>", $result->
>value_ecurrency);

                    for($a=0;$a<count($currencyName);$a++):
                        $html.= "<div style=\"margin-
bottom:1em;\>";
                        $html.=
"<label>".$currencyName[$a]."</label>";
                        $html.= $currencyValue[$a];
                        $html.= "</div>";
                    endfor;

                    $result->nama_ecurrency_full = implode(" to ",
$currencyName);

                    $result->nama_ecurrency1 = $currencyName[0];
                    $result->nama_ecurrency2 = $currencyName[1];
                    $result->value_ecurrency_full = $html;
                    $result->value_ecurrency1 = $currencyValue[0];

                    $result->value_ecurrency2 = $currencyValue[1];

                endif;

            elseif(!in_array('count', $this->option) &&
is_array($result)):

                $html = NULL;
                if(sizeof($result) > 0) :
                    foreach($result as $value):
                        $currencyName=explode(",", $value->
>nama_ecurrency);
                        $currencyValue = explode("=>", $value->
>value_ecurrency);

                        for($a=0;$a<count($currencyName);$a++):
                            $html.= "<div style=\"margin-
bottom:1em;\>";
                            $html.=
"<label>".$currencyName[$a]."</label>";
                            $html.= $currencyValue[$a];
                            $html.= "</div>";
                        endfor;

                        $value->nama_ecurrency_full = implode("
to ", $currencyName);
                        $value->nama_ecurrency1 =
$currencyName[0];
                        $value->nama_ecurrency2 =

```

```

$currencyName[1];
                                $value->value_ecurrency_full = $html;
                                $value->value_ecurrency1      =
$currencyValue[0];
                                $value->value_ecurrency2      =
$currencyValue[1];

                                endforeach;
                                endif;

                                endif;

                                return $result;
                                }
                                }

?>

```

Harga_kirim.class.php

```

<?php
    defined("ONLINESHOP002") or
    header("Location:http://".$_SERVER['HTTP_HOST']);

    class harga_kirim extends objects {

        var $idKota, $idJasaKirim, $idHargaKirim, $hargaKirim;

        public function define_table() {
            return array("harga_kirim");
        }

        public function define_condition() {
            $condition = "";

            if(in_array("by_id", $this->option) && $this->dtopt!="") :
                $condition .= "harga_kirim.kd_harga_kirim = '" .
intval($this->dtopt) . "'";

            elseif(in_array("by_jasa", $this->option) && $this->
>dtopt!=""):
                $condition .= "harga_kirim.kd_jasa_kirim = '" .
intval($this->dtopt) . "'";

            elseif(in_array("cost", $this->option)):
                $condition .= "harga_kirim.kd_jasa_kirim = '" .
intval($this->idJasaKirim) . "' "
                                ."AND harga_kirim.kd_kota = '" .
intval($this->idKota) . "'";

            endif;

            return $condition;
        }
    }

```

```

        public function define_left_join() {
            return array("kota ON kota.kd_kota = harga_kirim.kd_kota");
        }

        public function define_right_join() {
            return array("jasa_kirim ON jasa_kirim.kd_jasa_kirim =
harga_kirim.kd_jasa_kirim");
        }

        public function define_order() {
            return
                array("jasa_kirim.nama_jasa_kirim:ASC",
"kota.nama_kota:ASC");
        }

    }

?>

```

Jasa_kirim.class.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    class jasa_kirim extends objects {

        var $jasaKirimName;

        public function define_table() {
            return array("jasa_kirim");
        }

        public function define_condition() {
            $condition = "";

            if(in_array("by_id", $this->option) && $this->dtopt!="") :
                $condition .= "jasa_kirim.kd_jasa_kirim = '" .
intval($this->dtopt) . "'";

            elseif(in_array("by_name", $this->option) && $this-
>dtopt!=""):
                $condition .= "UPPER(jasa_kirim.nama_jasa_kirim) = '"
. strtoupper($this->dtopt) . "'";

            endif;

            return $condition;
        }

        public function define_order() {
            if(in_array("asc", $this->option)):
                return array("jasa_kirim.kd_jasa_kirim:ASC");
            endif;
        }
    }

```

```
        return array();
    }
}
?>
```

Kategori.class.php

```
<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    class kategori extends objects {

        var $idKat, $katName, $katAlias, $katParent;

        public function is_parent($id) {
            if($getParents = $this->record_data("is_parent", $id, 1)){
                return true;
            }
            return false;
        }

        public function get_alias($opt=NULL, $alias) {
            if($opt!=NULL && $opt == "print_alias" && $getAlias =
$this->record_data("by_alias", $alias, 1)) :
                return $getAlias->alias_kategori;
            elseif($opt==NULL && $getAlias = $this-
>record_data("by_alias", $alias, 1)):
                return $getAlias;
            endif;
            return false;
        }

        public function check_parent($id) {
            $getParents = $this->record_data("count is_parent", $id);
            if($getParents == 0) :
                return false;
            endif;
            return true;
        }

        public function is_category($alias) {
            if($this->record_data("count by_alias", $alias) > 0) :
                return true;
            endif;
            return false;
        }

        public function get_subcat($id) {
            $getParents = $this->record_data("is_parent", $id);
            return $getParents;
        }
    }
}
```

```

public function get_parent($id) {
    $getParents = $this->record_data("by_parent", $id, 1);
    return $getParents;
}

public function search_parent($id, $id_array=array()) {
    $getParents = $this->record_data("is_parent", $id);
    for($i=0;$i<count($getParents);$i++) :
        $id_array[] = $getParents[$i]->kd_kategori;
        if($this->check_parent($getParents[$i]-
>kd_kategori)===true) :
            array_merge($id_array,$this-
>search_parent($getParents[$i]->kd_kategori));
        endif;
    endfor;
    return $id_array;
}

public function get_root($id) {
    if($this->is_parent($id) :
        $subCat = $this->get_subcat($id);
        for($b=0; $b<count($subCat);$b++) :
            echo "<div class=\"pl20 pt5\">";
            echo "<input type=\"radio\" name=\"katParent\"
value=\"\" . $subCat[$b]->kd_kategori . \"\" ";
            echo checked($subCat[$b]->kd_kategori, $this-
>katParent). " /> ".$subCat[$b]->nama_kategori;
            if($this->is_parent($subCat[$b]->kd_kategori))
:
                $this->get_root($subCat[$b]-
>kd_kategori);
            endif;
            echo "</div>";
        endfor;
    else :
        return null;
    endif;
}

public function get_root_content($id, $values="") {
    if($this->is_parent($id) :
        $subCat = $this->get_subcat($id);
        for($b=0; $b<count($subCat);$b++) :
            echo "<div class=\"pl20 pt5\">";
            echo "<input type=\"radio\" name=\"product-
kategori\" value=\"\" . $subCat[$b]->kd_kategori . \"\" ";
            echo checked($subCat[$b]->kd_kategori,
$values). " /> ".$subCat[$b]->nama_kategori;
            if($this->is_parent($subCat[$b]->kd_kategori))
:
                $this->get_root_content($subCat[$b]-
>kd_kategori);
            endif;
            echo "</div>";
        endfor;
    }
}

```

```

        else :
            return null;
        endif;
    }

    public function get_root_link($id)  {
        if($this->is_parent($id)) :
            echo "<ul class=\"p110 pt5\">";
            $subCat = $this->get_subcat($id);
            for($b=0; $b<count($subCat);$b++) :
                if($this->is_parent($subCat[$b]->kd_kategori))
                    :
                        echo "<li class=\"parentkat\">";

                    else:
                        echo "<li>";

                    endif;

                    echo
                    href=\"\".SITE_HOST."/produk/".$subCat[$b]->alias_kategori.\">".$subCat[$b]-
                    >nama_kategori;
                    if($this->is_parent($id)):
                        echo " ( ".$this->main->produk-
                        >record_data("count by_kat",$subCat[$b]->root_kategori)." )</a>";
                    else :
                        echo " ( ".$this->main->produk-
                        >record_data("count by_katId",$subCat[$b]->kd_kategori)." )</a>";
                    endif;
                    if($this->is_parent($subCat[$b]->kd_kategori))
                    :
                        $this->get_root_link($subCat[$b]-
                        >kd_kategori);

                    endif;

                    echo "</li>";
                endfor;
            echo "</ul>";
        else :
            return null;
        endif;
    }

    public function get_root_table($id, $level=1)  {
        if($this->is_parent($id)) :
            $padding=(10 * $level);
            $subCat = $this->get_subcat($id);
            for($b=0; $b<count($subCat);$b++) :
                if($this->is_parent($subCat[$b]->kd_kategori))
                    :
                        echo "<tr>";

                    else:
                        echo "<tr>";

                    endif;

```

```

        echo "<td align=\"center\">&nbsp;</td>";

        echo "        <td                style=\"padding-
left: \".$padding.\"px;\">- &nbsp;   \".$subCat[$b]->nama_kategori.\"</td>";

        echo "<td align=\"center\">";
        echo "                                \"<a
href=\"\".ADMIN_HOST.\"/\".page().\"/\".actionPage().\"/edit/\".$subCat[$b]-
>kd_kategori.\" \"
                                .\"title=\"Edit\"                class=\"action-
menu\"><img src=\"\".THEMES_LINK.\"admin/img/edit.png\" alt=\"Edit\" />\"
                                .\"</a> &nbsp;   \"
                                .\"<a
href=\"\".ADMIN_HOST.\"/\".page().\"/\".actionPage().\"/delete/\".$subCat[$b]-
>kd_kategori.\" \"
                                .\"title=\"Delete\"                class=\"action-
menu\"><img src=\"\".THEMES_LINK.\"admin/img/delete.png\" \"
                                .\"alt=\"Delete\" /></a>\";
        echo "</td>";

        if($this->is_parent($subCat[$b]->kd_kategori))
:
                                $this->get_root_table($subCat[$b]-
>kd_kategori, ($level+1));

        endif;

        echo "</tr>";
    endfor;
else :
    return null;
endif;
}

public function echo_root($id) {
    $dataKat = $this->record_data("by_id", $id, 1);
    $this->baseArr = $dataKat->root_kategori;
    $getRoot = $this->record_data("by_array");
    if(count($getRoot) > 0) :
        $arrays = array();
        for($a=0; $a<count($getRoot); $a++):
            if($getRoot[$a]->nama_kategori!=NULL)
                $arrays[] = $getRoot[$a]->nama_kategori;

        endfor;
        return implode(", ", $arrays);

    endif;
    return null;
}

public function define_table() {
    return array("kategori");
}

public function define_condition() {

```

```

        $condition = "";
        if(in_array("lastId", $this->option)) :
            $condition = "";

        else :

            if(in_array("call_parent", $this->option)) :
                $condition .= "kategori.parent_kategori =
'".intval(0)."'";

                elseif((in_array("by_id", $this->option) ||
in_array("by_parent", $this->option) && $this->dtopt!="")) :
                    $condition .= "kategori.kd_kategori =
'".intval($this->dtopt)."'";

                elseif(in_array("is_parent", $this->option) && $this-
>dtopt!="") :
                    $condition .= "kategori.parent_kategori =
'".intval($this->dtopt)."'";
                elseif(in_array("notParent", $this->option)):
                    $condition .= "kategori.kd_kategori NOT
IN(SELECT parent_kategori FROM kategori)";
                endif;

            $bridge = $condition != "" ? " AND " : "";

            if(in_array("by_id", $this->option) && $this->dtopt
!= ""):
                $condition .= $bridge."kategori.kd_kategori =
'".intval($this->dtopt)."'";

                elseif(in_array("by_name", $this->option)) :
                    $condition .= "kategori.nama_kategori =
'".$this->katName."'";

                    if(actionPage()=="edit") :
                        $condition .= " AND kategori.kd_kategori
!= '".intval($this->idKat)." . "'";

                    endif;

                elseif(in_array("by_array", $this->option)) :
                    $condition .= "kategori.kd_kategori IN
('".$this->baseArr.")";

                elseif(in_array("by_alias", $this->option) && $this-
>dtopt!=""):
                    $condition .= "kategori.alias_kategori =
'".$this->dtopt."'";

                endif;

            endif;
        return $condition;

    }

```

```

        public function define_order() {
            if(in_array("lastId", $this->option)) :
                return array("kategori.kd_kategori:DESC");

            else :
                return array("kategori.kd_kategori:DESC");

            endif;

        }

    }

?>

```

Kota.class.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    class kota extends objects {

        var $kotaName, $idKota;

        public function define_table() {
            return array("kota");
        }

        public function define_condition() {
            $condition = "";

            if(in_array("by_id", $this->option) && $this->dtopt!="") :
                $condition .= "kota.kd_kota = '" . intval($this-
>dtopt) . "'";

            elseif(in_array("by_name", $this->option)) :
                $condition .= "kota.nama_kota = '" . $this-
>kotaName . "'";

                if(actionPage()=="edit") :
                    $condition .= " AND kota.kd_kota != '" .
intval($this->idKota) . "'";

                endif;

            endif;

            return $condition;
        }

        public function define_order() {
            return array("kota.nama_kota:ASC");
        }

    }

```

```
?>
```

Member.class.php

```
<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    class member extends objects {
        var $daftarNama, $daftarEmail, $daftarAlamat, $daftarProv,
$daftarKota, $daftarKodePos;
        var $daftarNotelp, $daftarUser, $daftarPass, $daftarRePass,
$memberUser;

        var $nama, $email, $alamat, $kota, $kodepos, $jasakirim,
$no_telp;

        public function define_table() {
            return array("member");
        }

        public function define_condition() {
            $condition = "";
            if(in_array("byEmail", $this->option) && $this->dtopt != "")
:
                $condition .= "member.email_member = '". $this-
>dtopt."'";

            elseif(in_array("by_id", $this->option) && $this->dtopt
!="") :
                $condition .= "member.kd_member = '". $this-
>dtopt."'";

            elseif(in_array("by_pass", $this->option) && $this->dtopt
!= ""):
                $condition .= "member.password_member = '" .
securePass($this->dtopt) . "'";
                if(actionPage()=="edit-member") :
                    $condition .= " AND member.user_member = '" .
$this->daftarUser . "'";
                endif;
            endif;

            return $condition;
        }

        public function define_left_join() {
            return array("kota ON member.kd_kota = kota.kd_kota");
        }

        public function define_order() {
            return array("member.kd_member:DESC");
        }
    }
}
```

```
}  
?>
```

Merk.class.php

```
<?php  
    defined("ONLINESHOP002") or  
header("Location:http://".$_SERVER['HTTP_HOST']);  
  
    class merk extends objects {  
  
        var $merkName, $idMerk;  
  
        public function get_alias($opt=NULL, $alias) {  
            if($opt!=NULL && $opt == "print_alias" && $getAlias =  
$this->record_data("by_alias", $alias, 1)) :  
                return $getAlias->alias_merk;  
            elseif($opt==NULL && $getAlias = $this->  
>record_data("by_alias", $alias, 1)):  
                return $getAlias;  
            endif;  
            return false;  
        }  
  
        public function define_table() {  
            return array("merk");  
        }  
  
        public function define_condition() {  
            $condition = "";  
  
            if(in_array("by_id", $this->option) && $this->dtopt!="") :  
                $condition .= "merk.kd_merk = '" . intval($this->  
>dtopt) . "'";  
  
            elseif(in_array("by_name", $this->option)) :  
                $condition .= "merk.nama_merk = '". $this->  
>merkName . "'";  
  
                if(actionPage()=="edit") :  
                    $condition .= " AND merk.kd_merk != '" .  
intval($this->idMerk) . "'";  
  
                endif;  
  
            elseif(in_array("by_alias", $this->option) && $this->  
>dtopt!=""):  
                $condition .= "merk.alias_merk = '". $this->  
>dtopt . "'";  
  
            endif;  
  
            return $condition;  
        }  
    }
```

```
}  
?>
```

Paypal.class.php

```
<?php  
    defined("ONLINESHOP002") or  
header("Location:http://".$_SERVER['HTTP_HOST']);  
    class paypal {  
  
        public $instance;  
  
        public function __construct() {  
            $this->instance = &$this;  
        }  
  
        public function &get_instance() {  
            return $this->instance;  
        }  
  
        public function PPHttpPost($methodName_, $nvpStr_) {  
            global $config;  
            $API_UserName      =      urlencode($config->get('database',  
'ppapiuser'));  
            $API_Password      =      urlencode($config->get('database',  
'ppapipass'));  
            $API_Signature      =      urlencode($config->get('database',  
'ppapisignature'));  
  
            $paypalmode        =          ($config->get('database',  
'ppmode')== 'sandbox') ? '.sandbox' : '';  
  
            $API_Endpoint      =          "https://api-  
3t".$_paypalmode.".paypal.com/nvp";  
            $version = urlencode('109.0');  
  
            $ch = curl_init();  
            curl_setopt($ch, CURLOPT_URL, $API_Endpoint);  
            curl_setopt($ch, CURLOPT_VERBOSE, 1);  
  
            curl_setopt($ch, CURLOPT_SSL_VERIFYPEER, FALSE);  
            curl_setopt($ch, CURLOPT_SSL_VERIFYHOST, FALSE);  
  
            curl_setopt($ch, CURLOPT_RETURNTRANSFER, 1);  
            curl_setopt($ch, CURLOPT_POST, 1);  
  
            $nvpreq              =          "  
"METHOD=".$_methodName_."&VERSION=".$_version."&PWD=".$_API_Password  
            . "&USER=".$_API_UserName."&SIGNATURE=".$_API_Signature.$nvpStr_;  
  
            curl_setopt($ch, CURLOPT_POSTFIELDS, $nvpreq);
```

```

        $httpResponse = curl_exec($ch);

        if(!$httpResponse)
            exit("$methodName_ failed:
".curl_error($ch).'(' .curl_errno($ch).' )');

        $httpResponseAr = explode("&", $httpResponse);

        $httpParsedResponseAr = array();
        foreach ($httpResponseAr as $i => $value) :
            $tmpAr = explode("=", $value);
            if(sizeof($tmpAr) > 1)
                $httpParsedResponseAr[$tmpAr[0]] = $tmpAr[1];

        endforeach;

        if((0 == sizeof($httpParsedResponseAr)) ||
!array_key_exists('ACK', $httpParsedResponseAr))
            exit("Invalid HTTP Response for POST request($nvpreq)
to $API_Endpoint.");

        return $httpParsedResponseAr;
    }

}

?>

```

Produk.class.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    class produk extends objects {

        var $name, $bahan, $ukuran, $kategori, $merk, $stok, $harga,
$gambar, $deskripsi, $qty;
        var $nameProduct;

        public function get_alias($opt=NULL, $alias) {
            if($opt!=NULL && $opt == "print_alias" && $getAlias =
$this->record_data("by_alias", $alias, 1)) :
                return $getAlias->alias_barang;
            elseif($opt==NULL && $getAlias = $this-
>record_data("by_alias", $alias, 1)):
                return $getAlias;
            endif;
            return false;
        }

        public function define_field() {
            if(in_array("count", $this->option)) :
                return array("COUNT(*) AS counts");
            elseif(in_array('auto', $this->option)) :
                return array('nama barang');
            endif;
        }
    }
}

```

```

        else :
            return array("*", "kategori.kd_kategori AS idKat");
        endif;
    }

    public function define_table() {
        return array("barang");
    }

    public function define_condition() {
        $condition = "";

        if(in_array("by_id", $this->option) && $this->dtopt!="") :
            $condition .= "barang.kd_barang = '".intval($this-
>dtopt)."'";
        elseif(in_array("by_name", $this->option) && $this-
>dtopt!="") :
            $condition .= "barang.nama_barang = '". $this-
>dtopt."'";
        elseif(in_array("by_kat", $this->option) && $this-
>dtopt!="") :
            $condition .= "barang.kd_kategori IN ('.$this-
>dtopt.)'";
        elseif(in_array("by_katId", $this->option) && $this-
>dtopt!="") :
            $condition .= "barang.kd_kategori = '".intval($this-
>dtopt)."'";
        elseif(in_array("by_merk", $this->option) && $this-
>dtopt!="") :
            $condition .= "barang.kd_merk = '".intval($this-
>dtopt)."'";
        elseif(in_array("by_alias", $this->option) && $this-
>dtopt!="") :
            $condition .= "barang.alias_barang = '". $this-
>dtopt."'";
        elseif(in_array("auto", $this->option) && $this-
>dtopt!=NULL) :
            $condition .= "barang.nama_barang LIKE '". $this-
>dtopt."%'";
        elseif(in_array("by_search", $this->option)):
            if($this->nameProduct!=""):
                $condition .= "barang.nama_barang LIKE
'".$this->nameProduct."%'";
            endif;
        endif;

        return $condition;
    }

    public function define_order() {
        if(in_array("last", $this->option)) :
            return array("barang.kd_barang:DESC");
        endif;
        return array("barang.kd_barang:DESC");
    }

```

```

    }

    public function define_left_join() {
        return array(
            "kategori ON barang.kd_kategori =
kategori.kd_kategori",
            "merk ON barang.kd_merk = merk.kd_merk");
    }

    public function record_data($opt="", $dtopt="", $limit="") {
        $data = $this->select_data($opt, $dtopt, $limit);
        if(!in_array("count", $this->option) && !in_array("auto",
$this->option)) :
            $ukuran_barang = new ukuran_barang;
            if($data && $limit == 1):
                if($ukuran_stok = $ukuran_barang-
>record_data("by_barang", $data->kd_barang)):
                    $data->ukuran_stok = $ukuran_stok;
                else:
                    $data->ukuran_stok = array();
                endif;
            elseif($data && is_array($data)):
                for($a=0; $a<count($data); $a++) :

                    if($ukuran_stok = $ukuran_barang-
>record_data("by_barang", $data[$a]->kd_barang)):
                        $data[$a]->ukuran_stok =
$ukuran_stok;
                    else:
                        $data[$a]->ukuran_stok = array();
                    endif;

                endfor;
            endif;
        endif;
        return $data;
    }

    public function select_data($opt, $dtopt, $limit) {
        $this->option = $option = strpos($opt, " ") !== false ?
explode(" ", $opt) : array($opt);
        $this->dtopt = $dtopt;
        $this->limit = $limit;
        $type = $limit !== "" && $limit == 1 ? "single object" : "multi
object";

        $this->data->beginRec = !in_array("count", $option) ? $this-
>beginRec : "";
        $this->data->endRec = !in_array("count", $option) && $this-
>endRec != NULL ? $this->endRec : "";

        $data_array = $this->define_data();

        if(in_array("count", $option)) {
            $data = $this->data->get_data($data_array, "single
object");

            if(!isset($data->counts)) {

```

```

        if(!$data) {
            $data = new stdClass();
        }
        $data->counts = "0";
    }
    return $data->counts;
}elseif(in_array("auto",$option)){
    $data = $this->data->
>get_data($data_array,"multiColoums");
    return $data;
} else {
    $data = $this->data->get_data($data_array,$type);
    return $data;
}
}
}
}
?>

```

Transaksi.class.php

```

<?php
    defined("ONLINESHOP002")or
header("Location:http://".$_SERVER['HTTP_HOST']);

    class transaksi extends objects {

        var $pembayar, $nama_bank, $no_rek, $keterangan, $jml_bayar,
$bayar, $kirim, $nama, $no_telp;
        var $namaPembayar;

        public function __construct() {
            $this->main = Main::get_main();
            $this->data = $this->main->data;
            $this->instance = &$this;
            $date = strtotime(date("Y-m-d"));
            $next5days = date('Y-m-d', strtotime("-1 day", $date));

            if(!class_exists("ukuran_barang")) :

require_once(APPLICATION_PATH.'ukuran_barang'.CLASS_OBJ);
            endif;

            if($getTrans = $this->record_data("belum_lunas")) :
                for($b=0; $b<count($getTrans); $b++) :
                    if($getOverdue = $this->record_data("overdue",
$next5days)):
                        if(count($getOverdue) > 0):
                            for($a=0;
<count($getOverdue);$a++) :
                                $data = array("status" =>
"2");
                                    $condition =
array("kd transaksi" => $getOverdue[$a]->kdTrans);

```

```

$condition, "transaksi");
    $this->update_data($data,
    $detail = new
    $getDetail = $detail-
    >record_data("by_trans", $getOverdue[$a]->kdTrans);
    if(count($getDetail) > 0) :
        foreach($getDetail as
    $value):
        $ukurans = new
    ukuran_barang;
        $getUkuran =
    $ukurans->record_data('by_id', $value->kd_ukuran_barang,1);
        $allstok =
    $getUkuran->stok + $value->jml_pesanan;
        $data =
    array("stok" => $allstok);
        $condition =
    array('kd_ukuran_barang'=>$value->kd_ukuran_barang);
        $ukurans-
    >update_data($data, $condition, 'ukuran_barang');
        $barang = new
    produk;
        $getBarang =
    $barang->record_data('by_id', $getUkuran->kd_barang, 1);
        $stok =
    $getBarang->stok_barang + $value->jml_pesanan;
        $data=
    array('stok_barang'=> $stok);
        $condition =
    array('kd_barang'=>$getUkuran->kd_barang);
        $barang-
    >update_data($data, $condition, 'barang');
        endforeach;
    endif;
    endfor;
    endif;
    else:
        continue;
    endif;
    endfor;
endif;
}

public function get_harga($id=NULL){
    if($id!= NULL) :
        if($getData = $this->record_data("by_id", $id, 1)):
            echo $getData->jml harga;

```

```

        return $getData->jml_harga;
    endif;
endif;
return NULL;
}

public function define_field() {
    if(in_array("count",$this->option)) :
        return $field = array("COUNT(*) AS counts");
    else :
        return $field = array(
            "*",
            "date_format(transaksi.tgl_pesanan, '%d %M %Y') AS date_pesanan",
            "transaksi.kd_transaksi AS kdTrans");
    endif;
}

public function define_table() {
    return array("transaksi");
}

public function define_left_join(){
    $join = array(
        "member      ON      transaksi.kd_member      =
member.kd_member",
        "harga_kirim  ON      transaksi.kd_harga_kirim
= harga_kirim.kd_harga_kirim",
        "kota         ON      harga_kirim.kd_kota       =
kota.kd_kota",
        "jasa_kirim   ON      harga_kirim.kd_jasa_kirim
= jasa_kirim.kd_jasa_kirim",
        "konfirmasi_pembayaran      ON
konfirmasi_pembayaran.kd_transaksi = transaksi.kd_transaksi",
        "alamat_kirim      ON
alamat_kirim.kd_transaksi = transaksi.kd_transaksi"
    );

    return $join;
}

public function define_condition() {
    $condition = "";
    if(in_array("lastId", $this->option)) :
        $condition = "";
    else :
        if(in_array("by_id", $this->option) && $this->dtopt!=""):
            $condition = "transaksi.kd_transaksi =
'".intval($this->dtopt)."'";
        elseif(in_array("overdue", $this->option)&&$this->dtopt!="") :
            $condition = "transaksi.status =
'".intval(0)."' AND

```

```

        STR_TO_DATE(transaksi.tgl_pesan, '%Y-%m-%d') <= '". $this->dtopt.'";
    elseif(in_array("belum_lunas", $this->option)&&$this->dtopt!="") :
        $condition = "transaksi.status =
        '".intval(0)."'";
    elseif(in_array("get_lunas", $this->option)):
        $condition = "transaksi.status =
        '".intval(1)."'";
    elseif(in_array("get_batal", $this->option)):
        $condition = "transaksi.status =
        '".intval(2)."'";
    elseif(in_array("get_unpaid", $this->option)):
        $condition = "transaksi.status =
        '".intval(0)."'";
    elseif(in_array("by_member", $this->option) && $this->dtopt!="") :
        $condition = "transaksi.kd_member =
        '".intval($this->dtopt)."'";
    elseif(in_array("get_today_total", $this->option)):
        $condition = "transaksi.tgl_pesan >
DATE_SUB(NOW(), INTERVAL 1 DAY)";
    elseif(in_array("get_today_lunas", $this->option)):
        $condition = "transaksi.tgl_pesan >
DATE_SUB(NOW(), INTERVAL 1 DAY) AND transaksi.status = '1'";
    elseif(in_array("get_today_batal", $this->option)):
        $condition = "transaksi.tgl_pesan >
DATE_SUB(NOW(), INTERVAL 1 DAY) AND transaksi.status = '2'";
    elseif(in_array("get_today_unpaid", $this->option)):
        $condition = "transaksi.tgl_pesan >
DATE_SUB(NOW(), INTERVAL 1 DAY) AND transaksi.statustatus_pesanan = '0'";
    elseif(in_array("get_week_total", $this->option)):
        $times = strtotime(date("Y-m-d H:i:s"));
        $w = date("w", $times);
        $start_date = date("Y-m-d H:i:s", $times -
(86400 * $w));
        $end_date = date("Y-m-d H:i:s", $times + 86400
* (6 - $w));
        $condition = "(transaksi.tgl_pesan BETWEEN
        '". $start_date.'" AND '". $end_date.'" )";
    elseif(in_array("get_week_lunas", $this->option)):
        $times = strtotime(date("Y-m-d H:i:s"));
        $w = date("w", $times);
        $start_date = date("Y-m-d H:i:s", $times -
(86400 * $w));
        $end_date = date("Y-m-d H:i:s", $times + 86400
* (6 - $w));

```

```

                $condition = "(transaksi.tgl_pesan BETWEEN
'".$start_date."' AND '".$end_date."' ) AND transaksi.status = '1'";

                elseif(in_array("get_week_batal", $this->option)):
                    $times = strtotime(date("Y-m-d H:i:s"));
                    $w = date("w", $times);
                    $start_date = date("Y-m-d H:i:s", $times -
(86400 * $w));
                    $end_date = date("Y-m-d H:i:s", $times + 86400
* (6 - $w));
                    $condition = "(transaksi.tgl_pesan BETWEEN
'".$start_date."' AND '".$end_date."' ) AND transaksi.status = '2'";

                elseif(in_array("get_week_unpaid", $this->option)):
                    $times = strtotime(date("Y-m-d H:i:s"));
                    $w = date("w", $times);
                    $start_date = date("Y-m-d H:i:s", $times -
(86400 * $w));
                    $end_date = date("Y-m-d H:i:s", $times + 86400
* (6 - $w));
                    $condition = "(transaksi.tgl_pesan BETWEEN
'".$start_date."' AND '".$end_date."' ) AND transaksi.status = '0'";

                elseif(in_array("get_month_total", $this->option)):
                    $start_date = date('Y-m-01
00:00:00', strtotime('this month'));
                    $end_date = date('Y-m-t
12:59:59', strtotime('this month'));
                    $condition = "(transaksi.tgl_pesan BETWEEN
'".$start_date."' AND '".$end_date."' )";

                elseif(in_array("get_month_lunas", $this->option)):
                    $start_date = date('Y-m-01
00:00:00', strtotime('this month'));
                    $end_date = date('Y-m-t
12:59:59', strtotime('this month'));
                    $condition = "(transaksi.tgl_pesan BETWEEN
'".$start_date."' AND '".$end_date."' ) AND transaksi.status = '1'";

                elseif(in_array("get_month_batal", $this->option)):
                    $start_date = date('Y-m-01
00:00:00', strtotime('this month'));
                    $end_date = date('Y-m-t
12:59:59', strtotime('this month'));
                    $condition = "(transaksi.tgl_pesan BETWEEN
'".$start_date."' AND '".$end_date."' ) AND transaksi.status = '2'";

                elseif(in_array("get_month_unpaid", $this->option)):
                    $start_date = date('Y-m-01
00:00:00', strtotime('this month'));
                    $end_date = date('Y-m-t
12:59:59', strtotime('this month'));
                    $condition = "(transaksi.tgl_pesan BETWEEN
'".$start_date."' AND '".$end_date."' ) AND transaksi.status = '0'";

                elseif(in_array("get_year_total", $this->option)):
                    $start_date = date('Y-01-01

```

```

00:00:00',strtotime('this year'));
        $send_date = date('Y-12-t
12:59:59',strtotime('this year'));
        $condition = "(transaksi.tgl_pesan BETWEEN
'".$start_date."' AND '".$end_date.'")";

        elseif(in_array("get_date", $this->option)):
            $num = cal_days_in_month(CAL_GREGORIAN,
date("m"), date("Y"));
            $no = 1;
            for($a=0; $a < $num; $a++):
                if(in_array($no, $this->option)):
                    $wrapno = strlen($no) == 1 ?
"0".$no : $no;
                    $getDate = date("j",
strtotime(date("Y-m-".$wrapno)));
                    $condition =
"DATE_FORMAT(transaksi.tgl_pesan, '%Y-%m-%d') = '".date("Y-m-d", mktime(0, 0,
0, date("n"), $getDate, date("Y")))."'";
                    endif;
                    $no++;
                endif;
            elseif(in_array('periode', $this->option)):
                if(isset($_GET) && isset($_GET['start']) &&
$_GET['start']!=NULL && isset($_GET['end']) && $_GET['end']!=NULL):
                    $condition =
"DATE_FORMAT(transaksi.tgl_pesan, '%Y-%m-%d') BETWEEN '".date("Y-m-d",
strtotime($_GET['start']))."' AND '".date("Y-m-d",
strtotime($_GET['end']))."'";
                    elseif(isset($_GET) && isset($_GET['start']) &&
$_GET['start']!=NULL && (!isset($_GET['end']) || (isset($_GET['end']) &&
$_GET['end']==NULL)):
                        $condition =
"DATE_FORMAT(transaksi.tgl_pesan, '%Y-%m-%d') >= '".date("Y-m-d",
strtotime($_GET['start']))."'";
                        elseif(isset($_GET) && isset($_GET['end']) &&
$_GET['end']!=NULL && (!isset($_GET['start']) || (isset($_GET['start']) &&
$_GET['start']==NULL)):
                            $condition =
"DATE_FORMAT(transaksi.tgl_pesan, '%Y-%m-%d') <= '".date("Y-m-d",
strtotime($_GET['end']))."'";
                            endif;
                        endif;
                    endif;

                return $condition;
            }

            public function define_order() {
                if(!in_array("count", $this->option) && in_array("lastId",
$this->option)) :
                    return array("transaksi.kd_transaksi:DESC");
                endif;
                return array("transaksi.kd_transaksi:DESC");
            }

```

```

public function record_data($opt="", $dtopt="", $limit="") {
    $data = $this->select_data($opt, $dtopt, $limit);
    if(!in_array("count", $this->option)) :
        $detil = new detil_transaksi;
        $kota = new kota;
        $jasaKirim= new jasa_kirim;
        if($data && $limit == 1):
            if($data->kd_kota!=NULL && $getKota = $kota-
>record_data('by_id', $data->kd_kota, 1)):
                $data->kota = $getKota->nama_kota;
            else:
                $data->kota = "";
            endif;

            if($data->kd_jasa_kirim!=NULL && $getKurir =
$jasaKirim->record_data('by_id', $data->kd_jasa_kirim, 1)):
                $data->jasa_kirim = $getKurir-
>nama_jasa_kirim;
            else:
                $data->jasa_kirim = "";
            endif;

            if($detil_trans = $detil-
>record_data("by_trans", $data->kdTrans)):
                $data->details = $detil_trans;
            else:
                $data->details = "";
            endif;

            unset($data->password_member);

        elseif($data && is_array($data)):
            for($a=0;$a<count($data);$a++) :

                if($data[$a]->kd_kota!=NULL && $getKota =
$kota->record_data('by_id', $data[$a]->kd_kota, 1)):
                    $data[$a]->kota = $getKota-
>nama_kota;
                else:
                    $data[$a]->kota = "";
                endif;

                if($data[$a]->kd_jasa_kirim!=NULL &&
$getKurir = $jasaKirim->record_data('by_id', $data[$a]->kd_jasa_kirim, 1)):
                    $data[$a]->jasa_kirim = $getKurir-
>nama_jasa_kirim;
                else:
                    $data[$a]->jasa_kirim = "";
                endif;

                if($detil_trans = $detil-
>record_data("by_trans", $data[$a]->kdTrans)):
                    $data[$a]->details = $detil_trans;
                else:
                    $data[$a]->details = "";
                endif;
            }

```

```

                                unset($data[$a]->password_member);

                                endfor;
                                endif;
                                endif;
                                return $data;
                                }
                                }

class detil_transaksi extends objects {

    public function define_field() {
        if(in_array("count",$this->option)) :
            return $field = array("COUNT(*) AS counts");

            elseif(in_array("terlaris",$this->option)):
                return $field = array(
                    "*",
                    "(SELECT
SUM(detail_transaksi.kd_ukuran_barang)
                                FROM
detail_transaksi
                                WHERE
kd_ukuran_barang = detil.kd_ukuran_barang) AS total");

                else :
                    return $field = array("");
                endif;
            }

            public function define_table() {
                return array("detail_transaksi AS detil");
            }

            public function define_left_join() {
                return array(
                    "transaksi ON detil.kd_transaksi =
transaksi.kd_transaksi",
                    "ukuran_barang ON detil.kd_ukuran_barang
= ukuran_barang.kd_ukuran_barang",
                    "barang ON ukuran_barang.kd_barang =
barang.kd_barang");
            }

            public function define_condition() {
                $condition = "";
                if(in_array("by_trans",$this->option) && $this->dtopt!=""):
                    $condition = "detil.kd_transaksi = '".intval($this->dtopt)."'";
                endif;

                return $condition;
            }
        }
    }

```

```

        public function define_group() {
            if(in_array("terlaris",$this->option)):
                return "detil.kd_barang";
            endif;
            return "";
        }

        public function define_order() {
            if(in_array("terlaris",$this->option)):
                return array("total:DESC");

            endif;

            return array("detil.kd_detail_transaksi:DESC");
        }
    }

}

?>

```

Ukuran.class.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    class ukuran extends objects {

        var $ukuran;

        public function define_table() {
            return array("ukuran");
        }

        public function define_condition() {
            if(in_array("by_id", $this->option) && $this->dtopt != "")
:
                $condition = "ukuran.kd_ukuran = '" . intval($this-
>dtopt) . "'";
            elseif(in_array('by_name', $this->option) && $this->dtopt!=
""):
                $condition = "UPPER(ukuran.ukuran) =
'".$_strtoupper($this->dtopt)."'";
            endif;

            return isset($condition) ? $condition : NULL;
        }

        public function define_order()
        {
            if(in_array('lastId', $this->option)):
                return array("kd_ukuran:DESC");
            endif;

```

```

        return array("kd_ukuran:DESC");
    }
}
?>

```

Ukuran_barang.class.php

```

<?php
class ukuran_barang extends objects
{
    public function define_table()
    {
        return array('ukuran_barang', 'barang');
    }

    public function define_condition()
    {
        $condition = "ukuran_barang.kd_barang = barang.kd_barang";
        if(in_array('by_ukuran_barang', $this->option) && sizeof($this->dtopt) > 0):
            list($ukuran, $barang) = $this->dtopt;
            $condition .= " AND ukuran_barang.ukuran = ".strtoupper($ukuran)." AND ukuran_barang.kd_barang = ".intval($barang)."";
            elseif(in_array('by_barang', $this->option) && $this->dtopt != ""):
                $condition .= " AND ukuran_barang.kd_barang = ".intval($this->dtopt)."";
            elseif(in_array('by_ukuran', $this->option) && $this->dtopt != ""):
                list($ukuran, $barang) = $this->dtopt;
                $condition .= " AND ukuran_barang.kd_barang = ".intval($barang)." AND ukuran = ".strtoupper($ukuran)."";
            elseif(in_array('not_in', $this->option) && $this->dtopt != ""):
                list($ukuran, $barang) = $this->dtopt;
                $condition .= " AND ukuran_barang.kd_barang = ".intval($barang)." AND ukuran NOT IN(implode(",", $ukuran).)";
            endif;
            return (isset($condition) ? $condition : NULL);
        }

    public function define_order()
    {
        return array('kd_ukuran_barang:DESC');
    }
}
?>

```

Global.php

```

<?php
defined("ONLINESHOP002") or
header("Location:http://".$SERVER['HTTP_HOST']);

```

```

if(is_valid_post("cancel-action")) :
    header("Location:".ADMIN_HOST."/".page());
    exit;
endif;

if(is_panel()) :

    if(!is_session_set("WEBAUTH")) :

        if(!file_exists(MODUL_PATH . 'authentic' . EXTPHP))
            exit("No found modul file authentic");

        include_once(MODUL_PATH . 'authentic' . EXTPHP);
        $this->pagefile = THEMES_PATH.'admin/login'.EXTPHP;

    else :

        if(page()==" " || page() == "home") :

            if(!file_exists(MODUL_PATH . 'admin/home' . EXTPHP))
                exit("FILE MODUL TIDAK DITEMUKAN");

            include_once(MODUL_PATH . 'admin/home' . EXTPHP);

        else :

            switch(page()) :

                case "logout":
                    $authentic->logout();
                    break;

                case "admin":
                    if(!file_exists(MODUL_PATH
'admin/admin' . EXTPHP))
                        exit("FILE MODUL TIDAK DITEMUKAN");

                    include_once(MODUL_PATH . 'admin/admin' .
EXTPHP);

                    break;

                case "member":
                    if(!file_exists(MODUL_PATH
'admin/member' . EXTPHP))
                        exit("FILE MODUL TIDAK DITEMUKAN");

                    include_once(MODUL_PATH . 'admin/member'
. EXTPHP);

                    break;

                case "ecurrency":
                    if(!file_exists(MODUL_PATH
'admin/ecurrency' . EXTPHP))

```

```

                                exit("FILE MODUL TIDAK DITEMUKAN");
                                include_once(MODUL_PATH
'admin/ecurrency' . EXTPHP);
                                break;
                                case "kota":
                                if(!file_exists(MODUL_PATH . 'admin/kota'
. EXTPHP))
                                        exit("FILE MODUL TIDAK DITEMUKAN");
                                include_once(MODUL_PATH . 'admin/kota' .
EXTPHP);
                                break;
                                case "jasa-kirim":
                                if(!file_exists(MODUL_PATH
'admin/jasa_kirim' . EXTPHP))
                                        exit("FILE MODUL TIDAK DITEMUKAN");
                                include_once(MODUL_PATH
'admin/jasa_kirim' . EXTPHP);
                                break;
                                case "harga-kirim":
                                if(!file_exists(MODUL_PATH
'admin/harga_kirim' . EXTPHP))
                                        exit("FILE MODUL TIDAK DITEMUKAN");
                                include_once(MODUL_PATH
'admin/harga_kirim' . EXTPHP);
                                break;
                                case "produk":
                                if(!file_exists(MODUL_PATH
'admin/produk' . EXTPHP))
                                        exit("FILE MODUL TIDAK DITEMUKAN");
                                include_once(MODUL_PATH . 'admin/produk'
. EXTPHP);
                                break;
                                case "transaksi":
                                if(!file_exists(MODUL_PATH
'admin/transaksi' . EXTPHP))
                                        exit("FILE MODUL TIDAK DITEMUKAN");
                                include_once(MODUL_PATH
'admin/transaksi' . EXTPHP);
                                break;
                                case "bank":
                                if(!file_exists(MODUL_PATH . 'admin/bank'
. EXTPHP))
                                        exit("FILE MODUL TIDAK DITEMUKAN");
                                include_once(MODUL_PATH . 'admin/bank' .
EXTPHP);

```

```

                break;

                default:
                    break;

            endswitch;

        endif;

        $this->pagefile = THEMES_PATH."admin/".INDEX;

    endif;

    include_once($this->pagefile);

else :

    //$getKats = $kategori->record_data("call_parent");
    //$getMerk = $merk->record_data();
    //$pageName = "";

    if(!is_session_set("WEBAUTH_KONSUMEN"))
        unset_session("KERANJANG_BELANJA", "ORDERS");

    if(page() != "") :

        $errorMsg_modul = "FILE MODUL TIDAK DITEMUKAN";

        switch(page()) :

            case "home":

                if(!file_exists(MODUL_PATH . 'front/home' .
EXTPHP))
                    exit($errorMsg_modul);

                include_once(MODUL_PATH . 'front/home' .
EXTPHP);

                break;

            case "logout":
            case "login":
            case "daftar":
            case "member":
                if(!file_exists(MODUL_PATH . 'front/member' .
EXTPHP))
                    exit($errorMsg_modul);

                include_once(MODUL_PATH . 'front/member' .
EXTPHP);

                break;

            case "produk":
                if(!file_exists(MODUL_PATH . 'front/produk' .
EXTPHP))
                    exit($errorMsg_modul);

```

```

                                include_once(MODUL_PATH . 'front/produk' .
EXTPHP);
                                break;

                                case "order":

                                if(!file_exists(THEMES_PATH."order_info".EXTPHP))
                                        exit("no found file order_info");

                                include_once(THEMES_PATH."order_info".EXTPHP);
                                exit();
                                break;

                                case "keranjang-belanja":
                                        if(!file_exists(MODUL_PATH
'front/keranjang_belanja' . EXTPHP))
                                                exit($errorMsg_modul);

                                        include_once(MODUL_PATH
'front/keranjang_belanja' . EXTPHP);
                                        break;

                                case "jasa-kirim":
                                        if(!file_exists(MODUL_PATH . 'front/jasa_kirim'
. EXTPHP))
                                                exit($errorMsg_modul);

                                        include_once(MODUL_PATH . 'front/jasa_kirim' .
EXTPHP);
                                        break;

                                case "cara-pemesanan":
                                case "cara-pembayaran":
                                        if(file_exists(MODUL_PATH . 'front/statik' .
EXTPHP)) :
                                                include_once(MODUL_PATH . 'front/statik'
. EXTPHP);

                                        else :
                                                exit($errorMsg_modul);

                                        endif;
                                        break;

                                default:
                                        break;

                                endswitch;

                                else :

                                if(!file_exists(MODUL_PATH . 'front/home' . EXTPHP))
                                        exit("FILE MODUL TIDAK DITEMUKAN");

                                include_once(MODUL_PATH . 'front/home' . EXTPHP);

                                endif;

```

```
        include_once (THEMES_PATH.INDEX);

    endif;

?>
```

Authentic.php

```
<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    $errmsg = "";
    $authentic->adminUser = post("adminUsername");
    $authentic->adminPass = post("adminPass");

    $authentic->memberUser = post("member-user");
    $authentic->memberPass = post("member-pass");

    if(is_valid_post("adminLogin")) :

        $errorCount = 0;
        if(empty($authentic->adminUser) || $authentic->adminUser == "") :
            $errmsg = "Silahkan isi username dan password Anda";
            $errorCount = 1;

        elseif(empty($authentic->adminPass) || $authentic->adminPass ==
"") :
            $errmsg = "Silahkan isi username dan password Anda";
            $errorCount = 1;

        elseif($authentic->record_data("count checklogin")==0) :
            $errmsg = "Username atau password Anda salah !";
            $errorCount = 1;

        endif;

        if($errorCount==0) :
            $id = session_id();
            $getAdmin = $authentic->record_data("checklogin","",1);
            set_session("WEBAUTH,USERID",$id);
            set_session("WEBAUTH,USERADMINID",$getAdmin->kd_admin);
            set_session("WEBAUTH,USERADMINNAME",$getAdmin->nama_admin);
            set_session("WEBAUTH,USERADMINEMAIL",$getAdmin->email_admin);

            header("Location:" . ADMIN_HOST . "/home");
            exit();

        endif;

    endif;

    if(is_valid_post("member-login")):
```

```

$errorCount = 0;
if(empty($authentic->memberUser) || $authentic->memberUser == "")
:
    $errormsg = "Silahkan isi username dan password Anda";
    $errorCount = 1;

elseif(empty($authentic->memberPass) || $authentic->memberPass ==
"" ) :
    $errormsg = "Silahkan isi username dan password Anda";
    $errorCount = 1;

elseif($authentic->record_data("count checklogin")==0) :
    $errormsg = "Username atau password Anda salah !";
    $errorCount = 1;

endif;

if($errorCount==0) :
    $id = session_id();
    $getMember = $authentic->record_data("checklogin","",1);
    set_session("WEBAUTH_KONSUMEN,USERID",$id);
    set_session("WEBAUTH_KONSUMEN,MEMBERID",$getMember-
>kd_member);
    set_session("WEBAUTH_KONSUMEN,MEMBERNAME",$getMember-
>nama_member);
    set_session("WEBAUTH_KONSUMEN,MEMBEREMAIL",$getMember-
>email_member);

    header("Location:" . SITE_HOST . "/member");
    exit();

endif;

endif;

?>

```

Admin.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    $admin->adminName = is_valid_post("adminSave") ? post("adminName") :
"";
    $admin->adminEmail = is_valid_post("adminSave") ? post("adminEmail") :
"";
    $admin->adminUser = is_valid_post("adminSave") ? post("adminUser") :
"";
    $admin->adminPass = is_valid_post("adminSave") ? post("adminPass") :
"";
    $admin->adminRetype = is_valid_post("adminSave") ? post("adminRetype")
: "";

    $error = array (

```

```

        "adminName"=>"",
        "adminEmail"=>"",
        "adminUser"=>"",
        "adminPass"=>"",
        "adminNewPass"=>"",
        "adminRetype"=>""
    );

    if(is_valid_post("cancel-action")) :
        header("Location:".ADMIN_HOST . "/" . page());
        exit();
    endif;

    $PageSize = 50;
    $PageDisplay = 9;

    require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
    $admin->beginRec = $beginRec;
    $admin->endRec = $intPageSize;

    switch(actionPage()):

        case "add":
            $pageName = "Halaman Tambah Administrator";
            $this->temp_page = "admin/admin_form";
            break;

        case "edit":
            if(subActionPage()=="" || $admin->record_data("count
by_id",subActionPage(),1)==0) :
                header("Location:".ADMIN_HOST . "/" . page());
                exit();
            endif;

            $pageName = "Halaman Edit Administrator";
            $getadmin = $admin->record_data("by_id",subActionPage(),1);
            $admin->adminName = is_valid_post("adminSave") ?
post("adminName") : $getadmin->nama_admin;
            $admin->adminEmail = is_valid_post("adminSave") ?
post("adminEmail") : $getadmin->email_admin;
            $admin->adminUser = is_valid_post("adminSave") ?
post("adminUser") : $getadmin->user_admin;
            $admin->adminPass = is_valid_post("adminSave") ?
post("adminPass") : "";
            $admin->adminNewPass = is_valid_post("adminSave") ?
post("adminNewPass") : "";
            $admin->adminRetype = is_valid_post("adminSave") ?
post("adminRetype") : "";
            $this->temp_page = "admin/admin_form";
            break;

        case "delete":
            if($admin->record_data("count")==1 || subActionPage()=="
|| $admin->record_data("count by_id",subActionPage(),1)==0) :
                header("Location:".ADMIN_HOST . "/" . page());
                exit();
            endif;

```

```

        $condition = array("kd_admin" => subActionPage());
        $admin->delete_data($condition, "admin");
        set_session("SUCCESS,TEXT", "Sukses hapus data
administrator");
        header("Location:".ADMIN_HOST . "/" . page());
        exit();
        break;

        default:
            $countData = $admin->record_data("count");
            $getData = $admin->record_data();
            pagingShow($countData, $pgtogo, $intPageNumber,
$intPageSize, $intPageDisplay);
            $this->temp_page = "admin/admin";
            break;

    endswitch;

    if(is_valid_post("adminSave")) :
        $valid = true;
        if(empty($admin->adminName) || $admin->adminName=="") :
            $error['adminName'] = "Silahkan isi nama Administrator";
            $valid = false;

        elseif(!ctype_alnum(filteringName($admin->adminName))) :
            $error['adminName'] = "Format nama Administrator salah";
            $valid = false;
        endif;

        if(empty($admin->adminEmail) || $admin->adminEmail=="") :
            $error['adminEmail'] = "Silahkan isi email Administrator";
            $valid = false;

            elseif(PHP_VERSION >= 5.2 && filter_var($admin->adminEmail,
FILTER_VALIDATE_EMAIL)==false) :
                $error['adminEmail'] = "Format penulisan email salah.";
                $valid = false;

                elseif(!preg_match('/^[a-z0-9&'\.\-\_]+@[a-z0-9\-\]+\.[a-z0-9\-\
]+\.\.)*+[a-z]{2}/is', $admin->adminEmail)) :
                    $error['adminEmail'] = "Format penulisan email salah.";
                    $valid = false;

                elseif($admin->record_data("count by_email", $admin-
>adminEmail,1)>0) :
                    $error['adminEmail'] = "Email sudah terpakai.";
                    $valid = false;

                endif;

            if(empty($admin->adminUser) || $admin->adminUser=="") :
                $error['adminUser'] = "Silahkan isi username
Administrator";
                $valid = false;

                elseif(!ctype_alnum(filtering_username($admin->adminUser))) :
                    $error['adminUser'] = "Format username Administrator

```

```

salah";
                $valid = false;

                elseif($admin->record_data("count          by_user",          $admin-
>adminUser,1)>0) :
                    $error['adminUser'] = "Username sudah terpakai.";
                    $valid = false;

                endif;

                if(actionPage() == "add" && (empty($admin->adminPass) || $admin-
>adminPass=="")) :
                    $error['adminPass']      =      "Silahkan      isi      password
Administrator";
                    $valid = false;

                    elseif(actionPage() == "edit" && $admin->adminPass!="" &&
                    $admin->record_data("count          by_pass",          $admin-
>adminPass, 1) == 0) :
                        $error['adminPass']      =      "Password      Administrator      tidak
ditemukan";
                        $valid = false;

                        elseif(actionPage() == "add" && $admin->adminPass!="" &&
!preg_match('/^[a-zA-Z\d_@.]{5,50}$/i', $admin-
>adminPass)) :
                            $error['adminPass']      =      "Format      password      Administrator
salah.";
                            $valid = false;
                        endif;

                        if(actionPage() == "edit" && $admin->adminPass!="" && $admin-
>adminNewPass == "") :
                            $error['adminNewPass']      =      "Silahkan      isi      password      baru
Anda.";
                            $valid = false;

                            elseif(actionPage() == "edit" && $admin->adminNewPass!="" &&
$admin->adminPass == "") :
                                $error['adminNewPass']      =      "Silahkan      isi      password      lama
Anda.";
                                $valid = false;

                                elseif(actionPage() == "edit" && $admin->adminNewPass!="" &&
!preg_match('/^[a-zA-Z\d_@.]{5,50}$/i', $admin->adminNewPass)):
                                    $error['adminNewPass']      =      "Format      password      Administrator
salah.";
                                    $valid = false;
                                endif;

                                if(actionPage() == "add" && $admin->adminPass      !=      $admin-
>adminRetype) :
                                    $error['adminRetype']      =      "Password      tidak      cocok.";
                                    $valid = false;

                                    elseif(actionPage() == "edit" && $admin->adminNewPass      !=      $admin-
>adminRetype) :

```

```

                $error['adminRetype'] = "Password tidak cocok.";
                $valid = false;
            endif;

            if($valid===true) :
                if(actionPage()=="add") :
                    $data = array(
                        "nama_admin" => $admin->adminName,
                        "email_admin" => $admin->
>adminEmail,
                        "user_admin" => $admin->adminUser,
                        "password_admin" =>
securePass($admin->adminPass)
                    );
                    $admin->insert_data($data,"admin");
                    set_session("SUCCESS,TEXT", "Sukses menambah data
administrator");

                elseif(actionPage()=="edit") :
                    $data = array(
                        "nama_admin" => $admin->adminName,
                        "email_admin" => $admin->
>adminEmail,
                        "user_admin" => $admin->adminUser,
                    );
                    if($admin->adminNewPass!="") :
                        $data['password_admin'] = securePass($admin->
>adminNewPass);
                    endif;
                    $condition = array("kd_admin"=>subActionPage());
                    $admin->update_data($data, $condition, "admin");
                    set_session("SUCCESS,TEXT", "Sukses merubah data
administrator");
                endif;
                header("Location:".ADMIN_HOST."/".page());
                exit();
            endif;
        endif;
    ?>

```

Bank.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    $error = array(
        "namaBank" => "",
        "holder" => "",
        "noRekening" => ""
    );

    $bank->namaBank = is_valid_post("bankSave") ? post("namaBank") : "";
    $bank->holder = is valid post("bankSave") ? post("holder") : "";

```

```

$bank->noRekening = is_valid_post("bankSave") ? post("noRekening") :
"";

if(is_valid_post("cancelbank-action")) :
    header("Location:".ADMIN_HOST . "/" . page());
    exit();
endif;

switch(actionPage()):

    case "add":
        $pageName = "Halaman Tambah Bank";
        $this->temp_page = "admin/bank_form";
        break;

    case "edit":
        if(subActionPage()=="" || $bank->record_data("count
by_id",subActionPage(),1)==0) :
            header("Location:".ADMIN_HOST . "/" . page());
            exit();
        endif;

        $dataBank = $bank->record_data("by_id", subActionPage(),
1);
        $bank->namaBank = is_valid_post("bankSave") ?
post("namaBank") : $dataBank->nama_bank;
        $bank->holder = is_valid_post("bankSave") ? post("holder")
: $dataBank->nama_pemilik;
        $bank->noRekening = is_valid_post("bankSave") ?
post("noRekening") : $dataBank->no_rekening;
        $pageName = "Halaman Rubah Bank";
        $this->temp_page = "admin/bank_form";
        break;

    case "delete":
        if(subActionPage()=="" || $bank->record_data("count
by_id",subActionPage(),1)==0) :
            header("Location:".ADMIN_HOST . "/" . page());
            exit();
        endif;

        $condition = array("kd_bank" => subActionPage());
        $bank->delete_data($condition, "bank");
        set_session("SUCCESS,TEXT", "Sukses hapus data bank");
        header("Location:".ADMIN_HOST . "/" . page());
        exit();
        break;

    default:
        $PageSize = 20;
        $PageDisplay = 9;

        require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
        $bank->beginRec = $beginRec;
        $bank->endRec = $intPageSize;

        $countData = $bank->record_data("count");

```

```

        $getData = $bank->record_data();

        pagingShow($countData,          $pgtogo,          $intPageNumber,
$intPageSize, $intPageDisplay);
        $this->temp_page = "admin/bank";
        break;
        break;

    endswitch;

    if(is_valid_post("bankSave")) :

        $valid = TRUE;

        if(empty($bank->namaBank) || $bank->namaBank == "") :
            $error['namaBank'] = "Silahkan isi nama bank";
            $valid = FALSE;

        elseif(!ctype_alnum(filteringName($bank->namaBank))) :
            $error['namaBank'] = "Format penulisan nama bank dilarang.
Nama merk ditulis dengan huruf, "
                                ."angka    dan    kata
sambung";
            $valid = FALSE;

        endif;

        if(empty($bank->holder) || $bank->holder == "") :
            $error['holder'] = "Silahkan isi nama pemilik rekening";
            $valid = FALSE;

        elseif(!ctype_alnum(filteringName($bank->holder))) :
            $error['holder'] = "Format penulisan nama pemilik rekening
dilarang. Nama merk ditulis dengan huruf, "
                                ."angka    dan    kata
sambung";
            $valid = FALSE;

        endif;

        if(empty($bank->noRekening) || $bank->noRekening == "") :
            $error['noRekening'] = "Silahkan isi no rekening";
            $valid = FALSE;

        elseif(!ctype_alnum(filteringName($bank->noRekening))) :
            $error['noRekening'] = "Format penulisan no rekening
dilarang. Nama merk ditulis dengan huruf, "
                                ."angka    dan    kata
sambung";
            $valid = FALSE;

        endif;

        if(empty($bank->namaBank) || $bank->namaBank == "") :
            $error['merkName'] = "Silahkan isi nama bank";
            $valid = FALSE;

```

```

elseif(!ctype_alnum(filteringName($bank->namaBank))) :
    $error['merkName'] = "Format penulisan nama bank dilarang.
Nama merk ditulis dengan huruf, "
                                ."angka    dan    kata
sambung";
    $valid = FALSE;
endif;

if($valid === TRUE) :

    $dataSave = array(
        >namaBank),
        >holder),
        "nama_bank" => ucwords($bank-
        "nama_pemilik" => ucwords($bank-
        "no_rekening" => $bank->noRekening
    );

    if(actionPage()=="add") :

        $bank->insert_data($dataSave, "bank");
        set_session("SUCCESS,TEXT", "Sukses menambah data
bank");

    elseif(actionPage()=="edit") :

        $condition = array("kd_bank"=>subActionPage());
        $bank->update_data($dataSave, $condition, "bank");
        set_session("SUCCESS,TEXT", "Sukses merubah data
bank");

    endif;

    header("Location:".ADMIN_HOST."/".page());
    exit();

endif;

endif;

?>

```

Ecurrency.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    $PageSize = 50;
    $PageDisplay = 9;

    require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
    $currency->beginRec = $beginRec;
    $currency->endRec = $intPageSize;

```

```

$error=array(
    'ecurrencyName'=>'',
    'ecurrencyVal'=>'')
);

$currency->currencyName1 = is_valid_post('ecurrencySave') ?
post('currencyName1'): "";
$currency->currencyName2 = is_valid_post('ecurrencySave') ?
post('currencyName2'): "IDR";
$currency->currencyVal1 = is_valid_post('ecurrencySave') ?
post('ecurrencyVal1'): "1";
$currency->currencyVal2 = is_valid_post('ecurrencySave') ?
post('ecurrencyVal2'): "0";

switch(actionPage()):

    case "add" :
        $pageName="Tambah Nilai Tukar Mata Uang";
        $this->temp_page = "admin/ecurrency_form";
        break;

    case "edit":
        $pageName="Rubah Nilai Tukar Mata Uang";
        $getCurrency=$currency->record_data('by_id',
subActionPage(), 1);
        $currency->currencyName1 = is_valid_post('ecurrencySave')
? post('currencyName1'): $getCurrency->nama_ecurrency1;
        $currency->currencyName2 = is_valid_post('ecurrencySave')
? post('currencyName2'): $getCurrency->nama_ecurrency2;
        $currency->currencyVal1 = is_valid_post('ecurrencySave') ?
post('ecurrencyVal1'): $getCurrency->value_ecurrency1;
        $currency->currencyVal2 = is_valid_post('ecurrencySave') ?
post('ecurrencyVal2'): $getCurrency->value_ecurrency2;

        $this->temp_page = "admin/ecurrency_form";
        break;

    case "delete":
        if(subActionPage()==" " || $currency->record_data("count
by_id",subActionPage(),1)==0) :
            header("Location:".ADMIN_HOST . "/" . page());
            exit();
        endif;

        $condition = array("kd_ecurrency" => subActionPage());
        $currency->delete_data($condition, "ecurrency");
        set_session("SUCCESS,TEXT", "Sukses hapus data nilai tukar
mata uang");

        header("Location:".ADMIN_HOST . "/" . page());
        exit();
        break;

    default:
        $pageTitle = "Halaman Ecurrency";
        $countData = $currency->record_data("count");
        $getData = $currency->record_data();
        pagingShow($countData, $pgtogo, $intPageNumber,

```

```

$intPageSize, $intPageDisplay);
        $this->temp_page = "admin/ecurrency";
        break;

endswitch;

if(is_valid_post('ecurrencySave')) :
    $valid = TRUE;

        if(empty($currency->currencyName1) || $currency->currencyName1
== NULL || empty($currency->currencyName2) || $currency->currencyName2 ==
NULL) :
            $error['ecurrencyName'] = "Silahkan isi kode mata uang
untuk nilai tukar";
            $valid= FALSE;
            elseif(strlen($currency->currencyName1)!=3 && strlen($currency-
>currencyName2)!=3):
                $error['ecurrencyName'] = "Silahkan isi 3 karakter kode
mata uang dengan benar";
                $valid= FALSE;
                elseif(!ctype_alpha($currency-
>currencyName1)&&!ctype_alpha($currency->currencyName2)):
                    $error['ecurrencyName'] = "Silahkan isi 3 karakter kode
mata uang dengan benar";
                    $valid= FALSE;
                    elseif(strlen($currency->currencyName2)!=3):
                        $error['ecurrencyName'] = "Silahkan isi 3 karakter kode
mata uang dengan benar";
                        $valid= FALSE;
                    endif;

                if(empty($currency->currencyVal1) || $currency->currencyVal1 ==
NULL || empty($currency->currencyVal1) || $currency->currencyVal1 == NULL)
:
                    $error['ecurrencyVal'] = "Silahkan isi nilai tukar masing-
masing mata uang.";
                    $valid= FALSE;
                    elseif(!ctype_digit($currency-
>currencyVal1)&&!ctype_digit($currency->currencyVal2)):
                        $error['ecurrencyVal'] = "Silahkan isi nilai tukar dengan
menggunakan hanya angka saja.";
                        $valid= FALSE;

                    endif;

                if($valid===TRUE) :
                    $currencyName=strtoupper($currency-
>currencyName1).", ".strtoupper($currency->currencyName2);
                    $currencyVal=$currency->currencyVal1."=>".$currency-
>currencyVal2;
                    $data = array(
                                'nama_ecurrency'=>$currencyName,
                                'value_ecurrency'=>$currencyVal
                                );

                    if(actionPage()=="add") :
                        $currency->insert data($data,"ecurrency");

```

```

                                set_session("SUCCESS,TEXT", "Sukses menambah data
nilai tukar mata uang.");
                                elseif(actionPage()=="edit"):
                                    $condition = array("kd_ecurrency"=>subActionPage());
                                    $currency->update_data($data, $condition,
"ecurrency");
                                set_session("SUCCESS,TEXT", "Sukses merubah data
nilai tukar mata uang");
                                endif;

                                header("Location:".ADMIN_HOST."/".page());
                                exit();

                                endif;

                                endif;

?>

```

Harga_kirim.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    $error = array("hargaKirim" => "");

    switch(actionPage()) :

        case "edit":
            if(subActionPage()==" " || $harga_kirim->record_data("count
by_id", subActionPage(),1)==0):
                header("Location:". ADMIN_HOST."/".page());
                exit();
            endif;

            $getHargaKirim      =      $harga_kirim->record_data("by_id",
subActionPage(),1);
            $harga_kirim->idKota = $getHargaKirim->kd_kota;
            $harga_kirim->idJasaKirim = $getHargaKirim->kd_jasa_kirim;
            $harga_kirim->idHargaKirim = subActionPage();
            $harga_kirim->hargaKirim = is_valid_post("hargaKirimSave")
? post("hargaKirim") : $getHargaKirim->harga_kirim;
            $pageName = "Halaman Rubah Harga Pengiriman";
            $this->temp_page = "admin/harga_kirim_form";
            break;

        case "jasa-pengiriman":
            $PageSize = 20;
            $PageDisplay = 9;

            require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
            $harga_kirim->beginRec = $beginRec;
            $harga_kirim->endRec = $intPageSize;

```

```

subActionPage());
    $countData = $harga_kirim->record_data("count by_jasa",
subActionPage());
    $getJasa = $jasa_kirim->record_data();
    $getData = $harga_kirim->record_data("by_jasa",
subActionPage());
    pagingShow($countData, $pgtogo, $intPageNumber,
$intPageSize, $intPageDisplay);
    $this->temp_page = "admin/harga_kirim";
    break;

    default:
        $PageSize = 20;
        $PageDisplay = 9;

        require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
        $harga_kirim->beginRec = $beginRec;
        $harga_kirim->endRec = $intPageSize;

        $countData = $harga_kirim->record_data("count");
        $getJasa = $jasa_kirim->record_data();
        $getData = $harga_kirim->record_data();
        pagingShow($countData, $pgtogo, $intPageNumber,
$intPageSize, $intPageDisplay);
        $this->temp_page = "admin/harga_kirim";
        break;

    endswitch;

    if(is_valid_post("hargaKirimSave")) :

        $valid = TRUE;

        if($harga_kirim->hargaKirim!="0" && (empty($harga_kirim-
>hargaKirim) || $harga_kirim->hargaKirim == "")) :
            $error['hargaKirim'] = "Silahkan isi harga pengiriman";
            $valid = FALSE;

        elseif(actionPage()=="edit" && !ctype_digit($harga_kirim-
>hargaKirim)) :
            $error['hargaKirim'] = "Format penulisan harga pengiriman
dilarang. harga pengiriman ditulis dengan angka";
            $valid = FALSE;

        endif;

        if($valid === TRUE) :

            $dataSave = array("harga_kirim" => $harga_kirim-
>hargaKirim);
            $condition = array("kd_harga_kirim"=>subActionPage());
            $harga_kirim->update_data($dataSave, $condition,
"harga_kirim");
            set_session("SUCCESS,TEXT", "Sukses merubah data harga
pengiriman");

            header("Location:".ADMIN_HOST."/".page());
            exit();

```

```
        endif;

    endif;

?>
```

Home.php

```
<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    $dtTrans = $transaksi->record_data(NULL, NULL, 5);
    $dtProduk = $produk->record_data(NULL, NULL, 5);

    $this->temp_page = "admin/home";

?>
```

Jasa_kirim.php

```
<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    $error = array("jasaKirimName" => "");
    $jasa_kirim->jasaKirimName      =      is_valid_post("jasaKirimSave")      ?
post("jasaKirimName") : "";

    if(is_valid_post("cancel-action")) :
        header("Location:".ADMIN_HOST . "/" . page());
        exit();
    endif;

    switch(actionPage()) :

        case "add":
            $pageName = "Halaman Tambah Jasa Pengiriman";
            $this->temp_page = "admin/jasa_kirim_form";
            break;

        case "edit":
            if(subActionPage()=="" || $jasa_kirim->record_data("count
by_id", subActionPage(),1)==0):
                header("Location:". ADMIN_HOST . "/" .page());
                exit();
            endif;

            $dataJasaKirim      =      $jasa_kirim->record_data("by_id",
subActionPage(), 1);
            $jasa_kirim->idJasaKirim = $dataJasaKirim->kd_jasa_kirim;
            $jasa_kirim->jasaKirimName = is_valid_post("jasaKirimSave")
? post("jasaKirimName") : $dataJasaKirim->nama_jasa_kirim;
            $pageName = "Halaman Rubah Jasa Pengiriman";
```

```

        $this->temp_page = "admin/jasa_kirim_form";
        break;

        case "delete":
            if(subActionPage()==" || $jasa_kirim->record_data("count
by_id", subActionPage(),1)==0):
                header("Location:". ADMIN_HOST."/".page());
                exit();
            endif;

            $condition = array("kd_jasa_kirim" => subActionPage());
            $harga_kirim->delete_data($condition, "harga_kirim");

            $condition = array("kd_jasa_kirim" => subActionPage());
            $jasa_kirim->delete_data($condition, "jasa_kirim");
            set_session("SUCCESS,TEXT", "Sukses hapus data jasa
pengiriman");

            header("Location:".ADMIN_HOST . "/" . page());
            exit();

            break;

        default:
            $PageSize = 20;
            $PageDisplay = 9;

            require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
            $jasa_kirim->beginRec = $beginRec;
            $jasa_kirim->endRec = $intPageSize;

            $countData = $jasa_kirim->record_data("count");
            $getData = $jasa_kirim->record_data();
            pagingShow($countData, $pgtogo, $intPageNumber,
$intPageSize, $intPageDisplay);
            $this->temp_page = "admin/jasa_kirim";
            break;

    endswitch;

    if(is_valid_post("jasaKirimSave")) :

        $valid = TRUE;

        if(empty($jasa_kirim->jasaKirimName) || $jasa_kirim-
>jasaKirimName == "") :
            $error['jasaKirimName'] = "Silahkan isi nama jasa
pengiriman";
            $valid = FALSE;

            elseif(actionPage()=="edit" &&
!ctype_alnum(filteringName($jasa_kirim->jasaKirimName))) :
                $error['jasaKirimName'] = "Format penulisan nama jasa
pengiriman dilarang. Nama jasa pengiriman ditulis dengan huruf, "
                ."angka dan kata
sambung";
                $valid = FALSE;

```

```

elseif(actionPage()=="edit"    &&  $jasa_kirim->record_data("count
by_name", ucwords($jasa_kirim->jasaKirimName), 1) > 0):
    $error['jasaKirimName'] = "Nama jasa pengiriman sudah
pernah di input.";
    $valid = FALSE;

elseif(actionPage()=="add"):
    $jasaKirim = explode(EOL, $jasa_kirim->jasaKirimName);

    for($i=0; $i<count($jasaKirim); $i++):

        if($jasaKirim[$i]!="") :
            if(!ctype_alnum(filteringName($jasaKirim[$i])))
:
                $error['jasaKirimName'] = "Format nama
jasa pengiriman \"<em>\".$jasaKirim[$i].\"</em>\" salah";
                $valid = FALSE;
                break;

                elseif($jasa_kirim->record_data("count
by_name", ucwords($jasaKirim[$i]), 1) > 0):
                    $error['jasaKirimName'] = "Jasa
pengiriman \"<em>\".$jasaKirim[$i].\"</em>\" sudah pernah di input.";
                    $valid = FALSE;
                    break;

                endif;

            else :
                unset($jasaKirim[$i]);

            endif;

        endfor;

    endif;

    if($valid === TRUE) :

        if(actionPage()=="add") :
            for($a=0; $a<count($jasaKirim); $a++):

                if($jasaKirim[$a]!="") :
                    $dataSave = array("nama_jasa_kirim"
=>ucwords(trim($jasaKirim[$a])));
                    $jasa_kirim-
>insert_data($dataSave,"jasa_kirim");

                    $getJasa = $jasa_kirim-
>record_data("by_name asc",ucwords(trim($jasaKirim[$a]),1);
                    $getCity = $kota->record_data("asc");
                    for($i=0;$i<count($getCity);$i++):
                        $harga_kirim->idJasaKirim =
$getJasa->kd_jasa_kirim;
                        $harga_kirim->idKota =
$getCity[$i]->kd_kota;
                    if($harga_kirim->record_data("count

```

```

cost",NULL, 1)>0)
                                continue;

                                $data = array(    "kd_jasa_kirim"
=> $getJasa->kd_jasa_kirim,                                "kd_kota"
=> $getCity[$i]->kd_kota,
                                "harga_kirim" => "0");
                                $harga_kirim->insert_data($data,
"harga_kirim");
                                endfor;

                                else :
                                    continue;

                                endif;

                                endfor;

                                set_session("SUCCESS,TEXT", "Sukses menambah data
jasa pengiriman");

                                elseif(actionPage()=="edit") :
                                    $dataSave      =      array("nama_jasa_kirim"      =>
ucwords($jasa_kirim->jasaKirinName));
                                    $condition = array("kd_jasa_kirim"=>subActionPage());
                                    $jasa_kirim->update_data($dataSave,      $condition,
"jasa_kirim");
                                    set_session("SUCCESS,TEXT", "Sukses merubah data jasa
pengiriman");

                                endif;

                                header("Location:".ADMIN_HOST."/".page());
                                exit();

                                endif;

                                endif;

?>

```

Kategori.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    $kategori->katName = is_valid_post("katSave") ? post("katName") : "";
    $kategori->katParent = is_valid_post("katSave") ? post("katParent") :
    "";

    $error = array (
        "katName" => "",

```

```

        "katParent" => "",
        "katAlias" => "");

if(is_valid_post("cancelKat-action")) :
    header("Location:".ADMIN_HOST . "/" . page()."/".actionPage());
    exit();
endif;

$getParent = $kategori->record_data("call_parent");
switch(subActionPage()) :

    case "add":
        $pageName = "Halaman Tambah Kategori";
        $this->temp_page = "admin/kategori_form";
        break;

    case "edit":

        if(dataPage()=="" || $kategori->record_data("count
by_id",dataPage(),1)==0) :
            header("Location:".ADMIN_HOST . "/" .
page()."/".actionPage());
            exit();
        endif;

        $getKat = $kategori->record_data("by_id", dataPage(), 1);

        $kategori->katName = is_valid_post("katSave") ?
post("katName") : $getKat->nama_kategori;
        $kategori->katAlias = is_valid_post("katSave") ?
post("katAlias") : $getKat->alias_kategori;
        $kategori->katParent = is_valid_post("katSave") ?
post("katParent") : $getKat->parent_kategori;

        $pageName = "Halaman Rubah Kategori";
        $this->temp_page = "admin/kategori_form";
        break;

    case "delete":
        if(dataPage()=="" || $kategori->record_data("count
by_id",dataPage(),1)==0) :
            header("Location:".ADMIN_HOST . "/" .
page()."/".actionPage());
            exit();
        endif;

        $getKat=$kategori->record_data('by_id', dataPage(), 1);

        if($kategori->is_parent(dataPage())) :
            if($getKat->parent_kategori > 0):
                $getParents = $kategori->record_data('by_id',
$getKat->parent_kategori, 1);
                $rootArray = explode(",", $getParents-
>root_kategori);

                for($b=0; $b<count($rootArray); $b++):
                    if(dataPage() === $rootArray[$b]):
                        unset($rootArray[$b]);

```

```

else :
    continue;
endif;
endfor;

$roots = array_map("trim", $rootArray);
$roots = array_values($roots);

for($i=0; $i<count($roots);$i++):
    if($roots[$i]==NULL)
        unset($roots[$i]);
    else
        continue;
    endfor;

$roots = implode(",", $roots);
$data=array('root_kategori' => $roots);
$condition = array("kd_kategori" =>
$getParents->kd_kategori);
    $kategori->update_data($data, $condition,
"kategori");

$roots = explode(",", $getKat->root_kategori);

for($i=0; $i<count($roots); $i++):
    if($roots[$i]==$getParents->kd_kategori
|| $roots[$i]==dataPage()):
        continue;
    else :
        $find = $kategori-
>record_data('by_id', $roots[$i], 1);
        $rootss = str_replace(dataPage(),
NULL, $find->root_kategori);
        $rootss = explode(",", $rootss);
        for($s=0; $s < count($rootss);
$s++):
            if($rootss[$s]==NULL)
                unset($rootss[$s]);
            endfor;
            $rootss = implode(",", $rootss);
            $data=array('parent_kategori' =>
$getParents->parent_kategori, 'root_kategori' => $rootss);
            $condition = array("kd_kategori" =>
$roots[$i]);
            $kategori->update_data($data,
$condition, "kategori");
        endif;
    endfor;
else :
    $roots = explode(",", $getKat->root_kategori);
    for($i=0; $i<count($roots);$i++):
        if($roots[$i]==$getKat->kd_kategori) :
            continue;
        else:
            $getSub = $kategori-
>record_data('by_id', $roots[$i], 1);
            $data = array();

```

```

                                if($getSub-
>parent_kategori==$getKat->kd_kategori):
                                $data['parent_kategori'] =
"0";
                                endif;
                                $data['root_kategori'] =
str_replace($getKat->kd_kategori.",", "", $getSub->root_kategori);
                                $condition =
array("kd_kategori"=>$getSub->kd_kategori);
                                $kategori->update_data($data,
$condition, "kategori");
                                endif;
                                endfor;
                                endif;
                                $condition = array("kd_kategori" => dataPage());
                                $kategori->delete_data($condition, "kategori");
                                else :
                                if($getKat->parent_kategori!=0) :
                                $getParentRoot=$kategori->record_data('by_id',
$getParentRoot, 1);
                                $explodeIt=explode(",", $getParentRoot-
>root_kategori);
                                $count=count($explodeIt);
                                for($a=0; $a<$count; $a++):
                                if($explodeIt[$a]==dataPage())
                                unset($explodeIt[$a]);
                                endfor;
                                $roots=implode(",", $explodeIt);
                                $data=array('root_kategori'=>$roots);
                                $condition=array('kd_kategori'=>$getParentRoot-
>kd_kategori);
                                $kategori->update_data($data, $condition,
'kategori');
                                endif;
                                $condition = array("kd_kategori" => dataPage());
                                $kategori->delete_data($condition, "kategori");
                                endif;
                                set_session("SUCCESS,TEXT", "Sukses hapus data kategori");
                                header("Location:".ADMIN_HOST . "/" .
page()."/".actionPage());
                                exit();
                                break;
                                default:
                                $PageSize = 20;
                                $PageDisplay = 9;
                                require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
                                $kategori->beginRec = $beginRec;
                                $kategori->endRec = $intPageSize;
                                $countData = $kategori->record_data("count call parent");

```

```

        $getData = $kategori->record_data("call_parent");
        pagingShow($countData,          $pgtogo,          $intPageNumber,
$intPageSize, $intPageDisplay);
        $this->temp_page = "admin/kategori";
        break;

endswitch;

if(is_valid_post("katSave")) :

    $valid = TRUE;

    if(subActionPage()=="edit") :

        if(empty($kategori->katName) || $kategori->katName == "") :
            $error['katName'] = "Silahkan isi nama kategori";
            $valid = FALSE;

        elseif(!ctype_alnum(filteringName($kategori->katName))) :
            $error['katName'] = "Format nama kategori salah";
            $valid = FALSE;
        endif;

        if(empty($kategori->katAlias) || $kategori->katAlias == "")
:
            $error['katAlias'] = "Silahkan isi nama alias
kategori untuk keperluan url website.";
            $valid = FALSE;
        endif;

        elseif (subActionPage()=="add") :
            $kats = explode(EOL, $kategori->katName);

            for($i=0;$i<count($kats);$i++) :
                if($kats[$i] != "") :
                    if(!ctype_alnum(filteringName($kats[$i]))):
                        $error['katName'] = "Format nama kategori
". $kats[$i]. " salah";
                        $valid = FALSE;
                        break;
                    endif;

                    else :
                        unset($kats[$i]);
                    endif;
                endif;
            endfor;

            if(count($kats)==0) :
                $error['katName'] = "Silahkan isi nama kategori";
                $valid = FALSE;
            endif;

        endif;

    if($valid === TRUE) :

        if(subActionPage()=="add") :

```

```

        $catchId=array();
        for($a=0; $a<count($kats);$a++) :
            $data = array(
                "nama_kategori"=>$kats[$a],
                "alias_kategori"=>createAlias($kats[$a]),
                "parent_kategori"=>$kategori->katParent );
            $kategori->insert_data($data, "kategori");
            $getLastId = $kategori->record_data("lastId",
            "", 1);
            $catchId[]=$getLastId->kd_kategori;
            $getParentData = $kategori->record_data("by_id", $kategori->katParent, 1);
            if($kategori->katParent == "0") :
                $root = $getLastId->kd_kategori;
            else :
                $root= array();
                if($getParentData->parent_kategori ==
            "0") :
                    $root[] = $getParentData->kd_kategori;
                else :
                    $root=explode(",", $getParentData->root_kategori);
                    $root[] = $getLastId->kd_kategori;
                endif;
                $root= implode(",", $root);
            endif;
            $update1st = array("root_kategori" => $root);
            $condition1st = array("kd_kategori" =>
            $getLastId->kd_kategori);
            $kategori->update_data($update1st,
            $condition1st, "kategori");
        endfor;
        if($kategori->katParent != "0") :
            $roots=explode(",", $getParentData->root_kategori);
            for($a=0; $a < count($roots); $a++) :
                if(in_array($roots[$a], $catchId))
                    continue;
                if($getKatParent=$kategori->record_data('by_id', $roots[$a], 1)) :

```

```

$roots_split=explode(",",$roots_split);
$root_kategori=$getKatParent->root_kategori);
for($b=0; $b < count($catchId);
$b++)
    $roots_split[]=$catchId[$b];
$roots_split=implode(",",$roots_split);
$update2nd = array("root_kategori"
=> $roots_split);
$condition2nd = array("kd_kategori"
=> $getKatParent->kd_kategori);
$update_data($update2nd,
$condition2nd, "kategori");
endif;
endifor;
endif;
set_session("SUCCESS,TEXT", "Sukses menambah data
kategori");
elseif(subActionPage()=="edit") :
    $getParent = $kategori->record_data("by_id",
$kategori->katParent, 1);
    $data = array(
        >katName, "nama_kategori"=>$kategori-
        >katAlias, "alias_kategori"=>$kategori-
        >katParent "parent_kategori"=>$kategori-
    );
    $condition = array("kd_kategori" => dataPage());
    $update_data($data, $condition,
"kategori");
    $getParentData = $kategori->record_data("by_id",
$kategori->katParent, 1);
    $getLastId = $kategori->record_data('by_id',
dataPage(), 1);
    if($kategori->katParent == "0"):
        $root = dataPage();
    else :
        $root= array();
        if($getParentData->parent_kategori == "0") :
            $root[] = $getParentData->kd_kategori;
            $root[] = $getLastId->kd_kategori;
        else :
            $root=explode(",",$getParentData-

```

```

>root_kategori);
                                $root[] = dataPage();
                                endif;

                                $root= implode(",", $root);
                                endif;

                                $update1st = array("root_kategori" => $root);
                                $condition1st = array("kd_kategori" => $getLastId-
>kd_kategori);
                                $kategori->update_data($update1st,          $condition1st,
"kategori");

                                if($kategori->katParent != $getKat->parent_kategori)
:
                                $parentFlag = $kategori->katParent;
                                if($kategori->katParent!=0) :
                                    $getParent          =          $kategori-
>record_data("by_id", $kategori->katParent, 1);
                                    $roots=explode(",",          $getParent-
>root_kategori);
                                    for($a=0; $a < count($roots); $a++) :
                                        if($roots[$a] == dataPage())
                                            continue;

                                        if($getKatParent=$kategori-
>record_data('by_id', $roots[$a], 1)) :
                                            if($getKatParent-
>parent_kategori!=$parentFlag) :
                                                $roots_split=explode(",", $getKatParent->root_kategori);
                                                $roots_split[]=
dataPage();

                                                $roots_split=explode(",", $roots_split);
                                                $update2nd          =
array("root_kategori" => $roots_split);
                                                $condition2nd          =
array("kd_kategori" => $getKatParent->kd_kategori);
                                                $kategori-
>update_data($update2nd, $condition2nd, "kategori");
                                                else:
                                                    $parentFlag          =
$getKatParent->parent_kategori;
                                                endif;
                                            endif;
                                        endif;
                                    endfor;

                                endif;

                                /*
                                $getParent = $kategori->record_data("by_id",
$getKat->parent_kategori, 1);
                                $roots=explode(",", $getParent->root_kategori);

```

```

                                for($a=0; $a < count($roots); $a++) :
                                    code($roots); echo "test";exit;
                                    if($roots[$a] == dataPage())
                                        continue;

                                if($getKatParent=$kategori-
>record_data('by_id', $roots[$a], 1)) :
                                    $roots_split=explode(",",
$getKatParent->root_kategori);
                                    for($b=0; $b < count($roots_split);
$b++):
                                        if($roots_split[$b]==dataPage())
                                            unset($roots_split[$b]);

                                        endif;
                                    endfor;
                                    $roots_split=implode(",",
$roots_split);
                                    $update3rd = array("root_kategori"
=> $roots_split);
                                    $condition3rd = array("kd_kategori"
=> $getKatParent->kd_kategori);
                                    $kategori->update_data($update3rd,
$condition3rd, "kategori");

                                endif;

                                endfor;
                                */
                                endif;
                                set_session("SUCCESS,TEXT", "Sukses merubah data
kategori");
                                endif;
                                header("Location:".ADMIN_HOST . "/" . page() . "/" .
actionPage());
                                exit();

                                endif;

                                endif;

?>

```

Kota.php

```

<?php
defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

$error = array("kotaName" => "");
$kota->kotaName = is_valid_post("kotaSave") ? post("kotaName") : "";

if(is_valid_post("cancel-action")) :
    header("Location:".ADMIN_HOST . "/" . page());
    exit();

```

```

endif;

switch(actionPage()):

    case "add":
        $pageName = "Halaman Tambah Kota";
        $this->temp_page = "admin/kota_form";
        break;

    case "edit":
        if(subActionPage()=="          ||          $kota->record_data("count
by_id",subActionPage(),1)==0) :
            header("Location:".ADMIN_HOST . "/" . page());
            exit();
        endif;

        $dataKota = $kota->record_data("by_id", subActionPage(),
1);

        $kota->idKota = $dataKota->kd_kota;
        $kota->kotaName = is_valid_post("kotaSave")          ?
post("kotaName") : $dataKota->nama_kota;
        $pageName = "Halaman Rubah Kota";
        $this->temp_page = "admin/kota_form";
        break;

    case "delete":
        if(subActionPage()=="          ||          $kota->record_data("count
by_id",subActionPage(),1)==0) :
            header("Location:".ADMIN_HOST . "/" . page());
            exit();
        endif;
        $condition = array("kd_kota" => subActionPage());
        $kota->delete_data($condition, "kota");

        $conditionBiaya=array("kd_kota" => subActionPage());
        $harga_kirim->delete_data($condition, "harga_kirim");

        set_session("SUCCESS,TEXT", "Sukses hapus data kota");
        header("Location:".ADMIN_HOST . "/" . page());
        exit();
        break;

    default:
        $PageSize = 20;
        $PageDisplay = 9;

        require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
        $kota->beginRec = $beginRec;
        $kota->endRec = $intPageSize;

        $countData = $kota->record_data("count");
        $getData = $kota->record_data();
        pagingShow($countData, $pgtogo, $intPageNumber,
$intPageSize, $intPageDisplay);
        $this->temp_page = "admin/kota";
        break;

```

```

endswitch;

if(is_valid_post("kotaSave")) :

    $valid = TRUE;

    if(empty($kota->kotaName) || $kota->kotaName == "") :
        $error['kotaName'] = "Silahkan isi nama kota";
        $valid = FALSE;

    elseif(actionPage()=="edit"  && !ctype_alnum(filteringName($kota-
>kotaName))) :
        $error['kotaName'] = "Format penulisan nama kota dilarang.
Nama kota ditulis dengan huruf, "
                                ."angka      dan      kata
sambung";
        $valid = FALSE;

    elseif(actionpage()=="edit"      &&      $kota->record_data("count
by_name") > 0):
        $error['kotaName'] = "Nama kota sudah pernah di input.";
        $valid = FALSE;

    elseif(actionPage()=="add"):
        $city = explode(EOL, $kota->kotaName);

        for($i=0; $i<count($city); $i++):

            if($city[$i]!="") :
                if(!ctype_alnum(filteringName($city[$i]))) :
                    $error['kotaName'] = "Format nama kota
\"<em>\".$city[$i].\"</em>\" salah";
                    $valid = FALSE;
                    break;
                endif;

            else :
                unset($city[$i]);

            endif;

        endfor;

    endif;

    if($valid === TRUE) :

        if(actionPage()=="add") :

            for($a=0; $a<count($city); $a++):

                if($city[$a]!="") :
                    $dataSave      =      array("nama_kota"
=>ucwords(trim($city[$a]]));
                    $kota->insert_data($dataSave,"kota");
                    if($jasa_kirim->record_data("count")>0) :
                        $lastId      =      $kota-

```

```

>record_data("lastId","",1);
                                $getjasa      =      $jasa_kirim-
>record_data();
                                for($b=0;  $b  <  count($getjasa);
$b++) :
                                $harga_kirim->idJasaKirim  =
$getjasa[$b]->kd_jasa_kirim;
                                $harga_kirim->idKota      =
$lastId->kd_kota;
                                if($harga_kirim-
>record_data("count cost",NULL, 1)>0)
                                    continue;

                                $dataSave      =      array(
        "kd_kota" => $lastId->kd_kota,
        "kd_jasa_kirim" => $getjasa[$b]->kd_jasa_kirim,
        "harga_kirim" => "0");
                                $harga_kirim-
>insert_data($dataSave,"harga_kirim");
                                endfor;

                                endif;

                                else :
                                    continue;

                                endif;

                                endfor;
        set_session("SUCCESS,TEXT", "Sukses menambah data
kota");

        elseif(actionPage()=="edit") :
            $dataSave = array("nama_kota" => ucwords($kota-
>kotaName));
            $condition = array("kd_kota"=>subActionPage());
            $kota->update_data($dataSave, $condition, "kota");
            set_session("SUCCESS,TEXT", "Sukses merubah data
kota");

        endif;

        header("Location:".ADMIN_HOST."/".page());
        exit();

    endif;

endif;

?>

```

Member.php

```

<?php
    defined("ONLINESHOP002") or

```

```

header("Location:http://".$_SERVER['HTTP_HOST']);

$PageSize = 50;
$PageDisplay = 9;

require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
$member->beginRec = $beginRec;
$member->endRec = $intPageSize;

switch(actionPage()):

    default:
        $pageTitle = "Halaman Member";
        $countData = $member->record_data("count");
        $getData = $member->record_data();
        pagingShow($countData, $pgtogo, $intPageNumber,
$intPageSize, $intPageDisplay);
        $this->temp_page = "admin/member";
        break;

endswitch;

?>

```

Merk.php

```

<?php
defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

$error = array("merkName" => "");
$merk->merkName = is_valid_post("merkSave") ? post("merkName") : "";

if(is_valid_post("cancelmerk-action")) :
    header("Location: ".ADMIN_HOST . "/" . page()."/".actionPage());
    exit();
endif;

switch(subActionPage()):

    case "add":
        $pageTitle = "Halaman Tambah Merk";
        $this->temp_page = "admin/merk_form";
        break;

    case "edit":
        if(dataPage()=="" || $merk->record_data("count
by_id",dataPage(),1)==0) :
            header("Location: ".ADMIN_HOST . "/" .
page()."/".actionPage());
            exit();
        endif;

        $dataMerk = $merk->record_data("by_id", dataPage(), 1);
        $merk->idMerk = $dataMerk->kd_merk;
        $merk->merkName = is valid post("merkSave") ?

```

```

post("merkName") : $dataMerk->nama_merk;
                    $pageName = "Halaman Rubah Merk";
                    $this->temp_page = "admin/merk_form";
                    break;

        case "delete":
            if(dataPage()=="" || $merk->record_data("count
by_id",dataPage(),1)==0) :
                header("Location:".ADMIN_HOST . "/" .
page()."/".actionPage());
                exit();
            endif;

            $condition = array("kd_merk" => dataPage());
            $merk->delete_data($condition, "merk");
            set_session("SUCCESS,TEXT", "Sukses hapus data merk");
            header("Location:".ADMIN_HOST . "/" .
page()."/".actionPage());
            exit();
            break;

        default:
            $PageSize = 20;
            $PageDisplay = 9;

            require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
            $merk->beginRec = $beginRec;
            $merk->endRec = $intPageSize;

            $countData = $merk->record_data("count");
            $getData = $merk->record_data();

            pagingShow($countData, $pgtogo, $intPageNumber,
$intPageSize, $intPageDisplay);
            $this->temp_page = "admin/merk";
            break;
            break;

endswitch;

if(is_valid_post("merkSave")) :

    $valid = TRUE;

    if(empty($merk->merkName) || $merk->merkName == "") :
        $error['merkName'] = "Silahkan isi nama merk";
        $valid = FALSE;

    elseif(subActionPage()=="edit" &&
!ctype_alnum(filteringName($merk->merkName)) ) :
        $error['merkName'] = "Format penulisan nama merk dilarang.
Nama merk ditulis dengan huruf, " . "angka dan kata
sambung";
        $valid = FALSE;

    elseif(subActionPage()=="edit" && $merk->record_data("count

```

```

by_name") > 0):
    $error['merkName'] = "Nama merk sudah pernah di input.";
    $valid = FALSE;

    elseif(subActionPage()=="add"):
        $merks = explode(EOL, $merk->merkName);

        for($i=0; $i<count($merks); $i++):
            if($merks[$i]!="") :
                if(!ctype_alnum(filteringName($merks[$i]))) :
                    $error['merkName'] = "Format nama merk
\ "<em>". $merks[$i]. "</em>\ " salah";
                    $valid = FALSE;
                    break;
                endif;

            else :
                unset($merks[$i]);

            endif;

        endfor;

    endif;

    if($valid === TRUE) :

        if(subActionPage()=="add") :
            for($a=0; $a<count($merks); $a++):

                if($merks[$a]!="") :
                    $dataSave = array(          "nama_merk"
=>ucwords(trim($merks[$a])),

                    "alias_merk" =>createAlias(trim($merks[$a]));
                    $merk->insert_data($dataSave, "merk");

                else :
                    continue;

                endif;

            endfor;

            set_session("SUCCESS,TEXT", "Sukses menambah data
merk");

        elseif(subActionPage()=="edit") :

            $dataSave = array(

                "nama_merk"          =>
ucwords($merk->merkName),

                "alias_merk"        =>
createAlias($merk->merkName);

            $condition = array("kd_merk"=>dataPage());
            $merk->update_data($dataSave, $condition, "merk");
            set_session("SUCCESS,TEXT", "Sukses merubah data

```

```

merk");

                endif;

                header("Location:".ADMIN_HOST."/".page()."/".actionPage());
                exit();

            endif;

        endif;

?>

```

Produk.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    $error = array(
        "name" => "",
        "berat" => "",
        "kategori" => "",
        "merk" => "",
        "stok" => "",
        "harga" => "",
        "gambar" => "",
        "deskripsi" => "",
        "hargaproduksi"=>"",
        "diskon"=>>"",
        "ukuran"=>>"",
        "stoks"=>>"");

    $produk->name = is_valid_post("produkSave") ? post("product-name") :
"";
    $produk->berat = is_valid_post("produkSave") ? post("product-berat") :
"";
    $produk->kategori = is_valid_post("produkSave") ? post("product-
kategori") : "";
    $produk->merk = is_valid_post("produkSave") ? post("product-merk") :
"";
    $produk->stok = is_valid_post("produkSave") ? post("product-stok") :
"";
    $produk->harga = is_valid_post("produkSave") ? post("product-harga") :
"";
    $produk->hargaproduksi = is_valid_post("produkSave") ? post("product-
hargaproduksi") : "";
    $produk->gambar = is_valid_post("produkSave") ? post("product-gambar")
: "";
    $produk->deskripsi = is_valid_post("produkSave") ? post("product-
deskripsi") : "";
    $produk->diskon = is_valid_post("produkSave") ? post("product-diskon")
: "0";

```



```

        $produk->name      =      is_valid_post("produkSave")      ?
post("product-name") : $dtProduk->nama_barang;
        $produk->berat     =      is_valid_post("produkSave")      ?
post("product-berat") : round($dtProduk->berat_barang,2);
        $produk->kategori  =      is_valid_post("produkSave")      ?
post("product-kategori") : $dtProduk->idKat;
        $produk->merk      =      is_valid_post("produkSave")      ?
post("product-merk") : $dtProduk->kd_merk;
        $produk->stok      =      is_valid_post("produkSave")      ?
post("product-stok") : $dtProduk->stok_barang;
        $produk->harga     =      is_valid_post("produkSave")      ?
post("product-harga") : $dtProduk->harga_barang;
        $produk->hargaproduksi = is_valid_post("produkSave")      ?
post("product-hargaproduksi") : $dtProduk->biaya_produksi;
        $produk->diskon    =      is_valid_post("produkSave")      ?
post("product-diskon") : $dtProduk->diskon_barang;
        $produk->gambar    =      is_valid_post("produkSave")      ?
post("product-gambar") : "";
        $produk->deskripsi = is_valid_post("produkSave")      ?
post("product-deskripsi") :

        html_entity_decode($dtProduk->deskripsi_barang);
        $produk->ukuran=is_valid_post("produkSave")?post("product-
ukurans"):$sukuran_produk;
        $produk->stoks=is_valid_post("produkSave")?post("product-
stoks"):$sukuran_stoks;

        $this->temp_page = "admin/produk_form";
        break;

        case "delete":
            if(subActionPage()=="      ||      $produk->record_data("count
by_id",subActionPage(),1)==0) :
                header("Location:".ADMIN_HOST . "/" . page());
                exit();
            endif;

            $getProduk      =      $produk-
>record_data("by_id",subActionPage(),1);
            if($getProduk->gambar_barang!="      &&
file_exists(IMAGES_PATH.$getProduk->gambar_barang)) :
                @unlink(IMAGES_PATH.$getProduk->gambar_barang);

            endif;

            $condition = array("kd_barang" => subActionPage());
            $produk->delete_data($condition, "barang");

            if(count($getProduk->ukuran_stok) > 0) :
                for($i=0; $i< count($getProduk->ukuran_stok); $i++):
                    $condition = array("kd_ukuran_barang" =>
$getProduk->ukuran_stok[$i]->kd_ukuran_barang);
                    $produk->delete_data($condition,
"ukuran_barang");
                endfor;
            endif;

```

```

        set_session("SUCCESS,TEXT", "Sukses hapus data produk");
        header("Location:".ADMIN_HOST . "/" . page());
        exit();
        break;

    case "detail":
        if(subActionPage()=="      ||      $produk->record_data("count
by_id",subActionPage(),1)==0) :
            header("Location:".ADMIN_HOST . "/" . page());
            exit();
        endif;
        $getProduk = $produk->
>record_data("by_id",subActionPage(),1);
        $this->temp_page = "admin/produk_detil";
        break;

    default:

        $PageSize = 20;
        $PageDisplay = 9;

        require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
        $produk->beginRec = $beginRec;
        $produk->endRec = $intPageSize;

        $countData = $produk->record_data("count");
        $getData = $produk->record_data();
        pagingShow($countData, $pgtogo, $intPageNumber,
$intPageSize, $intPageDisplay);
        $this->temp_page = "admin/produk";
        break;

endswitch;

if(is_valid_post("produkSave")) :

    $valid = TRUE;

    if(empty($produk->merk) || $produk->merk=="") :
        $valid = FALSE;
        $error['merk'] = "Silahkan pilih merk produk.";
    endif;

    if(empty($produk->kategori) || $produk->kategori=="") :
        $valid = FALSE;
        $error['kategori'] = "Silahkan pilih kategori produk.";
    endif;

    if(empty($produk->name) || $produk->name=="") :
        $valid = FALSE;
        $error['name'] = "Silahkan isi nama produk.";
    elseif(!ctype_alnum(filteringName($produk->name))) :
        $error['name'] = "Format nama produk salah";
        $valid = FALSE;
    endif;

```

```

        if(empty($produk->berat) || $produk->berat=="") :
            $valid = FALSE;
            $error['berat'] = "Silahkan isi berat barang.";
        elseif(!ctype_digit(str_replace(".", NULL, $produk->berat))) :
            $error['berat'] = "Format berat barang salah, silahkan
menggunakan angka dan koma di tulis dengan tanda [.]";
            $valid = FALSE;
        endif;

        if(empty($produk->harga) || $produk->harga=="") :
            $valid = FALSE;
            $error['harga'] = "Silahkan isi harga produk.";
        elseif(!ctype_digit($produk->harga)) :
            $error['harga'] = "Format harga produk salah, harga hanya
menggunakan format angka.";
            $valid = FALSE;
        endif;

        if(empty($produk->hargaproduksi) || $produk->hargaproduksi=="") :
            $valid = FALSE;
            $error['hargaproduksi'] = "Silahkan isi harga produk.";
        elseif(!ctype_digit($produk->hargaproduksi)) :
            $error['hargaproduksi'] = "Format harga produk salah, harga
hanya menggunakan format angka.";
            $valid = FALSE;
        endif;

        if(empty($produk->deskripsi) || $produk->deskripsi=="") :
            $valid = FALSE;
            $error['deskripsi'] = "Silahkan isi keterangan produk.";
        endif;

        if(!empty($produk->diskon) && !ctype_digit(str_replace(".", NULL,
$produk->diskon))) :
            $valid = FALSE;
            $error['diskon'] = "Penulisan diskon dilarang, silahkan
menggunakan angka dan koma di tulis dengan tanda [.] .";
        endif;

        if($_FILES['product-gambar']['tmp_name']!="") :
            require_once(SYSTEM_PATH.'imageupload'.CLASS_OBJ);
            $image = new ImageUploader(8192, 1800, 1800, IMAGES_PATH);
            $image->setImage('product-gambar');

            if(!$image->checkSize()) :
                $error['gambar'] = "File size terlalu besar maksimal
8192 Kb";
                $valid = FALSE;
            endif;

            if(!$image->checkHeight()) :
                $error['gambar'] = "Tinggi gambar terlalu besar
maksimal 1800 px";
                $valid = FALSE;
            endif;

            if(!$image->checkWidth()) :

```

```

maksimal 1800 px";
        $error['gambar'] = "Lebar gambar terlalu besar";
        $valid = FALSE;
    endif;

    if(!$image->checkExt()) :
        $error['gambar'] = "Extensi file dilarang.";
        $valid = FALSE;
    endif;

    if($valid===TRUE) :
        $image->setImageName(strtolower(str_replace(" ", "",
substr($produk->name,0,30))."-".time()));
        $image->deleteExisting();
        $image->upload();

        if($image->image_error!="") :
            $error['gambar'] = $image->image_error;
            $valid = FALSE;
        else :
            if(isset($dtProduk->gambar_barang) &&
$dtProduk->gambar_barang != "" &&
file_exists(IMAGES_PATH.$dtProduk-
>gambar_barang)):
                @unlink(IMAGES_PATH.$dtProduk-
>gambar_barang);
            endif;
            $produk->gambar = $image->saved_name;
        endif;
    endif;

    else :

        if(actionPage()=="edit") :
            $produk->gambar = $dtProduk->gambar_barang;
        else :
            $error['gambar'] = "Silahkan upload foto produk";
            $valid = FALSE;
        endif;

    endif;

    if(sizeof($produk->ukuran)==0) :
        $error['ukuran'] = "Silahkan isi ukuran produk.";
        $valid = FALSE;
    elseif(sizeof($produk->stoks)==0):
        $error['stoks'] = "Silahkan isi stok produk untuk setiap
ukuran.";
        $valid = FALSE;
    else:
        $ukurans = $produk->ukuran;
        $stoks = 0;
        for($i=0; $i<count($ukurans); $i++):
            if($ukurans[$i]!= NULL && $produk->stoks[$i]==NULL) :
                $error['stoks'] = "Silahkan isi stok produk
untuk setiap ukuran.";
                $valid = FALSE;
            endif;
        endfor;
    endif;

```

```

                break;
                elseif($ukurans[$i]!= NULL && $produk-
>stoks[$i]!=NULL && !ctype_digit($produk->stoks[$i])) :
                    $error['stoks'] = "Stok produk harus angka.";
                    $valid = FALSE;
                    break;
                elseif($ukurans[$i]!= NULL && $produk-
>stoks[$i]!=NULL && $produk->stoks[$i] <= 0) :
                    $error['stoks'] = "Stok produk untuk setiap
ukuran minimal 1.";
                    $valid = FALSE;
                    break;
                else:
                    $stoks += $produk->stoks[$i];
                endif;
            endfor;
        endif;

        if($valid===TRUE) :

            $data = array(
                "kd_kategori" => $produk->kategori,
                "kd_merk" => $produk->merk,
                "nama_barang" => $produk->name,
                "alias_barang" => createAlias($produk-
>name),
                "gambar_barang" => $produk->gambar,
                "deskripsi_barang" => $produk->deskripsi,
                "stok_barang" => $stoks,
                "harga_barang" => $produk->harga,
                "biaya_produksi" => $produk-
>hargaproduksi,
                "berat_barang" => $produk->berat,
                "diskon_barang" => $produk->diskon );

            if(actionPage()=="add") :
                $produk->insert_data($data,"barang");
                $lastId = $produk->record_data('last',NULL,1);

                for($i=0; $i<count($ukurans); $i++):
                    $getUkuran = trim($ukurans[$i]);

                    $dataUkuran = array(
                        'kd_barang'=>$lastId-
>kd_barang,
                        'ukuran'=>$getUkuran,
                        'stok'=>$produk-
>stoks[$i]
                    );

                    $ukuran->insert_data($dataUkuran,
'ukuran_barang');
                endfor;

                set_session("SUCCESS,TEXT", "Sukses menambah data
produk");

```

```

elseif(actionPage()=="edit") :

    $condition = array("kd_barang" => subActionPage());
    $produk->update_data($data, $condition, "barang");

    for($i=0; $i<count($ukurans); $i++):
        $getUkuran = trim($ukurans[$i]);
        $idUkuran = 0;

        if($ukuran_barang->record_data('count
by_ukuran_barang', array($getUkuran, subActionPage()), 1)==0) :
            $dataStok = array(

                'kd_barang'=>subActionPage(),

                'ukuran'=>$getUkuran,

                'stok'=>$produk-
>stoks[$i]
                    );

            $ukuran->insert_data($dataStok,
'ukuran_barang');

            else:
                $dataStok      =      array('stok'=>$produk-
>stoks[$i]);

                $conditionUkuran = array(

                    'kd_barang'=>subActionPage(),

                    'ukuran'=>$getUkuran,

                    );

                $ukuran->update_data($dataStok,
$conditionUkuran, 'ukuran_barang');

            endif;

        endfor;

        if($ukuran_barang->record_data('count      not_in',
array($ukurans, subActionPage()), 1)>0) :
            $getit = $ukuran_barang->record_data('not_in',
array($ukurans, subActionPage()), 1);
            if(is_array($getit)) :
                for($a=0; $a <count($getit); $a++) :
                    $condition
                    =
array('kd_ukuran_barang'=>$getit[$a]->kd_ukuran_barang);
                    $produk->delete_data($condition,
"ukuran_barang");
                endfor;
            else:
                $condition
                =
array('kd_ukuran_barang'=>$getit->kd_ukuran_barang);
                $produk->delete_data($condition,
"ukuran_barang");

```

```

                endif;
            endif;

            set_session("SUCCESS,TEXT", "Sukses merubah data
produk");

            endif;

            header("Location:" . ADMIN_HOST . "/" . page());
            exit();
        endif;

    endif;
?>

```

Transaksi.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    $PageSize = 50;
    $PageDisplay = 9;

    require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
    $transaksi->beginRec = $beginRec;
    $transaksi->endRec = $intPageSize;

    $error = array(
        "produk"=>"",
        "namaPembayar"=>"",
        "statusPesan"=>>"",
        "statusKirim"=>>"",
        "pembeli"=>>"",
        "no_telp"=>>"");

    if(is_valid_post('cancelBuy-action')) :
        unset($_SESSION['TRANS']);
        header('Location:'.ADMIN_HOST.'/'.page());
    endif;

    $transaksi->produk = is_valid_post('TransaksiBaru') ? post('produk') :
array();
    $transaksi->produks = is_valid_post('TransaksiBaru') ? post('produks')
: array();
    $transaksi->qty = is_valid_post('TransaksiBaru') ? post('qty') :
array();
    $transaksi->ukuran = is_valid_post('TransaksiBaru') ? post('ukuran') :
array();

    $transaksi->pembeli = is_valid_post('saveNewTrans') ? post('pembeli') :
NULL;
    $transaksi->no_telp = is_valid_post('saveNewTrans') ? post('no_telp') :
NULL;

    switch(actionPage()):

```

```

        case "trans":
            if (!isset($_GET['keyword']))
                die();

            $keyword = $_GET['keyword'];
            $data = $produk->record_data('auto', $keyword);
            echo json_encode($data);
            exit;
            break;

        case "trans-data":
            if (!isset($_GET['keyword']))
                die();

            $keyword = $_GET['keyword'];
            $html = NULL;
            if($data = $produk->record_data('by_name', $keyword, 1)) :
                if(count($data->ukuran_stok) > 0) :
                    $html.= '<h2 class="mt20 mb10">'.$data->
>nama_barang.'</h2>';
                    $html.= '<input type="hidden" name="produk"
value="'.$data->kd_barang.'" />';
                    $html.= '<div style="margin-bottom:20px;
vertical-align:middle;">';
                    $html.= '<label style="width:60px; padding:0;
font-size:14px; font-weight:bold; margin-bottom:10px;">Ukuran</label>';
                    for($i=0; $i < count($data->ukuran_stok); $i++)
                    :
                        $html.= '<div style="display:block;
margin-bottom:20px; vertical-align:middle;">';
                        $html.= '<div style="display:inline-
block; margin-right:20px; vertical-align:middle;">';
                        $html.= '<input type="hidden"
name="ukuran[hidden'.$i.']" value="'.$i.'" />';
                        $html.= '<input type="checkbox"
name="ukuran[size'.$i.']" value="'.$data->ukuran_stok[$i]->kd_ukuran.'" />';
                        $html.= $data->ukuran_stok[$i]->ukuran;
                        $html.= '</div>';
                        $html.= '<div style="display:inline-
block; vertical-align:middle;">';
                        $html.= '<label
style="width:20px;">Qty</label>';
                        $html.= '<input type="text"
name="qty[\'.'.$i.\']" style="height:30px; padding:0 10px; width:60px;" value=""
/>';
                        $html.= '</div>';
                        $html.= '</div>';
                    endfor;
                    $html.= '<input type="submit" name="add-produk"
value="Add to Cart" />';
                    $html.= '</div>';
                endif;
            endif;
            echo $html;
            exit;
            break;

```

```

        case "detil":
            if(subActionPage()==" " || $transaksi->record_data("count
by_id", subActionPage(),1) == 0) :
                header("Location:". ADMIN_HOST ."/". page());
                exit;

            endif;
            $getData          =          $transaksi->record_data("by_id",
subActionPage(),1);
            $pageTitle       = "Detail Pemesanan No Pesan #".$getData-
>kdTrans;
            $this->temp_page = "admin/transaksi_detil";
            break;

        case "add":
            $pageName = "Transaksi Baru";
            $dtProduk = $produk->record_data();
            $this->temp_page = "admin/transaksi_baru";
            break;

        case "edit":
            if(subActionPage()==" " || $transaksi->record_data("count
by_id", subActionPage(),1) == 0) :
                header("Location:". ADMIN_HOST ."/". page());
                exit;

            endif;

            $getData          =          $transaksi->record_data("by_id",
subActionPage(),1);
            $pageName       = "Edit Pemesanan | No Pesan #".$getData-
>kdTrans;

            $transaksi->namaPembayar=is_valid_post('transaksiSave') ?
post('namaPembayar') : $getData->nama_pembayar;
            $transaksi->statusPesan=is_valid_post('transaksiSave') ?
post('statusPesan') : $getData->status;
            $transaksi->statusKirim=is_valid_post('transaksiSave') ?
post('statusKirim') : ($getData->tgl_kirim!="0000-00-00" ? 1 : 0);

            $this->temp_page = "admin/transaksi_form";
            break;

        case "lunas":
            $pageTitle = "Halaman Transaksi | Status Lunas";
            $countData = $transaksi->record_data("count get_lunas");
            $getData = $transaksi->record_data("get_lunas");
            pagingShow($countData,          $pgtogo,          $intPageNumber,
$intPageSize, $intPageDisplay);
            $this->temp_page = "admin/transaksi";
            break;

        case "batal":
            $pageTitle = "Halaman Transaksi | Status Batal";
            $countData = $transaksi->record_data("count get_batal");
            $getData = $transaksi->record_data("get batal");

```

```

        pagingShow($countData,          $pgtogo,          $intPageNumber,
$intPageSize, $intPageDisplay);
        $this->temp_page = "admin/transaksi";
        break;

        case "belum-bayar":
            $pageTitle = "Halaman Transaksi | Belum Bayar";
            $countData = $transaksi->record_data("count get_unpaid");
            $getData = $transaksi->record_data("get_unpaid");
            pagingShow($countData,          $pgtogo,          $intPageNumber,
$intPageSize, $intPageDisplay);
            $this->temp_page = "admin/transaksi";
            break;

        case "harian":
            $pageTitle = "Halaman Transaksi | Hari Ini";
            $countData          =          $transaksi->record_data("count
get_today_total");
            $getData = $transaksi->record_data("get_today_total");
            pagingShow($countData,          $pgtogo,          $intPageNumber,
$intPageSize, $intPageDisplay);
            $this->temp_page = "admin/transaksi";
            break;

        case "mingguan":
            $pageTitle = "Halaman Transaksi | Minggu Ini";
            $countData          =          $transaksi->record_data("count
get_week_total");
            $getData = $transaksi->record_data("get_week_total");
            pagingShow($countData,          $pgtogo,          $intPageNumber,
$intPageSize, $intPageDisplay);
            $this->temp_page = "admin/transaksi";
            break;

        case "bulanan":
            $pageTitle = "Halaman Transaksi | Bulan Ini";
            $countData          =          $transaksi->record_data("count
get_month_total");
            $getData = $transaksi->record_data("get_month_total");
            pagingShow($countData,          $pgtogo,          $intPageNumber,
$intPageSize, $intPageDisplay);
            $this->temp_page = "admin/transaksi";
            break;

        case "tahunan":
            $pageTitle = "Halaman Transaksi | Tahun Ini";
            $countData          =          $transaksi->record_data("count
get_year_total");
            $getData = $transaksi->record_data("get_year_total");
            pagingShow($countData,          $pgtogo,          $intPageNumber,
$intPageSize, $intPageDisplay);
            $this->temp_page = "admin/transaksi";
            break;

        case "periode":
            $pageTitle = "Halaman Transaksi";
            $countData = $transaksi->record_data("count periode");

```

```

        $getData = $transaksi->record_data('periode');
        pagingShow($countData, $pgtogo, $intPageNumber,
$intPageSize, $intPageDisplay);
        $this->temp_page = "admin/transaksi";
        break;

    default:
        $pageTitle = "Halaman Transaksi";
        $countData = $transaksi->record_data("count");
        $getData = $transaksi->record_data();
        pagingShow($countData, $pgtogo, $intPageNumber,
$intPageSize, $intPageDisplay);
        $this->temp_page = "admin/transaksi";
        break;

    endswitch;

    if(is_valid_post('transaksiSave')) :
        $valid = TRUE;

        if($valid===TRUE) :
            $flag=FALSE;
            if($getData->type_bayar=='paypal') :
                $data = array(
                    "tgl_kirim" =>
($transaksi-
>statusKirim==1?date("Y-m-d"):"0000-00-00"),
                    "updated"=>1
                );
                $transaksi->update_data($data,
array("kd_transaksi"=>$getData->kdTrans), 'transaksi');
                $flag=TRUE;
            elseif($getData->type_bayar=='transfer') :
                $data = array(
                    "tgl_kirim" =>
($transaksi-
>statusPesanan==1&&$transaksi->statusKirim==1?date("Y-m-d"):"0000-00-00"),
                    "status" => ($transaksi-
>statusPesanan==1?"1":"0"),
                    "updated"=>1
                );
                $transaksi->update_data($data,
array("kd_transaksi"=>$getData->kdTrans), 'transaksi');
                $flag=TRUE;
            elseif($getData->type_bayar=='tunai'):
                $data = array(
                    "tgl_kirim" =>
($transaksi-
>statusPesanan==1&&$transaksi->statusKirim==1?date("Y-m-d"):"0000-00-00"),
                    "status" => ($transaksi-
>statusPesanan==1?"1":"0"),
                    "updated"=>1
                );
                $transaksi->update_data($data,
array("kd_transaksi"=>$getData->kdTrans), 'transaksi');

```

```

                                $data=array(
                                "nama_pembayar"=>$transaksi-
>namaPembayar
                                );
                                $transaksi->update_data($data,
array("kd_transaksi"=>$getData->kdTrans), 'konfirmasi_pembayaran');
                                $flag=TRUE;

                                endif;

                                if($getData->updated!=1&&$flag===TRUE) :
                                    /*foreach($getData->details as $value):
                                        $getProduk = $produk->record_data('by_id',
$value->kd_barang, 1);
                                        $data = array(
                                >stok_barang - $value->jml_pesan)
                                        'stok_barang'=>($getProduk-
                                >kd_barang);
                                        $condition = array("kd_barang"=>$value-
                                        $produk->update_data($data, $condition,
'barang');
                                    endforeach;
                                    */
                                endif;
                                set_session("SUCCESS,TEXT", "Sukses merubah data transaksi
#".$getData->kdTrans);
                                header("Location:".ADMIN_HOST."/".page());
                                exit;
                                endif;

                                endif;

                                if(is_valid_post('TransaksiBaru')) :
                                    $valid = TRUE;

                                    if(!isset($_POST['produk'])) :
                                        $error['produk'] = 'Silahkan pilih produk yang dibeli.';
                                        $valid=FALSE;
                                    else:
                                        for($a=0; $a < count($transaksi->produks);$a++):
                                >qty==NULL):
                                        if($transaksi->produks[$a]!=NULL && $transaksi-
                                yang dibeli.';
                                        $error['produk'] = 'Silahkan isi jumlah produk
                                        $valid=FALSE;
                                        break;
                                    endif;
                                endfor;
                                endif;

                                if($valid===TRUE) :

                                    for($a=0; $a < count($transaksi->produks);$a++):
                                        if($transaksi->produks[$a]!=NULL) :
                                            $_SESSION['TRANS']['PRODUK'][] = array(

```

```

        'ID' => $transaksi->produks[$a],

        'QTY'=> $transaksi->qty[$a],

        'UKURAN'=>$transaksi->ukuran[$a]

    );

        endif;
    endfor;

    header('Location:'.ADMIN_HOST.'/'.page().'/add');

    endif;
endif;

if(is_valid_post('add-produk')) :
    $buyproduk = post('produk');
    $ukuran = post('ukuran');
    $qty = post('qty');
    $valid = TRUE;
    for($a=0; $a < count($qty);$a++):
        if(isset($ukuran['size'.$a]) && $ukuran['size'.$a]!=NULL &&
($qty[$a]==NULL||$qty[$a]<0)) :
            $error['produk'] = 'Silahkan isi jumlah produk yang
dibeli. Silahkan ulangi memasukkan nama produk sekali lagi.';
            $valid=FALSE;
            break;
        elseif((!isset($ukuran['size'.$a]) ||
(isset($ukuran['size'.$a])&&$ukuran['size'.$a]==NULL)) && $qty[$a]>0):
            $error['produk'] = 'Silahkan pilih ukuran produk yang
dibeli. Silahkan ulangi memasukkan nama produk sekali lagi.';
            $valid=FALSE;
            break;
        elseif(!empty($qty[$a]) && !ctype_digit($qty[$a])):
            $error['produk'] = 'Format jumlah produk yang dibeli
harus menggunakan angka. Silahkan ulangi memasukkan nama produk sekali
lagi.';
            $valid=FALSE;
            break;

        elseif(isset($ukuran['size'.$a])&&$ukuran['size'.$a]!=NULL&&$qty[$a]>0)
:
            $dataProduk = $ukuran_barang->record_data('by_ukuran', array($ukuran['size'.$a], $buyproduk), 1);
            if($qty[$a] > $dataProduk->stok) :
                $error['produk'] = 'Jumlah produk <strong
style="color:#000;">'. $dataProduk->nama_barang.'</strong> ukuran <strong
style="color:#000;">'. $dataProduk->ukuran.'</strong> melebihi stok yang
tersedia. Silahkan ulangi memasukkan nama produk sekali lagi.';

                $valid=FALSE;
                break;
            endif;
        endif;
    endfor;

```

```

        if($valid===TRUE) :
            for($a=0; $a < count($qty);$a++):
                if(is_session_set('TRANS','PRODUK')) :
                    $produks = sessions('TRANS,PRODUK');
                    $fixQty = $qty[$a];
                    for($i=0; $i<count($produks);$i++) :
                        if($buyproduk===$produks[$i]['ID']      &&
$ukuran['size'.'. $a]===$produks[$i]['UKURAN']):
                            $fixQty = ($produks[$i]['QTY'] +
$qty[$a]);
                unset($_SESSION['TRANS']['PRODUK'][$i]);
                else :
                    continue;
                endif;
            endfor;

            if($qty[$a]!=NULL) :
                $_SESSION['TRANS']['PRODUK'][] = array(

                'ID' => $buyproduk,

                'QTY'=> $fixQty,

                'UKURAN'=>$ukuran['size'.'. $a]

                );
                endif;
            else :
                if($qty[$a]!=NULL) :
                    $_SESSION['TRANS']['PRODUK'][] = array(

                'ID' => $buyproduk,

                'QTY'=> $qty[$a],

                'UKURAN'=>$ukuran['size'.'. $a]

                );
                endif;
            endif;
        endfor;
        header('Location:'.ADMIN_HOST.'/'.page().'/add');

    endif;

endif;

if(is_valid_post('saveNewTrans')):
    $valid = TRUE;

    if(empty($transaksi->pembeli) || $transaksi->pembeli == "") :
        $error['pembeli'] = "Silahkan isi nama pembeli.";
        $valid = FALSE;

    elseif(!ctype_alnum(filteringName($transaksi->pembeli))) :

```

```

        $error['pembeli'] = "Format penulisan nama dilarang
silahkan menggunakan huruf alphabeth, "
                                ."angka dan kata penghubung
seperti [.] dan [,].";
        $valid = FALSE;

    endif;

    if(empty($transaksi->no_telp) || $transaksi->no_telp == "") :
        $error['no_telp'] = "Silahkan isi nomer telp yang bisa di
hubung.";
        $valid = FALSE;

    elseif(!ctype_digit(filterPhone($transaksi->no_telp))):
        $error['no_telp'] = "Format penulisan no telp dilarang
silahkan menggunakan angka.";
        $valid = FALSE;

    endif;

    if($valid===TRUE) :
        $dataPembeli = array(
                                'nama_member'=>$transaksi->
>pembeli,
                                'telp_member'=>$transaksi->
>no_telp,
                                );
        $member->insert_data($dataPembeli, 'member');
        $dtMember = $member->record_data('', '', 1);
        $dataTrans = array(
                                'kd_member'=>$dtMember->kd_member,
                                'tgl_pesan'=>date("Y-m-d"),
                                'tgl_bayar'=>date("Y-m-d"),
                                'tgl_kirim'=>date("Y-m-d"),

                                'jml_total'=>sessions('TRANS,TOTALQTY'),
                                'total_harga'=>sessions('TRANS,TOTALHARGA'),
                                'status'=>1,
                                );
        $transaksi->insert_data($dataTrans, 'transaksi');
        $getlast = $transaksi->record_data("lastId","", 1);

        $dataPembayaran = array(
                                'kd_transaksi'=>$getlast->kdTrans,
                                'nama_pembayar'=>$transaksi->
>pembeli,
                                'total_bayar'=>sessions('TRANS,TOTALHARGA'),
                                'type_bayar'=>'tunai'
                                );

        $transaksi->insert_data($dataPembayaran,
'konfirmasi_pembayaran');

        $produks = sessions('TRANS,PRODUK');
        $produks = array_values($produks);

```

```

                for($a=0; $a<count($produks); $a++):
                    $dataProduks = $ukuran_barang-
>record_data('by_ukuran', array($produks[$a]['UKURAN'], $produks[$a]['ID']),
1);
                    $subtotal = $dataProduks->harga_barang *
$produks[$a]['QTY'];
                    $dataDetail = array(
                        'kd_transaksi'=>$getlast-
>kdTrans,
                        'kd_ukuran_barang'=>$dataProduks->kd_ukuran_barang,
                        'jml_pesan'=>$produks[$a]['QTY'],
                        'harga_satuan'=>$dataProduks-
>harga_barang,
                        'sub_total'=>$subtotal,
                    );
                    $transaksi->insert_data($dataDetail,
'detail_transaksi');
                    $data = array('stok'=>($dataProduks->stok -
$produks[$a]['QTY']));
                    $condition = array('kd_ukuran_barang'=>$dataProduks-
>kd_ukuran_barang);
                    $ukuran_barang->update_data($data, $condition,
'ukuran_barang');
                    $data = array('stok_barang'=>($dataProduks-
>stok_barang - $produks[$a]['QTY']));
                    $condition = array('kd_barang'=>$dataProduks-
>kd_barang);
                    $ukuran_barang->update_data($data, $condition,
'barang');
                    /*
                    $dtBarang = $produk-
>record_data('by_id', $produks[$a]['ID'], 1);
                    if(count($produks[$a]['UKURAN']) > 0) :
                        for($i=0; $i < count($produks[$a]['UKURAN']);
$ i++):
                            $dataProduks = $dtBarang-
>ukuran_stok[$produks[$a]['UKURAN'][$i]];
                            $subtotal = $dataProduks->harga_barang *
$produks[$a]['QTY'][$i];
                            $dataDetail = array(
                                'kd_transaksi'=>$getlast->kdTrans,
                                'kd_ukuran_barang'=>$dataProduks->kd_ukuran_barang,
                                'jml_pesan'=>$produks[$a]['QTY'][$i],
                                'harga_satuan'=>$dataProduks->harga_barang,
                                'sub_total'=>$subtotal,
                            );
                                $transaksi->insert_data($dataDetail,
'detail_transaksi');

```

```

                endfor;
            endif;
        */
    endfor;

    unset($_SESSION['TRANS']);
    header('Location:'. ADMIN_HOST.'/'.page());
    exit;
endif;

endif;

?>

```

Ukuran.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    if(is_valid_post("cancelUkuran-action")) :
        header("Location:".ADMIN_HOST . "/" . page()."/".actionPage());
        exit();
    endif;

    $error = array(
        'ukuran'=>"",
        'kategori'=>>"",
    );

    $ukuran->ukuran = is_valid_post('saveUkuran') ? post('ukuran') : NULL;
    $ukuran->kategori = is_valid_post('saveUkuran') ? post('kategori') :
array();

    switch(subActionPage()):

        case "add":
            $pageName = "Halaman Tambah Ukuran";
            $dtKategori = $kategori->record_data('notParent');
            $this->temp_page = "admin/ukuran_form";
            break;

        case "edit":
            if(dataPage()=="          ||          $ukuran->record_data("count
by_id",dataPage(),1)==0) :
                header("Location:".ADMIN_HOST          .          "/"          .
page()."/".actionPage());
                exit();
            endif;

            $dtKategori = $kategori->record_data('notParent');
            $dataUkuran = $ukuran->record_data("by_id", dataPage(), 1);
            $ukuran->ukuran          =          is_valid_post('saveUkuran')          ?
post('ukuran') : $dataUkuran->ukuran;
            $ukuran->editKat          =          is_valid_post('saveUkuran')          ?
post('kategori') : $dataUkuran->kd kategori;

```

```

        $pageName = "Halaman Rubah Ukuran";
        $this->temp_page = "admin/ukuran_form";
        break;

        case "delete":
            if(dataPage()=="          ||          $ukuran->record_data("count
by_id",dataPage(),1)==0) :
                header("Location:".ADMIN_HOST          .          "/"          .
page()."/*.actionPage());
                exit();
            endif;

            $condition = array("kd_ukuran" => dataPage());
            $ukuran->delete_data($condition, "ukuran");
            set_session("SUCCESS,TEXT", "Sukses hapus data ukuran");
            header("Location:".ADMIN_HOST          .          "/"          .
page()."/*.actionPage());
            exit();
            break;

        default:
            $PageSize = 20;
            $PageDisplay = 9;

            require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
            $ukuran->beginRec = $beginRec;
            $ukuran->endRec = $intPageSize;

            $countData = $ukuran->record_data("count");
            $getData = $ukuran->record_data();

            pagingShow($countData,          $pgtogo,          $intPageNumber,
$intPageSize, $intPageDisplay);
            $this->temp_page = "admin/ukuran";
            break;
            break;

        endswitch;

        if(is_valid_post('saveUkuran')) :
            $valid = TRUE;

            if(empty($ukuran) || $ukuran == "") :
                $error['ukuran'] = "Silahkan isi nama merk";
                $valid = FALSE;

            elseif(subActionPage()=="edit"          &&
!ctype_alnum(filteringName($ukuran->ukuran)) :
                $error['ukuran'] = "Format penulisan nama merk dilarang.
ukuran ditulis dengan huruf, "          .
                . "angka          dan          kata
sambung";
                $valid = FALSE;

            elseif(subActionPage()=="edit"          &&          $ukuran->record_data("count
by_name") > 0):
                $error['ukuran'] = "Ukuran sudah pernah di input.";

```

```

        $valid = FALSE;

elseif(subActionPage()=="add"):
    $ukurans = explode(EOL, $ukuran->ukuran);

    for($i=0; $i<count($ukurans); $i++):

        if($ukurans[$i]!="") :
            if(!ctype_alnum(filteringName($ukurans[$i]))) :
                $error['ukuran'] = "Format ukuran
\"<em>\".$ukurans[$i].\"</em>\" salah";
                $valid = FALSE;
                break;
            endif;

        else :
            unset($ukurans[$i]);

        endif;

    endfor;

endif;

if($valid === TRUE) :

    if(subActionPage()=="add") :
        for($a=0; $a<count($ukurans); $a++):

            if($ukurans[$a]!="") :
                $dataSave = array();
                $dataSave['ukuran'] =
ucwords($ukurans[$a]);

                if(count($ukuran->kategori) > 0) :

                    foreach($ukuran->kategori as
$values):
                        $dataSave['kd_kategori'] =
$values;
                        $ukuran->
>insert_data($dataSave,"ukuran");
                    endforeach;

                endif;

            else :
                continue;
            endif;

        endfor;
        set_session("SUCCESS,TEXT", "Sukses menambah data
ukuran");

    elseif(subActionPage()=="edit") :
        $dataSave = array(
            "kd_kategori" =>
intval($ukuran->editKat),

```

```

"ukuran" => ucwords($ukuran-
>ukuran)
);
$condition = array("kd_ukuran"=>dataPage());
$ukuran->update_data($dataSave, $condition,
"ukuran");
set_session("SUCCESS,TEXT", "Sukses merubah data
ukuran");

endif;

header("Location:".ADMIN_HOST."/".page()."/".actionPage());
exit();

endif;

endif;
?>

```

Controller untuk halaman depan (member/pengunjung)

Home.php

```

<?php
defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);
// $mainKat = $kategori->record_data("call_parent", "", 5);
// $getKat = $kategori->record_data("call_parent");
$newProd = $produk->record_data("", "", 6);
$this->temp_page = "home";
?>

```

Jasa_kirim.php

```

<?php
defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

$getJasa = $jasa_kirim->record_data();
if(actionPage()!==NULL) :
    switch(actionPage()):
        case "detail":
            if(subActionPage()===NULL || $harga_kirim-
>record_data('count by_jasa', subActionPage(),1)==0) :
                header('Location:'.SITE_HOST.'/'.page());
                exit();
            endif;

            $PageSize = 20;
            $PageDisplay = 9;
            require_once(SYSTEM_PATH . "paging.function" .
EXTPHP);

```

```

        $harga_kirim->beginRec = $beginRec;
        $harga_kirim->endRec = $intPageSize;

        $countData = $harga_kirim->record_data("count");
        $getData = $harga_kirim->record_data('by_jasa',
subActionPage());
        pagingShow($countData, $pgtogo, $intPageNumber,
$intPageSize, $intPageDisplay);
        $this->temp_page = "harga_kirim";
        break;

        default:
            header('Location:'.SITE_HOST.'/'.page());
            exit();
            break;
    endswitch;
else :
    $PageSize = 20;
    $PageDisplay = 9;
    require_once(SYSTEM_PATH . "paging.function" . EXTPHP);

    $harga_kirim->beginRec = $beginRec;
    $harga_kirim->endRec = $intPageSize;

    $countData = $harga_kirim->record_data("count");
    $getData = $harga_kirim->record_data();
    pagingShow($countData, $pgtogo, $intPageNumber, $intPageSize,
$intPageDisplay);
    $this->temp_page = "harga_kirim";
endif;
?>

```

Keranjang_belanja.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    if(is_valid_post("cancel-order")) :
        $ukuran = post("qty-ukuran");
        for($i=0;$i<count($_SESSION['KERANJANG_BELANJA']);$i++) :
            $getData = $ukuran_barang->record_data("by_ukuran_barang",
array($ukuran[$i],$_SESSION['KERANJANG_BELANJA'][$i]['PRODUCT_ID']), 1);

            $data = array('stok_barang' => ($getData->stok_barang +
$_SESSION['KERANJANG_BELANJA'][$i]['PRODUCT_QTY']));
            $condition = array('kd_barang'=>$getData->kd_barang);
            $ukuran_barang->update_data($data, $condition, 'barang');

            $data = array('stok' => ($getData->stok +
$_SESSION['KERANJANG_BELANJA'][$i]['PRODUCT_QTY']));
            $condition = array('kd_ukuran_barang'=>$getData-
>kd_ukuran_barang);
            $ukuran_barang->update_data($data, $condition,
'ukuran_barang');
        endfor;

```

```

        unset_session("KERANJANG_BELANJA");
        unset_session("PENGIRIMAN");
        unset_session("TOTALPEMBELIAN");
        unset_session("TOTALQTY");
        unset_session("paypal_products");
        header("Location:".SITE_HOST);
        exit();
    endif;

    $error = array(
        "nama" => "",
        "no_telp" => "",
        "namaPengiriman" => "",
        "alamatPengiriman" => "",
        "provPengiriman" => "",
        "kotaPengiriman" => "",
        "kdPosPengiriman" => "",
        "jasaKirim" => "");

    $transaksi->alamat_kirim      =      is_valid_post("checkout")      ?
post("alamat_kirim") : "1";
    $transaksi->alamatPengiriman  =      is_valid_post("checkout")      ?
post("alamatPengiriman") : "";

    $transaksi->nama = is_valid_post("checkout") ? post("nama") : "";
    $transaksi->no_telp = is_valid_post("checkout") ? post("no_telp") : "";

    $transaksi->kotaPengiriman      =      is_valid_post("checkout")      ?
post("kotaPengiriman") : "";
    $transaksi->kdPosPengiriman      =      is_valid_post("checkout")      ?
post("kdPosPengiriman") : "";
    $transaksi->jasaKirim = is_valid_post("checkout") ? post("jasaKirim") :
"";

    switch(actionPage()):

        case "delete":
            $geturl = explode("-", subActionPage());
            list($id, $ukuran) = $geturl;
            if(subActionPage()=="      ||      $produk->record_data("count
by_id", $id, 1) == 0) :
                header("Location:".SITE_HOST."/".page());
                exit();

            endif;

            if(!is_session_set("KERANJANG_BELANJA")) :
                header("Location:".SITE_HOST."/".page());
                exit();

            else :
                $keranjangBelanja = $_SESSION['KERANJANG_BELANJA'];
                if(count($keranjangBelanja) > 1) :

                    for($i=0;$i<count($_SESSION['KERANJANG_BELANJA']);$i++) :
                        if(isset($keranjangBelanja[$i])
&&

```

```

$keranjangBelanja[$i]['PRODUCT_ID'] == $id &&

    $keranjangBelanja[$i]['PRODUCT_UKURAN']==$ukuran) :

                                $getData      =      $ukuran_barang-
>record_data("by_ukuran_barang", array($ukuran, $_SESSION['KERANJANG_BELANJA'][$
$i]['PRODUCT_ID']), 1);
                                $data      =      array('stok_barang' =>
($getData->stok_barang + $_SESSION['KERANJANG_BELANJA'][$i]['PRODUCT_QTY']));
                                $condition      =
array('kd_barang'=>$getData->kd_barang);
                                $ukuran_barang->update_data($data,
$condition, 'barang');

                                $data = array('stok' => ($getData-
>stok + $_SESSION['KERANJANG_BELANJA'][$i]['PRODUCT_QTY']));
                                $condition      =
array('kd_ukuran_barang'=>$getData->kd_ukuran_barang);
                                $ukuran_barang->update_data($data,
$condition, 'ukuran_barang');

    unset($_SESSION['KERANJANG_BELANJA'][$i]);

                                else :
                                    continue;

                                endif;

                                endfor;
/*
$newArray = array();

                                foreach($keranjangBelanja as $index => $value)
:

                                    $newArray[] = $keranjangBelanja[$index];

                                endforeach;

                                unset($_SESSION['KERANJANG_BELANJA']);
                                $_SESSION['KERANJANG_BELANJA'] = $newArray;
                                */
                                $newArray = $_SESSION['KERANJANG_BELANJA'];
                                $newArray = array_values($newArray);
                                unset($_SESSION['KERANJANG_BELANJA']);
                                $_SESSION['KERANJANG_BELANJA'] = $newArray;
                                elseif(count($keranjangBelanja) == 1):

                                    for($i=0;$i<count($_SESSION['KERANJANG_BELANJA']);$i++) :
                                        $getData      =      $ukuran_barang-
>record_data("by_ukuran_barang",
array($ukuran, $_SESSION['KERANJANG_BELANJA'][$i]['PRODUCT_ID']), 1);
                                        $data = array('stok_barang' => ($getData-
>stok_barang + $_SESSION['KERANJANG_BELANJA'][$i]['PRODUCT_QTY']));
                                        $condition = array('kd_barang'=>$getData-
>kd_barang);

```



```

        if(empty($method)) :
            set_session("CART_MSG_ERROR", "Silahkan memilih metode
pembayaran.");
            $valid = FALSE;
        endif;

        if($valid===TRUE) :

            if($method=='paypal'):
                $getcurrency = $currency->record_data("", "", 1);
                $rupiah=explode("=>", $getcurrency->value_currency);
                $rupiah = end($rupiah);
                $getTax = round(((sessions("TOTALPEMBELIAN") *
1)/100) / $rupiah, 2);
                $hargaKirimDollar =
round(((sessions("PENGIRIMAN,BIAYAKIRIM") / $rupiah), 2);

                $TotalTaxAmount = number_format($getTax,2,".",",");
                $HandlingCost = 2.00;
                $InsuranceCost = 1.00;
                $ShippinDiscount = 0;
                $ShippinCost =
number_format($hargaKirimDollar,2,".",",");

                $paypal_data = '';
                $ItemTotalPrice = 0;

                foreach($_POST['item_name'] as $key=>$itmname) :
                    $product_code =
filter_var($_POST['item_code'][$key], FILTER_SANITIZE_STRING);
                    $getProduk = $produk->record_data("by_id",
$product_code, 1);
                    $diskon = ($getProduk->diskon_barang /100) *
$getProduk->harga_barang;
                    $hargaAfter = $getProduk->harga_barang -
$diskon;
                    $dollarPrice = number_format(($hargaAfter /
$rupiah),2,".",",");

                    $paypal_data .=
'&L_PAYMENTREQUEST_0_NAME'.$key.'='.urlencode($getProduk->nama_barang);
                    $paypal_data .=
'&L_PAYMENTREQUEST_0_NUMBER'.$key.'='.urlencode($_POST['item_code'][$key]);
                    $paypal_data .=
'&L_PAYMENTREQUEST_0_AMT'.$key.'='.urlencode($dollarPrice);
                    $paypal_data .=
'&L_PAYMENTREQUEST_0_QTY'.$key.'='.urlencode($_POST['item_qty'][$key]);

                    $subtotal =
($dollarPrice*$_POST['item_qty'][$key]);
                    $ItemTotalPrice += $subtotal;

                    $paypal_product['items'][] =
array('itm name'=>$getProduk->nama_barang,

```

```

        'itm_price'=>$dollarPrice,
        'itm_code'=>$_POST['item_code'][$key],
        'itm_qty'=>$_POST['item_qty'][$key]
    );
        endforeach;

        $GrandTotal = ($ItemTotalPrice + $TotalTaxAmount +
$HandalingCost + $InsuranceCost + $ShippinCost + $ShippinDiscount);

        $paypal_product['assets'] =
array('tax_total'=>$TotalTaxAmount,

        'handaling_cost'=>$HandalingCost,
        'insurance_cost'=>$InsuranceCost,
        'shippin_discount'=>$ShippinDiscount,
        'shippin_cost'=>$ShippinCost,
        'grand_total'=>$GrandTotal);

        $_SESSION["paypal_products"] = $paypal_product;

        $pdata = '&METHOD=SetExpressCheckout'.
                '&RETURNURL='.urlencode($config-
>get('database', 'ppapireturnUrl')).
                '&CANCELURL='.urlencode($config-
>get('database', 'ppapicancelUrl')).

        '&PAYMENTREQUEST_0_PAYMENTACTION='.urlencode("SALE").
                $paypal_data.
                '&NOSHIPPING=0'.

        '&PAYMENTREQUEST_0_ITEMAMT='.urlencode($ItemTotalPrice).
        '&PAYMENTREQUEST_0_TAXAMT='.urlencode($TotalTaxAmount).
        '&PAYMENTREQUEST_0_SHIPPINGAMT='.urlencode($ShippinCost).
        '&PAYMENTREQUEST_0_HANDLINGAMT='.urlencode($HandalingCost).
        '&PAYMENTREQUEST_0_SHIPDISCAMT='.urlencode($ShippinDiscount).
        '&PAYMENTREQUEST_0_INSURANCEAMT='.urlencode($InsuranceCost).
        '&PAYMENTREQUEST_0_AMT='.urlencode($GrandTotal).

        '&PAYMENTREQUEST_0_CURRENCYCODE='.urlencode($config->get('database',
'ppapicurrency')).

                '&LOCALECODE=US'.
                '&LOGOIMG='.
IMAGES LINK."logo.png". //site logo

```

```

                '&CARTBORDERCOLOR=FFFFFF'.
                '&ALLOWNOTE=1';

                $httpParsedResponseAr = $paypal-
>PPHttpPost('SetExpressCheckout', $pdata);
                if("SUCCESS" ==
strtoupper($httpParsedResponseAr["ACK"]) ||
                "SUCCESSWITHWARNING" ==
strtoupper($httpParsedResponseAr["ACK"])) :
                $paypalmode = ($config->get('database',
'ppmode')== 'sandbox') ? '.sandbox' : '';
                $paypalurl
='https://www'.$paypalmode.'.paypal.com/cgi-bin/webscr?cmd=_express-
checkout&token='.$httpParsedResponseAr["TOKEN"].'';
                header('Location: '.$paypalurl);
                exit();
            else :
                //Show error message
                echo '<div style="color:red"><b>Error :
</b>'.urldecode($httpParsedResponseAr["L_LONGMESSAGE0"]).'</div>';
            endif;

            else :

                $data = array(
                    'kd_member' =>
sessions("WEBAUTH_KONSUMEN, MEMBERID"),
                    'kd_harga_kirim'=>sessions("PENGIRIMAN, ID"),
                    'tgl_pesan' => date("Y-m-d"),
                    'jml_total'=>sessions("TOTALQTY"),
                    'total_harga' =>
sessions("TOTALPEMBELIAN"),
                    'status' => '0'
                );
                $transaksi->insert_data($data, "transaksi");
                $getlast = $transaksi->record_data("lastId","",1);

                $data = array(
                    'kd_transaksi' => $getlast-
>kdTrans,
                    'nama_penerima'=>sessions("PENGIRIMAN,NAMAPENERIMA"),
                    'alamat_penerima'
=>sessions('PENGIRIMAN,ALAMATKIRIM'),
                    'no_telp_penerima'
=>sessions('PENGIRIMAN,NOTELP')
                );
                $transaksi->insert_data($data, "alamat_kirim");

                $data = array(
                    'kd_transaksi' => $getlast-
>kdTrans,
                    'total_bayar'
=>
sessions('TOTALPEMBELIAN'),
                    'type_bayar'
=>

```

```

($method=='transfer' ? "transfer" : "tunai")
    );

    $transaksi->insert_data($data,
"konfirmasi_pembayaran");

    foreach(sessions('KERANJANG_BELANJA') as $value):
        // $getProduk=$produk->record_data('by_id',
$value['PRODUCT_ID'], 1);
        $getProduk = $ukuran_barang-
>record_data('by_ukuran_barang', array($value['PRODUCT_UKURAN'],
$value['PRODUCT_ID']), 1);
        $subTotal = ($getProduk->harga_barang *
$value['PRODUCT_QTY']);
        $data = array(
>kdTrans, 'kd_transaksi' => $getlast-
>kd_barang, //'kd_barang' => $getProduk-
>kd_ukuran_barang, 'kd_ukuran_barang'=>$getProduk-
$value['PRODUCT_QTY'], 'jml_pesan' =>
>harga_barang, 'harga_satuan' => $getProduk-
'sub_total'=> $subTotal
        );
        $transaksi->insert_data($data,
"detail_transaksi");
        /*
>stok_barang - $value['PRODUCT_QTY']);
        $condition = array('kd_barang'=>$getProduk-
>kd_barang);
        $ukuran_barang->update_data($data, $condition,
'barang');
        $data = array('stok' => ($getProduk->stok -
$value['PRODUCT_QTY']);
        $condition =
array('kd_ukuran_barang'=>$getProduk->kd_ukuran_barang);
        $ukuran_barang->update_data($data, $condition,
'ukuran_barang');
        */
    endforeach;

    $_SESSION['TRANSAKSI'] = $getlast->kdTrans;

    header("Location:".SITE_HOST."/keranjang-
belanja/checkout");
    exit;

    endif;
endif;
endif;

```

```

    if(is_valid_post("checkout")) :
        $valid = TRUE;

        if($transaksi->alamat_kirim==2):
            if(empty($transaksi->nama) || $transaksi->nama == "") :
                $error['nama'] = "Silahkan isi nama penerima kiriman
paket pembelian.";
                $valid = FALSE;

                elseif(!ctype_alnum(filteringName($transaksi->nama))) :
                    $error['nama'] = "Format penulisan penerima kiriman
dilarang silahkan menggunakan huruf "
                                . "alphabeth,
angka dan kata penghubung seperti [.] dan [,].";
                    $valid = FALSE;

                endif;

            if(empty($transaksi->alamatPengiriman) || $transaksi-
>alamatPengiriman == "") :
                $error['alamatPengiriman'] = "Silahkan isi alamat
tujuan pengiriman.";
                $valid = FALSE;

                elseif(!ctype_alnum(filteringName($transaksi-
>alamatPengiriman))) :
                    $error['alamatPengiriman'] = "Format penulisan alamat
tujuan pengiriman dilarang silahkan menggunakan huruf "
                                . "alphabeth,
angka dan kata penghubung seperti [.] dan [,].";
                    $valid = FALSE;

                endif;

            if(empty($transaksi->kotaPengiriman) || $transaksi-
>kotaPengiriman == "" || $transaksi->kotaPengiriman == "0") :
                $error['kotaPengiriman'] = "Silahkan pilih kota
tujuan pengiriman.";
                $valid = FALSE;

            endif;

            if(empty($transaksi->kdPosPengiriman) || $transaksi-
>kdPosPengiriman == "") :
                $error['kdPosPengiriman'] = "Silahkan isi kode pos
alamat tujuan pengiriman.";
                $valid = FALSE;

                elseif(!ctype_digit($transaksi->kdPosPengiriman) ||
strlen($transaksi->kdPosPengiriman) < 6) :
                    $error['kdPosPengiriman'] = "Format penulisan kode
pos pengiriman dilarang silahkan menggunakan angka dan minimal 6 "
                                . "digit.";
                    $valid = FALSE;

                endif;

```

```

        if(empty($transaksi->no_telp) || $transaksi->no_telp == "")
:
            $error['no_telp'] = "Silahkan isi no telp tujuan
pengiriman.";
            $valid = FALSE;

            elseif(!ctype_digit($transaksi->no_telp) ||
strlen($transaksi->no_telp) < 6) :
                $error['no_telp'] = "Format penulisan no telp
dilarang silahkan menggunakan angka dan minimal 6 "
                ."digit.";
                $valid = FALSE;
            endif;

        endif;

        $getJasa = post("getJasa");

        if(empty($getJasa) ) :
            $error['jasaKirim'] = "Silahkan pilih jasa pengiriman yang
ingin Anda gunakan.";
            $valid = FALSE;
        endif;

        if($valid === TRUE) :
            $getMember = $member-
>record_data("by_id",sessions("WEBAUTH_KONSUMEN,MEMBERID"),1);

            $harga_kirim->idJasaKirim = $getJasa;
            $harga_kirim->idKota = $transaksi->alamat_kirim==2 ?
$transaksi->kotaPengiriman : $getMember->kd_kota;
            $gethargaKirim = $harga_kirim->record_data("cost","",1);

            $_SESSION['PENGIRIMAN']['ID'] = $gethargaKirim-
>kd_harga_kirim;
            $_SESSION['PENGIRIMAN']['WEIGHT'] = round(post('total-
weight'),2);
            $_SESSION['PENGIRIMAN']['ROUNDWEIGHT'] = round(post('total-
weight'));

            if($transaksi->alamat_kirim==2):
                $get_kota = $kota->record_data("by_id", $transaksi-
>kotaPengiriman, 1);
                $_SESSION['PENGIRIMAN']['IDKOTA'] = $get_kota-
>kd_kota;
                $_SESSION['PENGIRIMAN']['NMKOTA'] = $get_kota-
>nama_kota;
                $_SESSION['PENGIRIMAN']['IDJASAKIRIM']=$harga_kirim-
>idJasaKirim;
                $_SESSION['PENGIRIMAN']['NMJASAKIRIM'] =
$gethargaKirim->nama_jasa_kirim;
                $_SESSION['PENGIRIMAN']['ALAMATKIRIM']=$transaksi-
>alamatPengiriman. ", ".$get_kota->nama_kota." ".$transaksi->kdPosPengiriman;

```

```

$_SESSION['PENGIRIMAN']['NAMAPENERIMA']=$transaksi-
>nama;
$_SESSION['PENGIRIMAN']['NOTELP']=$transaksi-
>no_telp;
else:
$get_kota = $kota->record_data("by_id", $getMember-
>kd_kota, 1);
$_SESSION['PENGIRIMAN']['IDKOTA'] = $getMember-
>kd_kota;
$_SESSION['PENGIRIMAN']['NMKOTA'] = $get_kota-
>nama_kota;
$_SESSION['PENGIRIMAN']['IDJASAKIRIM']=$harga_kirim-
>idJasaKirim;
$_SESSION['PENGIRIMAN']['NMJASAKIRIM'] =
$gethargaKirim->nama_jasa_kirim;
$_SESSION['PENGIRIMAN']['ALAMATKIRIM']=$getMember-
>alamat_member. ", ".$get_kota->nama_kota." ".$getMember->kode_pos_member;
$_SESSION['PENGIRIMAN']['NAMAPENERIMA']=$getMember-
>nama_member;
$_SESSION['PENGIRIMAN']['NOTELP']=$getMember-
>telp_member;
endif;

$_SESSION['PENGIRIMAN']['BIAYAKIRIM_PERKG']=$gethargaKirim-
>harga_kirim;
$_SESSION['PENGIRIMAN']['BIAYAKIRIM'] = $gethargaKirim-
>harga_kirim * $_SESSION['PENGIRIMAN']['ROUNDWEIGHT'];
$_SESSION['TOTALPEMBELIAN'] = post('subtotal-
order')+$_SESSION['PENGIRIMAN']['BIAYAKIRIM'];
$_SESSION['TOTALQTY'] = post('total-qty');

header("Location:".SITE_HOST."/keranjang-belanja");
exit;
endif;

endif;

if(is_valid_post("update-order")) :
$qty = post("qty-order");
$ukuran = post("qty-ukuran");
$id = post("id-order");
$cart = $_SESSION['KERANJANG_BELANJA'];
$flag = 0;
for($i=0;$i<count($cart);$i++) :
// $get_product = $produk->record_data("by_id", $id[$i], 1);
$get_product = $produk->record_data("by_id", $id[$i], 1);
$ukuran_barang = $ukuran[$i];
>record_data('by_ukuran_barang', array($ukuran[$i], $id[$i]), 1);
if(!is_numeric($qty[$i]) || !ctype_digit($qty[$i])):
$flag =1;
set_session("CART_MSG_ERROR", "Format stok produk
".$get_product->nama_barang." invalid.");
break;
elseif($get_product->stok >= $qty[$i]) :
$data = array('stok_barang' => ($get_product-
>stok_barang + $_SESSION['KERANJANG_BELANJA'][$i]['PRODUCT_QTY']));
$condition = array('kd_barang'=>$get_product-
>kd_barang);

```

```

        $ukuran_barang->update_data($data,          $condition,
'barang');

        $data = array('stok' => ($get_product->stok +
$_SESSION['KERANJANG_BELANJA'][$i]['PRODUCT_QTY']));
        $condition = array('kd_ukuran_barang'=>$get_product-
>kd_ukuran_barang);
        $ukuran_barang->update_data($data,          $condition,
'ukuran_barang');

        unset($_SESSION['KERANJANG_BELANJA'][$i]);
        $_SESSION['KERANJANG_BELANJA'][$i]['PRODUCT_ID'] =
$id[$i];
        $_SESSION['KERANJANG_BELANJA'][$i]['PRODUCT_QTY'] =
$qty[$i];
        $_SESSION['KERANJANG_BELANJA'][$i]['PRODUCT_UKURAN']
= $ukuran[$i];

        $data = array('stok_barang' => ($get_product-
>stok_barang - $qty[$i]));
        $condition = array('kd_barang'=>$get_product-
>kd_barang);
        $ukuran_barang->update_data($data,          $condition,
'barang');

        $data = array('stok' => ($get_product->stok -
$qty[$i]));
        $condition = array('kd_ukuran_barang'=>$get_product-
>kd_ukuran_barang);
        $ukuran_barang->update_data($data,          $condition,
'ukuran_barang');
    else :
        $flag =1;
        set_session("CART_MSG_ERROR",          "Pemesanan          produk
".$get_product->nama_barang." melebihi stok yang tersedia.");
        break;
    endif;
endfor;

if($flag==0) :
    set_session("CART_MSG",          "Sukses          mengupdate          keranjang
belanja Anda");
endif;

header("Location:".$_SERVER['HTTP_REFERER']);
exit();

endif;
?>

```

Member.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

```

```

$error = array(
    "daftarNama" => "",
    "daftarEmail" => "",
    "daftarAlamat" => "",
    "daftarKota" => "",
    "daftarKodePos" => "",
    "daftarNotelp" => "",
    "daftarUser" => "",
    "daftarPass" => "",
    "daftarNewPass" => "",
    "daftarRePass" => "",
    "bank_tujuan"=> "",
    "nama_pembayar"=> "",
    "bank_pembayar"=> "",
    "no_rekening"=> "",
    "jml_bayar"=> "");

    $member->daftarNama = is_valid_post("daftar-member") ? post('daftar-
nama') : "";
    $member->daftarEmail = is_valid_post("daftar-member") ? post('daftar-
email') : "";
    $member->daftarAlamat = is_valid_post("daftar-member") ? post('daftar-
alamat') : "";
    $member->daftarKota = is_valid_post("daftar-member") ? post('daftar-
kota') : "";
    $member->daftarKodePos = is_valid_post("daftar-member") ? post('daftar-
kodepos') : "";
    $member->daftarNotelp = is_valid_post("daftar-member") ? post('daftar-
notelp') : "";
    $member->daftarUser = is_valid_post("daftar-member") ? post('daftar-
user') : "";
    $member->daftarPass = is_valid_post("daftar-member") ? post('daftar-
pass') : "";
    $member->daftarRePass = is_valid_post("daftar-member") ? post('daftar-
repass') : "";

    $member->bank_tujuan = is_valid_post("Bayar") ? post('bank_tujuan') : "";
    $member->nama_pembayar = is_valid_post("Bayar") ? post('nama_pembayar') :
"";
    $member->bank_pembayar = is_valid_post("Bayar") ? post('bank_pembayar') :
"";
    $member->no_rekening = is_valid_post("Bayar") ? post('no_rekening') : "";
    $member->keterangan = is_valid_post("Bayar") ? post('keterangan') : "";

    if(page() == "daftar") :
        $pageName = "Halaman Pendaftaran";
        $getKota = $kota->record_data();
        $this->temp_page = "daftar";

    elseif(page() == "login") :
        if(file_exists(MODUL_PATH . 'authentic' . EXTPHP)) :
            include_once(MODUL_PATH . 'authentic' . EXTPHP);

        else :
            exit("No found modul file authentic");

    endif ;

```

```

        $pageName = "Login Member";
        $this->temp_page = "login";

    elseif(page() == "logout") :
        $authentic->logout();

    else :

        if((actionPage()==" && !is_session_set("WEBAUTH_KONSUMEN")) ||
            (actionPage()!=" && actionPage()!="konfirmasi-
pembayaran") && !is_session_set("WEBAUTH_KONSUMEN")) :
            header("Location:".SITE_HOST);
            exit;

        else :

            switch(actionPage()) :

                case "history-pembelian":
                    $PageSize = 50;
                    $PageDisplay = 9;

                    require_once(SYSTEM_PATH . "paging.function" .
EXTPHP);

                    $transaksi->beginRec = $beginRec;
                    $transaksi->endRec = $intPageSize;
                    $countData = $transaksi->record_data("count
by_member", sessions("WEBAUTH_KONSUMEN, MEMBERID"));
                    $getData = $transaksi->record_data("by_member",
sessions("WEBAUTH_KONSUMEN, MEMBERID"));
                    pagingShow($countData, $pgtogo, $intPageNumber,
$intPageSize, $intPageDisplay);
                    $this->temp_page = "history_pembelian";
                    break;

                case "detil_transaksi":
                    $getData = $transaksi->record_data("by_id",
subActionPage(), 1);

                    $this->temp_page = "detail_pembelian";
                    break;

                case "bayar":
                    $getBank = $bank->record_data();
                    $getData = $transaksi->record_data("by_id",
subActionPage(), 1);

                    $member->jml_bayar = is_valid_post("Bayar") ?
post('jml_bayar') : $getData->total_bayar;
                    $this->temp_page = "bayar";
                    break;

                case "edit-member" :
                    $pageName = "Halaman Pendaftaran";
                    $getMember = $member->record_data("by_id",
sessions("WEBAUTH_KONSUMEN, MEMBERID"), 1);
                    $getKota = $kota->record_data();
                    $member->daftarNama = is_valid_post("daftar-
member") ? post('daftar-nama') : $getMember->nama_member;
                    $member->daftarEmail = is valid post("daftar-

```

```

member") ? post('daftar-email'): $getMember->email_member;
        $member->daftarAlamat = is_valid_post("daftar-
member") ? post('daftar-alamat') : $getMember->alamat_member;
        $member->daftarKota = is_valid_post("daftar-
member") ? post('daftar-kota') : $getMember->kd_kota;
        $member->daftarKodePos = is_valid_post("daftar-
member") ? post('daftar-kodepos') : $getMember->kode_pos_member;
        $member->daftarNotelp = is_valid_post("daftar-
member") ? post('daftar-notelp') : $getMember->telp_member;
        $member->daftarUser = is_valid_post("daftar-
member") ? post('daftar-user') : $getMember->user_member;
        $member->daftarPass = is_valid_post("daftar-
member") ? post('daftar-pass') : "";
        $member->daftarNewPass = is_valid_post("daftar-
member") ? post('daftar-Newpass') : "";
        $member->daftarRePass = is_valid_post("daftar-
member") ? post('daftar-repass') : "";

        $this->temp_page = "daftar";
        break;
    default:

        code($_SESSION["WEBAUTH_KONSUMEN"]["MEMBERID"]);
        $getMember = $member->record_data("by_id",
sessions("WEBAUTH_KONSUMEN, MEMBERID"), 1);
        // $getData = $transaksi-
>record_data("by_konsumen", sessions("WEBAUTH_KONSUMEN, MEMBERID"), 5);

        $pageName = "Halaman Member";
        $this->temp_page = "member";
        break;

    endswitch;

endif;

endif;

if(is_valid_post("daftar-member")) :
    $valid = TRUE;

    if(empty($member->daftarNama) || $member->daftarNama == "") :
        $error['daftarNama'] = "Silahkan isi nama Anda.";
        $valid = FALSE;

    elseif(!ctype_alnum(filteringName($member->daftarNama))) :
        $error['daftarNama'] = "Format penulisan nama dilarang
silahkan menggunakan huruf alphabeth, "
        ."angka dan kata penghubung
seperti [.] dan [,].";
        $valid = FALSE;

    endif;

    if(empty($member->daftarEmail) || $member->daftarEmail == "") :
        $error['daftarEmail'] = "Silahkan isi email Anda.";
        $valid = FALSE;

```

```

elseif(PHP_VERSION >= 5.2 && filter_var($member->daftarEmail,
FILTER_VALIDATE_EMAIL)===FALSE) :
    $error['daftarEmail'] = "Format penulisan email salah.
contoh penulisan email : contoh@server.domain";
    $valid = FALSE;

elseif(!preg_match('/^[a-z0-9&'\.\-\_+]+@[a-z0-9\-\+]\.([a-z0-9\-\
]+\.)*[a-z]{2}/is', $member->daftarEmail)) :
    $error['daftarEmail'] = "Format penulisan email salah.
contoh penulisan email : contoh@server.domain";
    $valid = FALSE;

endif;

if(empty($member->daftarAlamat) || $member->daftarAlamat == "") :
    $error['daftarAlamat'] = "Silahkan isi alamat tempat
tinggal Anda.";
    $valid = FALSE;

elseif(!ctype_alnum(filteringName($member->daftarAlamat))) :
    $error['daftarAlamat'] = "Format penulisan alamat dilarang
silahkan menggunakan huruf alphabeth, "
                                ."angka dan kata
penghubung seperti [.] dan [,].";
    $valid = FALSE;

endif;

if(empty($member->daftarKota) || $member->daftarKota == "" ||
$member->daftarKota == "0") :
    $error['daftarKota'] = "Silahkan pilih kota tempat Anda
tinggal.";
    $valid = FALSE;

elseif($kota->record_data('count by_id', $member->daftarKota,
1)==0):
    $error['daftarKota'] = "Kota yang Anda pilih tidak ada pada
data kami.";
    $valid = FALSE;

endif;

if(empty($member->daftarKodePos) || $member->daftarKodePos == "")
:
    $error['daftarKodePos'] = "Silahkan isi kode pos tempat
Anda tinggal.";
    $valid = FALSE;

elseif(!ctype_alnum(filteringName($member->daftarKodePos))) :
    $error['daftarKodePos'] = "Format penulisan kode pos
salah.";
    $valid = FALSE;

elseif(strlen($member->daftarKodePos)<5) :
    $error['daftarKodePos'] = "Format penulisan kode pos
minimal 5 karakter.";

```

```

        $valid = FALSE;

    endif;

    if(empty($member->daftarNotelp) || $member->daftarNotelp == "") :
        $error['daftarNotelp'] = "Silahkan isi nomer telp yang bisa
di hubungi.";
        $valid = FALSE;

    elseif(!ctype_digit(filterPhone($member->daftarNotelp))):
        $error['daftarNotelp'] = "Format penulisan no telp dilarang
silahkan menggunakan angka.";
        $valid = FALSE;

    endif;

    if(empty($member->daftarUser) || $member->daftarUser == "") :
        $error['daftarUser'] = "Silahkan isi username.";
        $valid = FALSE;

    elseif(!preg_match('/^[a-zA-Z\d_@.]{5,50}$/i',          $member-
>daftarUser)) :
        $error['daftarUser'] = "Format penulisan username salah.";
        $valid = FALSE;

    elseif(strlen($member->daftarUser)<5||strlen($member-
>daftarUser)>50) :
        $error['daftarUser'] = "Format penulisan username minimal 5
karakter dan maximal 50 karakter.";
        $valid = FALSE;

    endif;

    if(empty($member->daftarPass) || $member->daftarPass == "") :
        $error['daftarPass'] = "Silahkan isi password.";
        $valid = FALSE;

    elseif(!preg_match('/^[a-zA-Z\d_@.]{5,50}$/i',          $member-
>daftarPass)) :
        $error['daftarPass'] = "Format penulisan password salah.";
        $valid = FALSE;

    elseif(strlen($member->daftarPass)<5||strlen($member-
>daftarPass)>50) :
        $error['daftarPass'] = "Format penulisan password minimal 5
karakter dan maximal 50 karakter.";
        $valid = FALSE;

    elseif(!empty($member->daftarPass)          &&          empty($member-
>daftarRePass)) :
        $error['daftarRePass'] = "Silahkan ketik ulang password
Anda.";
        $valid = FALSE;

    /*elseif(!empty($member->daftarPass)          &&          !empty($member-
>daftarRePass) && $member->daftarPass != $member->daftarRePass) :
        $error['daftarRePass'] = "Password Anda tidak cocok.";

```

```

        $valid = FALSE;*/

        endif;
        if(actionPage() == "edit-member" && $member->daftarPass!="" &&
            $member->record_data("count by_pass", $member-
>daftarPass, 1) == 0) :
            $error['daftarPass'] = "Password Administrator tidak
ditemukan";
            $valid = false;
        endif;

        if(actionPage() == "edit-member" && $member->daftarPass!="" &&
$member->daftarNewPass == "") :
            $error['daftarNewPass'] = "Silahkan isi password baru
Anda.";
            $valid = false;

            elseif(actionPage() == "edit-member" && $member-
>daftarNewPass!="" && $member->daftarPass == "") :
                $error['daftarNewPass'] = "Silahkan isi password lama
Anda.";
                $valid = false;

                elseif(actionPage() == "edit-member" && $member-
>daftarNewPass!="" && !preg_match('/^[a-zA-Z\d_@.]{5,50}$/i', $member-
>daftarNewPass)) :
                    $error['daftarNewPass'] = "Format password Administrator
salah.";
                    $valid = false;
                endif;
            if(actionPage() == "edit-member" && $member->daftarNewPass !=
$member->daftarRePass) :
                $error['daftarRePass'] = "Password tidak cocok.";
                $valid = false;
            endif;

            if($valid === TRUE) :
                if(Page()=="daftar") :
                    $data = array(
                        "kd_kota" => $member->daftarKota,
                        "nama_member" => $member->daftarNama,
                        "email_member" => $member->daftarEmail,
                        "user_member" => $member->daftarUser,
                        "alamat_member" => $member->daftarAlamat,
                        "kode_pos_member" => $member-
>daftarKodePos,
                        "telp_member" => $member->daftarNotelp,
                        "password_member" => securePass($member-
>daftarPass));
                    $member->insert_data($data, "member");
                    $text="Selamat Anda sudah terdaftar di web kami. Selamat
Berbelanja dan dapatkan mudahnya berbelanja Online.";
                    //set_session("SUCCESS,TEXT", $text);

                    elseif(actionPage()=="edit-member") :
                        $data = array(

```

```

"kd_kota" => $member->daftarKota,
"nama_member" => $member->daftarNama,
"email_member" => $member->daftarEmail,
"user_member" => $member->daftarUser,
"alamat_member" => $member->daftarAlamat,
"kode_pos_member" => $member-
>daftarKodePos,
"telp_member" => $member->daftarNotelp );

if($member->daftarNewPass!="") :
    $data['password_member'] = securePass($member-
>daftarNewPass);
endif;
$condition =
array("kd_member"=>sessions("WEBAUTH_KONSUMEN, MEMBERID"));
    $admin->update_data($data, $condition, "member");
    $text="Selamat Online.";
endif;

$getManager = $member->record_data("byEmail", $member-
>daftarEmail,1);
$sessID = session_id();
set_session("WEBAUTH_KONSUMEN,USERID",$sessID);
set_session("WEBAUTH_KONSUMEN,MEMBERID",$getManager-
>kd_member);
set_session("WEBAUTH_KONSUMEN,MEMBERNAME",$member-
>daftarNama);
set_session("WEBAUTH_KONSUMEN,MEMBEREMAIL",$member-
>daftarEmail);

header("Location:".SITE_HOST . "/member");
exit();

endif;

endif;

if(is_valid_post('Bayar')) :
    $valid = TRUE;
    if($member->bank_tujuan=="0" || $member->bank_tujuan==NULL) :
        $error['bank_tujuan'] = "Silahkan pilih bank tujuan
pembayaran Anda.";
        $valid=FALSE;
    elseif($bank->record_data('count by_id', $member->bank_tujuan,
1)==0):
        $error['bank_tujuan'] = "Bank tujuan pembayaran Anda
invalid.";
        $valid=FALSE;
    endif;

    if($member->nama_pembayar==NULL || $member->nama_pembayar=="") :
        $error['nama_pembayar'] = "Silahkan isi nama Anda.";
        $valid=FALSE;
    elseif(!ctype_alnum(filteringName($member->nama_pembayar))):
        $error['nama_pembayar'] = "Nama pembayar invalid.";
        $valid=FALSE;

```

```

endif;

if($member->bank_pembayar==NULL || $member->bank_pembayar=="") :
    $error['bank_pembayar'] = "Silahkan isi bank asal Anda
membayar.";
    $valid=FALSE;
elseif(!ctype_alnum(filteringName($member->bank_pembayar))):
    $error['bank_pembayar'] = "Nama bank asal And membayar
invalid.";
    $valid=FALSE;
endif;

if($member->no_rekening==NULL || $member->no_rekening=="") :
    $error['no_rekening'] = "Silahkan isi no rekening bank asal
Anda membayar.";
    $valid=FALSE;
elseif(!ctype_alnum(filteringName($member->no_rekening))):
    $error['no_rekening'] = "No Rekening bank asal And membayar
invalid.";
    $valid=FALSE;
endif;

if($member->jml_bayar==NULL || $member->jml_bayar=="") :
    $member->jml_bayar=$getData->total_bayar;
elseif($member->jml_bayar!=NULL && $member->jml_bayar < $getData-
>total_bayar):
    $error['bank_pembayar'] = "Anda membayar tagihan kurang
dari yang harus dibayarkan.";
    $valid=FALSE;
endif;

if($valid===TRUE) :
    $data=array(
        "kd_bank"=>$member->bank_tujuan,
        "nama_pembayar"=>$member->nama_pembayar,
        "nama_bank"=>$member->bank_pembayar,
        "no_rekening"=>$member->no_rekening,
        "ket_pembayaran"=>htmlentities($member-
>keterangan),
        "total_bayar"=>$member->jml_bayar
    );
    $condition=array("kd_transaksi" => subActionPage());
    $transaksi->update_data($data, $condition,
'konfirmasi_pembayaran');

    $data=array("tgl_bayar"=>date("Y-m-d"));
    $transaksi->update_data($data, $condition, 'transaksi');
    $_SESSION['SUCCESS']['TEXT']="Terima kasih telah melakukan
konfirmasi pembayaran. Status pembayaran akan dirubah setelah kami melakukan
pengecekan untuk data pembayaran Anda.";

    header("Location:".SITE_HOST."/".page()."/detil_transaksi/".subActionPa
ge());
    exit;
endif;

endif;

```

```
?>
```

Produk.php

```
<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);

    $produk->nameProduct = is_valid_post("gosearch") ? post("searchkey") :
"";

    if(is_valid_post("gosearch")) :
        $valid = TRUE;

        if($valid === TRUE) :
            if(is_session_set("PRODUK_SEARCH")):
                unset_session("PRODUK_SEARCH");
            endif;
            $_SESSION['PRODUK_SEARCH'] = array(
                "NAMA" =>
$produk->nameProduct );
            header("Location:". SITE_HOST."/".page()."/search");
            exit();
        endif;

    else :
        if(is_session_set("PRODUK_SEARCH") && actionPage() !="" &&
actionPage() !="search"):
            unset_session("PRODUK_SEARCH");
        endif;

    endif;

    switch(actionPage()) :

        case $merk->get_alias("print_alias", actionPage(), 1) :
            if(actionPage()==" || $merk->record_data("count
by_alias",actionPage(),1)==0) :
                header("Location:".SITE_HOST . "/" . page());
                exit();
            endif;

            $PageSize = 15;
            $PageDisplay = 10;

            require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
            $produk->beginRec = $beginRec;
            $produk->endRec = $intPageSize;

            $getMerks = $merk->get_alias("", actionPage(), 1);
            $getData = $produk->record_data("by_merk",$getMerks-
>id_merk);
            $countData = $produk->record_data("count
by_merk",$getMerks->id_merk);
            pagingShow($countData, $pgtogo, $intPageNumber,
```

```

$intPageSize, $intPageDisplay);
    $pageName = "Halaman Produk | Merk ".$getMerks->nama_merk;
    $this->temp_page = "produk";
    break;

    case $kategori->get_alias("print_alias", actionPage(), 1) :
        if(actionPage()==" || $kategori->record_data("count
by_alias",actionPage(),1)==0) :
            header("Location:".SITE_HOST . "/" . page());
            exit();
        endif;

        $PageSize = 15;
        $PageDisplay = 10;

        require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
        $produk->beginRec = $beginRec;
        $produk->endRec = $intPageSize;

        $getKat = $kategori->get_alias("", actionPage(), 1);
        if($kategori->is_parent($getKat->kd_kategori)):
            $getData = $produk->record_data("by_kat",$getKat-
>root_kategori);
            $countData = $produk->record_data("count
by_kat",$getKat->root_kategori);
        else:
            $getData = $produk->record_data("by_katId",$getKat-
>kd_kategori);
            $countData = $produk->record_data("count
by_katId",$getKat->kd_kategori);
        endif;
        pagingShow($countData, $pgtogo, $intPageNumber,
$intPageSize, $intPageDisplay);
        $pageName = "Halaman Produk | Kategori ".$getKat-
>nama_kategori;
        $this->temp_page = "produk";
        break;

    case "search":
        if(!is_session_set("PRODUK_SEARCH")):
            header("Location:".ADMIN_HOST . "/" . page());
            exit;

        endif;

        $PageSize = 15;
        $PageDisplay = 9;

        require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
        $produk->beginRec = $beginRec;
        $produk->endRec = $intPageSize;

        $produk->nameProduct = sessions("PRODUK_SEARCH,NAMA");
        $countData = $produk->record_data("count by_search");
        $getData = $produk->record_data("by_search");
        pagingShow($countData, $pgtogo, $intPageNumber,
$intPageSize, $intPageDisplay);

```

```

        $pageName = "Halaman Produk | By Search";
        $this->temp_page = "produk";
        break;

        case $produk->get_alias("print_alias", actionPage(), 1) :
            if(actionPage()=="          ||          $produk->record_data("count
by_alias",actionPage(),1)==0) :
                header("Location:".SITE_HOST . "/" . page());
                exit();
            endif;

            $getData = $produk->record_data("by_alias", actionPage(),
1);

            $this->temp_page = "produk_detil";
            break;

        default:
            $PageSize = 15;
            $PageDisplay = 9;

            require_once(SYSTEM_PATH . "paging.function" . EXTPHP);
            $produk->beginRec = $beginRec;
            $produk->endRec = $intPageSize;

            $countData = $produk->record_data("count");
            $getData = $produk->record_data();
            pagingShow($countData,          $pgtogo,          $intPageNumber,
$intPageSize, $intPageDisplay);
            $pageName = "Halaman Produk";
            $this->temp_page = "produk";
            break;

    endswitch;
?>

```

Static.php

```

<?php
    defined("ONLINESHOP002") or
header("Location:http://".$_SERVER['HTTP_HOST']);
    switch(page()) :

        case "cara-pemesanan":
            $this->temp_page = "cara_pemesanan";
            break;

        case "cara-pembayaran":
            $this->temp_page = "cara_pembayaran";
            break;

    endswitch;
?>

```

Database:

The screenshot shows the phpMyAdmin interface for the 'rozak' database. The left sidebar lists various tables including 'admin', 'alamat_kirim', 'bank', 'barang', 'detail_transaksi', 'ecurrency', 'harga_kirim', 'jasa_kirim', 'kategori', 'konfirmasi_pembayaran', 'kota', 'member', 'merk', 'transaksi', 'ukuran', and 'ukuran_barang'. The main area displays a table with columns: Table, Action, Rows, Type, Collation, Size, and Overhead. The table lists 16 tables with their respective row counts and sizes. Below the table, there are options to 'Check All / Uncheck All / Check tables having overhead' and a 'Print view' button. A 'Create table' form is visible at the bottom, with fields for 'Name' and 'Number of columns'.

Table	Action	Rows	Type	Collation	Size	Overhead
admin		3	MyISAM	latin1_swedish_ci	2.2 K1B	-
alamat_kirim		28	MyISAM	latin1_swedish_ci	5 K1B	-
bank		2	MyISAM	latin1_swedish_ci	2.4 K1B	-
barang		12	MyISAM	latin1_swedish_ci	7.3 K1B	132 B
detail_transaksi		38	MyISAM	latin1_swedish_ci	3.9 K1B	-
ecurrency		1	MyISAM	latin1_swedish_ci	2 K1B	-
harga_kirim		212	MyISAM	latin1_swedish_ci	19.4 K1B	1.9 K1B
jasa_kirim		2	MyISAM	latin1_swedish_ci	2 K1B	-
kategori		12	MyISAM	latin1_swedish_ci	2.6 K1B	-
konfirmasi_pembayaran		32	MyISAM	latin1_swedish_ci	3.8 K1B	-
kota		187	MyISAM	latin1_swedish_ci	6.3 K1B	-
member		18	MyISAM	latin1_swedish_ci	4.2 K1B	-
merk		14	MyISAM	latin1_swedish_ci	2.4 K1B	-
transaksi		31	MyISAM	latin1_swedish_ci	4 K1B	-
ukuran		7	MyISAM	latin1_swedish_ci	2.1 K1B	-
ukuran_barang		49	MyISAM	latin1_swedish_ci	2.8 K1B	-
16 tables	Sum	568	InnoDB	latin1_swedish_ci	72.2 K1B	2.1 K1B

Table admin

The screenshot shows the phpMyAdmin interface for the 'admin' table. The left sidebar lists various tables including 'admin', 'alamat_kirim', 'bank', 'barang', 'detail_transaksi', 'ecurrency', 'harga_kirim', 'jasa_kirim', 'kategori', 'konfirmasi_pembayaran', 'kota', 'member', 'merk', 'transaksi', 'ukuran', and 'ukuran_barang'. The main area displays the table structure for 'admin' with columns: #, Name, Type, Collation, Attributes, Null, Default, Extra, and Action. The table lists 5 columns: 'kd_admin' (int(2)), 'nama_admin' (varchar(30)), 'email_admin' (varchar(35)), 'user_admin' (varchar(30)), and 'password_admin' (varchar(35)). Below the table, there are options to 'Check All / Uncheck All With selected' and a 'Print view' button. A 'Relation view' and 'Propose table structure' button are also visible. A 'Track table' button is present. A 'Create table' form is visible at the bottom, with fields for 'Add' and 'column(s)'. Below the table, there is an 'Information' section with 'Space usage' and 'Row Statistics'.

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	kd_admin	int(2)		No	None	AUTO_INCREMENT		Change Drop Browse distinct values Primary Unique Index Spatial More
2	nama_admin	varchar(30)	latin1_swedish_ci	No	None			Change Drop Browse distinct values Primary Unique Index Spatial More
3	email_admin	varchar(35)	latin1_swedish_ci	No	None			Change Drop Browse distinct values Primary Unique Index Spatial More
4	user_admin	varchar(30)	latin1_swedish_ci	No	None			Change Drop Browse distinct values Primary Unique Index Spatial More
5	password_admin	varchar(35)	latin1_swedish_ci	No	None			Change Drop Browse distinct values Primary Unique Index Spatial More

Space usage

Space usage	Row Statistics
Data 224 B	Format dynamic
Index 2 K1B	Collation latin1_swedish_ci
Total 2.2 K1B	Rows 3
	Row length 8
	Row size 8
	Next autoindex 9
	Creation Feb 05, 2015 at 09:05 AM
	Last update Feb 05, 2015 at 09:05 AM

Table alamat kirim

localhost / 127.0.0.1 / rozak x

localhost/phpmyadmin/index.php?db=rozak&token=da3e45bd9999bd6059dccc3e7c7f7a4f6

phpMyAdmin

127.0.0.1 » rozak » alamat_kirim

Browse Structure SQL Search Insert Export Import Operations Tracking Triggers

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	kd_pengiriman	int(5)			No	None	AUTO_INCREMENT	Change Drop Browse distinct values Primary Unique Index More
2	kd_transaksi	int(5)			No	None		Change Drop Browse distinct values Primary Unique Index More
3	nama_penerima	varchar(30)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More
4	alamat_penerima	tinytext	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More
5	no_telp_penerima	varchar(13)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More

Check All / Uncheck All With selected: Browse Change Drop Primary Unique Index Spatial Fulltext

Print view Relation view Propose table structure Track table

Add 1 column(s) At End of Table At Beginning of Table After kd_pengiriman Go

+ Indexes

Information

Space usage	Row Statistics
Data 2 KIB	Format dynamic
Index 3 KIB	Collation latin1_swedish_ci
Total 5 KIB	Rows 28
	Row length ø 73
	Row size ø 184 B
	Next autoindex 28
	Creation Feb 05, 2015 at 09:06 AM
	Last update Feb 05, 2015 at 03:37 PM

localhost/phpmyadmin/tbl_structure.php?db=rozak&table=alamat_kirim&token=da3e45bd9999bd6059dccc3e7c7f7a4f6

12:47 PM

Table bank

localhost / 127.0.0.1 / rozak x

localhost/phpmyadmin/index.php?db=rozak&token=da3e45bd9999bd6059dccc3e7c7f7a4f6

phpMyAdmin

127.0.0.1 » rozak » bank

Browse Structure SQL Search Insert Export Import Operations Tracking Triggers

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	kd_bank	int(2)			No	None	AUTO_INCREMENT	Change Drop Browse distinct values Primary Unique Index Spatial Fulltext
2	nama_bank	varchar(30)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index Spatial Fulltext
3	nama_pemilik	varchar(30)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index Spatial Fulltext
4	no_rekening	varchar(30)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index Spatial Fulltext

Check All / Uncheck All With selected: Browse Change Drop Primary Unique Index Spatial Fulltext

Print view Relation view Propose table structure Track table

Add 1 column(s) At End of Table At Beginning of Table After kd_bank Go

+ Indexes

Information

Space usage	Row Statistics
Data 88 B	Format dynamic
Index 2 KIB	Collation latin1_swedish_ci
Total 2.1 KIB	Rows 2
	Row length ø 66
	Row size ø 1,068 B
	Next autoindex 3
	Creation Feb 05, 2015 at 09:07 AM
	Last update Feb 05, 2015 at 09:07 AM

localhost/phpmyadmin/tbl_structure.php?db=rozak&table=bank&token=da3e45bd9999bd6059dccc3e7c7f7a4f6

12:48 PM

Table barang

localhost / 127.0.0.1 / rozak x

localhost/phpmyadmin/index.php?db=rozak&token=da3e45bd999bdc6059dcc3e7c7f7a4f6

phpMyAdmin

rozak

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	kd_barang	int(5)			No	None	AUTO_INCREMENT	Change Drop Browse distinct values Primary Unique Index More
2	kd_kategori	int(5)			No	None		Change Drop Browse distinct values Primary Unique Index More
3	kd_merk	int(3)			No	None		Change Drop Browse distinct values Primary Unique Index More
4	nama_barang	varchar(50)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More
5	alias_barang	varchar(50)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More
6	gambar_barang	varchar(50)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More
7	deskripsi_barang	text	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More
8	stok_barang	int(3)			No	None		Change Drop Browse distinct values Primary Unique Index More
9	harga_barang	float			No	None		Change Drop Browse distinct values Primary Unique Index More
10	biaya_produksi	float			No	None		Change Drop Browse distinct values Primary Unique Index More
11	berat_barang	float			No	None		Change Drop Browse distinct values Primary Unique Index More
12	diskon_barang	float			No	None		Change Drop Browse distinct values Primary Unique Index More

Check All / Uncheck All With selected: Browse Change Drop Primary Unique Index Spatial Fulltext

Print view Relation view Propose table structure Track table

Add 1 column(s) At End of Table At Beginning of Table After kd_barang Go

+ Indexes

Information

Space usage	Row Statistics
Data 4.3 KiB	Format dynamic
Index 3 KiB	Collation latin1_swedish_ci
Overhead 232 B	Rows 12
Effective 7.2 KiB	Row length 0
Total 7.3 KiB	Row size 0
	Next autoindex 28
	Creation Feb 05, 2015 at 09:11 AM
	Last update Feb 05, 2015 at 03:37 PM

localhost/phpmyadmin/tbl_structure.php?db=rozak&table=barang&token=da3e45bd999bdc6059dcc3e7c7f7a4f6

Table detail transaksi

localhost / 127.0.0.1 / rozak x

localhost/phpmyadmin/index.php?db=rozak&token=da3e45bd999bdc6059dcc3e7c7f7a4f6

phpMyAdmin

rozak

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	kd_detail_transaksi	int(5)			No	None	AUTO_INCREMENT	Change Drop Browse distinct values Primary Unique Index Spatial Fulltext
2	kd_transaksi	int(5)			No	None		Change Drop Browse distinct values Primary Unique Index Spatial Fulltext
3	kd_ukuran_barang	int(5)			No	None		Change Drop Browse distinct values Primary Unique Index Spatial Fulltext
4	jml_pesanan	int(3)			No	None		Change Drop Browse distinct values Primary Unique Index Spatial Fulltext
5	harga_satuan	float			No	None		Change Drop Browse distinct values Primary Unique Index Spatial Fulltext
6	sub_total	float			No	None		Change Drop Browse distinct values Primary Unique Index Spatial Fulltext

Check All / Uncheck All With selected: Browse Change Drop Primary Unique Index Spatial Fulltext

Print view Relation view Propose table structure Track table

Add 1 column(s) At End of Table At Beginning of Table After kd_detail_transaksi Go

+ Indexes

Information

Space usage	Row Statistics
Data 950 B	Format static
Index 3 KiB	Collation latin1_swedish_ci
Total 3.9 KiB	Rows 38
	Row length 0
	Row size 0
	Next autoindex 39
	Creation Jan 14, 2015 at 11:04 AM
	Last update Feb 05, 2015 at 03:37 PM

localhost/phpmyadmin/tbl_structure.php?db=rozak&table=detail_transaksi&token=da3e45bd999bdc6059dcc3e7c7f7a4f6

Table ecurrency

localhost / 127.0.0.1 / rozak x

localhost/phpmyadmin/index.php?db=rozak&token=da3e45bd999bdc6059dcc3e7c7f7a4f6

phpMyAdmin

rozak

admin
alamat_kirim
bank
barang
detail_transaksi
ecurrency
harga_kirim
jasa_kirim
kategori
konfirmasi_pembayaran
kota
member
merk
transaksi
ukuran
ukuran_barang

Create table

127.0.0.1 » rozak » jasa_kirim

Browse Structure SQL Search Insert Export Import Operations Tracking Triggers

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	kd_jasa_kirim	int(2)			No	None	AUTO_INCREMENT	Change Drop Browse distinct values Primary Unique Index Spatial More
2	nama_jasa_kirim	varchar(25)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index Spatial More

Check All / Uncheck All With selected: Browse Change Drop Primary Unique Index Spatial Fulltext

Print view Relation view Propose table structure Track table

Add 1 column(s) At End of Table At Beginning of Table After kd_jasa_kirim Go

+ Indexes

Information

Space usage	Row Statistics
Data 44 B	Format dynamic
Index 2 KIB	Collation latin1_swedish_ci
Total 2 KIB	Rows 2
	Row length ø 22
	Row size ø 1,046 B
	Next autoindex 15
	Creation Feb 05, 2015 at 09:16 AM
	Last update Feb 05, 2015 at 09:16 AM

localhost/phpmyadmin/tbl_structure.php?db=rozak&table=jasa_kirim&token=da3e45bd999bdc6059dcc3e7c7f7a4f6

12:50 PM

Tabel kategori

localhost / 127.0.0.1 / rozak x

localhost/phpmyadmin/index.php?db=rozak&token=da3e45bd999bdc6059dcc3e7c7f7a4f6

phpMyAdmin

rozak

admin
alamat_kirim
bank
barang
detail_transaksi
ecurrency
harga_kirim
jasa_kirim
kategori
konfirmasi_pembayaran
kota
member
merk
transaksi
ukuran
ukuran_barang

Create table

127.0.0.1 » rozak » kategori

Browse Structure SQL Search Insert Export Import Operations Tracking Triggers

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	kd_kategori	int(3)			No	None	AUTO_INCREMENT	Change Drop Browse distinct values Primary Unique Index Spatial More
2	nama_kategori	varchar(25)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index Spatial More
3	alias_kategori	varchar(25)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index Spatial More
4	parent_kategori	int(3)			No	None		Change Drop Browse distinct values Primary Unique Index Spatial More
5	root_kategori	varchar(30)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index Spatial More

Check All / Uncheck All With selected: Browse Change Drop Primary Unique Index Spatial Fulltext

Print view Relation view Propose table structure Track table

Add 1 column(s) At End of Table At Beginning of Table After kd_kategori Go

+ Indexes

Information

Space usage	Row Statistics
Data 648 B	Format dynamic
Index 2 KIB	Collation latin1_swedish_ci
Total 2.6 KIB	Rows 12
	Row length ø 53
	Row size ø 224 B
	Next autoindex 53
	Creation Feb 05, 2015 at 09:17 AM
	Last update Feb 05, 2015 at 09:17 AM

localhost/phpmyadmin/tbl_structure.php?db=rozak&table=kategori&token=da3e45bd999bdc6059dcc3e7c7f7a4f6

12:51 PM

Table konfirmasi pembayaran

The screenshot shows the phpMyAdmin interface for the 'konfirmasi_pembayaran' table. The table structure is as follows:

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	kd_konfirmasi	int(5)			No	None	AUTO_INCREMENT	Change Drop Browse distinct values Primary Unique Index More
2	kd_transaksi	int(5)			No	None		Change Drop Browse distinct values Primary Unique Index More
3	kd_bank	int(2)			No	None		Change Drop Browse distinct values Primary Unique Index More
4	nama_pembayar	varchar(30)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More
5	nama_bank	varchar(30)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More
6	no_rekening	varchar(30)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More
7	ket_pembayaran	tinytext	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More
8	total_bayar	float			No	None		Change Drop Browse distinct values Primary Unique Index More
9	type_bayar	enum('tunai', 'transfer', 'paypal')	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More

Below the table structure, the 'Information' tab is selected, showing the following details:

Space usage	Row Statistics
Data 824 B	Format dynamic
Index 3.8 KIB	Collation latin1_swedish_ci
Total 3.8 KIB	Rows 32
	Row length ø 25
	Row size ø 122 B
	Next autoindex 33
	Creation Feb 05, 2015 at 09:19 AM
	Last update Feb 05, 2015 at 03:37 PM

Table kota

The screenshot shows the phpMyAdmin interface for the 'kota' table. The table structure is as follows:

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	kd_kota	int(3)			No	None	AUTO_INCREMENT	Change Drop Browse distinct values Primary Unique Index Spatial Fulltext
2	nama_kota	varchar(25)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index Spatial Fulltext

Below the table structure, the 'Information' tab is selected, showing the following details:

Space usage	Row Statistics
Data 2.3 KIB	Format dynamic
Index 4 KIB	Collation latin1_swedish_ci
Total 6.3 KIB	Rows 197
	Row length ø 22
	Row size ø 68 B
	Next autoindex 135
	Creation Feb 05, 2015 at 09:20 AM
	Last update Feb 05, 2015 at 09:21 AM

Table member

localhost / 127.0.0.1 / rozak x

localhost/phpmyadmin/index.php?db=rozak&token=da3e45bd999bdc6059dcc3e7c7f7a4f6

phpMyAdmin

127.0.0.1 » rozak » member

Structure SQL Search Insert Export Import Operations Tracking Triggers

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	kd_member	int(5)			No	None	AUTO_INCREMENT	Change Drop Browse distinct values Primary Unique Index More
2	kd_kota	int(3)			No	None		Change Drop Browse distinct values Primary Unique Index More
3	nama_member	varchar(30)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More
4	email_member	varchar(35)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More
5	user_member	varchar(30)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More
6	password_member	varchar(35)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More
7	alamat_member	tinytext	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More
8	kode_pos_member	varchar(7)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More
9	telp_member	varchar(13)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index More

Check All / Uncheck All With selected: Browse Change Drop Primary Unique Index Spatial Fulltext

Print view Relation view Propose table structure Track table

Add 1 column(s) At End of Table At Beginning of Table After kd_member Go

+ Indexes

Information

Space usage	Row Statistics
Data 1.2 KIB	Format dynamic
Index 3 KIB	Collation latin1_swedish_ci
Total 4.2 KIB	Rows 10
	Row length ø 120
	Row size ø 428 B
	Next autoindex 18
	Creation Feb 05, 2015 at 09:22 AM
	Last update Feb 05, 2015 at 09:22 AM

localhost/phpmyadmin/tbl_structure.php?db=rozak&table=member&token=da3e45bd999bdc6059dcc3e7c7f7a4f6

Table merk

localhost / 127.0.0.1 / rozak x

localhost/phpmyadmin/index.php?db=rozak&token=da3e45bd999bdc6059dcc3e7c7f7a4f6

phpMyAdmin

127.0.0.1 » rozak » merk

Structure SQL Search Insert Export Import Operations Tracking Triggers

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	kd_merk	int(3)			No	None	AUTO_INCREMENT	Change Drop Browse distinct values Primary Unique Index Spatial Fulltext
2	nama_merk	varchar(30)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index Spatial Fulltext
3	alias_merk	varchar(30)	latin1_swedish_ci		No	None		Change Drop Browse distinct values Primary Unique Index Spatial Fulltext

Check All / Uncheck All With selected: Browse Change Drop Primary Unique Index Spatial Fulltext

Print view Relation view Propose table structure Track table

Add 1 column(s) At End of Table At Beginning of Table After kd_merk Go

+ Indexes

Information

Space usage	Row Statistics
Data 360 B	Format dynamic
Index 2 KIB	Collation latin1_swedish_ci
Total 2.4 KIB	Rows 14
	Row length ø 25
	Row size ø 172 B
	Next autoindex 17
	Creation Feb 05, 2015 at 09:24 AM
	Last update Feb 05, 2015 at 09:24 AM

localhost/phpmyadmin/tbl_structure.php?db=rozak&table=merk&token=da3e45bd999bdc6059dcc3e7c7f7a4f6

Table transaksi

localhost / 127.0.0.1 / rozak x

localhost/phpmyadmin/index.php?db=rozak&token=da3e45bd999bdc6059dcc3e7c7f7a4f6

phpMyAdmin

rozak

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	kd_transaksi	int(5)			No	None	AUTO_INCREMENT	Change Drop Browse distinct values Primary Unique Index Spatial More
2	kd_member	int(5)			No	None		Change Drop Browse distinct values Primary Unique Index Spatial More
3	kd_harga_kirim	int(5)			No	None		Change Drop Browse distinct values Primary Unique Index Spatial More
4	tgl_pesanan	date			No	None		Change Drop Browse distinct values Primary Unique Index Spatial More
5	tgl_bayar	date			No	None		Change Drop Browse distinct values Primary Unique Index Spatial More
6	tgl_kirim	date			No	None		Change Drop Browse distinct values Primary Unique Index Spatial More
7	jml_total	int(3)			No	None		Change Drop Browse distinct values Primary Unique Index Spatial More
8	total_harga	float			No	None		Change Drop Browse distinct values Primary Unique Index Spatial More
9	status	enum(0, '1', '2')	latin1_swedish_ci		No	1		Change Drop Browse distinct values Primary Unique Index Spatial More
10	updated	enum(0, '1')	latin1_swedish_ci		No	0		Change Drop Browse distinct values Primary Unique Index Spatial More

Check All / Uncheck All With selected: Browse Change Drop Primary Unique Index Spatial Fulltext

Print view Relation view Propose table structure Track table

Add 1 column(s) At End of Table At Beginning of Table After kd_transaksi Go

+ Indexes

Information

Space usage	Row Statistics
Data 892 B	Format static
Index 3 KIB	Collation latin1_swedish_ci
Total 4 KIB	Rows 31
	Row length ø 32
	Row size ø 133 B
	Next autoindex 33
	Creation Jan 14, 2015 at 11:34 AM

localhost/phpmyadmin/tbl_structure.php?db=rozak&table=transaksi&token=da3e45bd999bdc6059dcc3e7c7f7a4f6

Table ukuran barang

localhost / 127.0.0.1 / rozak x

localhost/phpmyadmin/index.php?db=rozak&token=da3e45bd999bdc6059dcc3e7c7f7a4f6

phpMyAdmin

rozak

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	kd_ukuran_barang	int(5)			No	None	AUTO_INCREMENT	Change Drop Browse distinct values Primary Unique Index Spatial Fulltext
2	kd_barang	int(5)			No	None		Change Drop Browse distinct values Primary Unique Index Spatial Fulltext
3	ukuran	int(3)			No	None		Change Drop Browse distinct values Primary Unique Index Spatial Fulltext
4	stok	int(3)			No	None		Change Drop Browse distinct values Primary Unique Index Spatial Fulltext

Check All / Uncheck All With selected: Browse Change Drop Primary Unique Index Spatial Fulltext

Print view Relation view Propose table structure Track table

Add 1 column(s) At End of Table At Beginning of Table After kd_ukuran_barang Go

+ Indexes

Information

Space usage	Row Statistics
Data 833 B	Format static
Index 2 KIB	Collation latin1_swedish_ci
Total 2.8 KIB	Rows 49
	Row length ø 17
	Row size ø 59 B
	Next autoindex 68
	Creation Feb 09, 2015 at 08:22 AM
	Last update Feb 09, 2015 at 09:10 AM

localhost/phpmyadmin/tbl_structure.php?db=rozak&table=ukuran_barang&token=da3e45bd999bdc6059dcc3e7c7f7a4f6