

LISTING PROGRAM

Database.sql

```
-- phpMyAdmin SQL Dump
-- version 4.8.5
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Feb 20, 2020 at 01:12 PM
-- Server version: 10.1.38-MariaDB
-- PHP Version: 5.6.40

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET AUTOCOMMIT = 0;
START TRANSACTION;
SET time_zone = "+00:00";

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT
*/;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS
*/;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION
*/;
/*!40101 SET NAMES utf8mb4 */;

--
-- Database: `evoting`
--

--
-- -----
--
-- Table structure for table `pengaturan`
--

CREATE TABLE `pengaturan` (
  `id_pengaturan` int(10) UNSIGNED NOT NULL,
  `Tanggal` date NOT NULL,
  `JamMulai` varchar(45) NOT NULL,
  `JamSelesai` varchar(45) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `pengaturan`
--
```

```

INSERT INTO `pengaturan` (`id_pengaturan`, `Tanggal`,
`JamMulai`, `JamSelesai`) VALUES
(1, '2020-02-20', '18:00', '24:00');

-- -----

--
-- Table structure for table `user`
--

CREATE TABLE `user` (
  `id` int(10) UNSIGNED NOT NULL,
  `nama` varchar(35) NOT NULL DEFAULT '',
  `alamat` varchar(255) NOT NULL DEFAULT '',
  `phone` varchar(13) NOT NULL DEFAULT '',
  `username` varchar(45) NOT NULL DEFAULT '',
  `password` varchar(45) NOT NULL DEFAULT '',
  `id_level` varchar(5) NOT NULL DEFAULT '',
  `NA` varchar(5) NOT NULL DEFAULT '',
  `TanggalBuat` datetime NOT NULL DEFAULT '0000-00-00 00:00:00',
  `Email` varchar(45) NOT NULL,
  `gcm` varchar(255) NOT NULL,
  `Foto` varchar(45) NOT NULL DEFAULT '',
  `noidentitas1` varchar(45) NOT NULL,
  `wakil` varchar(45) NOT NULL,
  `noidentitas2` varchar(45) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `user`
--

INSERT INTO `user` (`id`, `nama`, `alamat`, `phone`, `username`,
`password`, `id_level`, `NA`, `TanggalBuat`, `Email`, `gcm`,
`Foto`, `noidentitas1`, `wakil`, `noidentitas2`) VALUES
(1, 'Panitia', 'Jember', '085123456711', 'admin',
'21232f297a57a5a743894a0e4a801fc3', '1', 'N', '0000-00-00
00:00:00', '', '', '', '', '', ''),
(17, 'lukman', 'Jember', '0912', 'lukman',
'b5bbc8cf472072baffe920e4e28ee29c', '2', '', '2019-04-04
18:53:58', '', '', '', '1232', '', ''),
(18, 'Mahasiswa', 'Jember', '20392132', 'mahasiswa',
'5787be38ee03a9ae5360f54d9026465f', '2', '', '2019-04-04
18:56:34', '', '', '', '324', '', ''),
(19, 'Moh Lukman Sholeh S.Kom', 'Jember', '12345', 'kandidat',
'a94994c1f9d6c72599542b12d771d1bc', '3', '', '2019-04-04

```

```

19:04:43', '', '', '21.jpg', '32434', 'fsdfdfd', '43234'),
(20, 'David Heriwanto M.Kom', 'Jember', '1232', 'kandidat2',
'2bffe16305577d9689a200067b878f65', '3', '', '2019-04-04
19:38:27', '', '', '6.jpg', '54654', 'ytfhg', '5465');

-- -----

--
-- Table structure for table `user_level`
--

CREATE TABLE `user_level` (
  `id` int(10) UNSIGNED NOT NULL,
  `level` varchar(45) NOT NULL DEFAULT '',
  `NA` varchar(45) NOT NULL DEFAULT ''
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `user_level`
--

INSERT INTO `user_level` (`id`, `level`, `NA`) VALUES
(1, 'Panitia', 'N'),
(2, 'Pemilih', 'N'),
(3, 'Kandidat', 'N');

-- -----

--
-- Table structure for table `votingkandidat`
--

CREATE TABLE `votingkandidat` (
  `id` int(10) UNSIGNED NOT NULL,
  `idkandidat` varchar(45) NOT NULL DEFAULT '',
  `TanggalBuat` datetime NOT NULL DEFAULT '0000-00-00 00:00:00',
  `userpilih` varchar(45) NOT NULL DEFAULT '',
  `Tanggal` date NOT NULL DEFAULT '0000-00-00'
) ENGINE=InnoDB DEFAULT CHARSET=latin1;

--
-- Dumping data for table `votingkandidat`
--

INSERT INTO `votingkandidat` (`id`, `idkandidat`, `TanggalBuat`,
`userpilih`, `Tanggal`) VALUES
(1, '19', '2019-04-04 21:39:24', 'lukman', '2019-04-04'),

```

```

(2, '20', '2019-04-04 21:39:24', 'mahasiswa', '2019-04-04'),
(3, '19', '2019-04-28 19:21:03', 'lukman', '2019-04-28'),
(4, '20', '2020-01-03 22:00:10', 'lukman', '2020-01-03');

-- -----

--
-- Stand-in structure for view `v_user`
-- (See below for the actual view)
--
CREATE TABLE `v_user` (
  `wakil` varchar(45)
, `noidentitas2` varchar(45)
, `noidentitas1` varchar(45)
, `id` int(10) unsigned
, `nama` varchar(35)
, `Foto` varchar(45)
, `alamat` varchar(255)
, `phone` varchar(13)
, `username` varchar(45)
, `password` varchar(45)
, `id_level` varchar(5)
, `NA` varchar(5)
, `TanggalBuat` datetime
, `Email` varchar(45)
, `gcm` varchar(255)
, `NamaLevel` varchar(45)
);

-- -----

--
-- Structure for view `v_user`
--
DROP TABLE IF EXISTS `v_user`;

CREATE ALGORITHM=UNDEFINED DEFINER=`root`@`localhost` SQL
SECURITY DEFINER VIEW `v_user` AS select `a`.`wakil` AS
`wakil`,`a`.`noidentitas2` AS `noidentitas2`,`a`.`noidentitas1`
AS `noidentitas1`,`a`.`id` AS `id`,`a`.`nama` AS
`nama`,`a`.`Foto` AS `Foto`,`a`.`alamat` AS `alamat`,`a`.`phone`
AS `phone`,`a`.`username` AS `username`,`a`.`password` AS
`password`,`a`.`id_level` AS `id_level`,`a`.`NA` AS
`NA`,`a`.`TanggalBuat` AS `TanggalBuat`,`a`.`Email` AS
`Email`,`a`.`gcm` AS `gcm`,`b`.`level` AS `NamaLevel` from
(`user` `a` left join `user_level` `b` on((`a`.`id_level` =
`b`.`id`))) ;

```

```

--
-- Indexes for dumped tables
--

--
-- Indexes for table `pengaturan`
--
ALTER TABLE `pengaturan`
  ADD PRIMARY KEY (`id_pengaturan`);

--
-- Indexes for table `user`
--
ALTER TABLE `user`
  ADD PRIMARY KEY (`id`);

--
-- Indexes for table `user_level`
--
ALTER TABLE `user_level`
  ADD PRIMARY KEY (`id`);

--
-- Indexes for table `votingkandidat`
--
ALTER TABLE `votingkandidat`
  ADD PRIMARY KEY (`id`);

--
-- AUTO_INCREMENT for dumped tables
--

--
-- AUTO_INCREMENT for table `pengaturan`
--
ALTER TABLE `pengaturan`
  MODIFY `id_pengaturan` int(10) UNSIGNED NOT NULL
  AUTO_INCREMENT, AUTO_INCREMENT=2;

--
-- AUTO_INCREMENT for table `user`
--
ALTER TABLE `user`
  MODIFY `id` int(10) UNSIGNED NOT NULL AUTO_INCREMENT,
  AUTO_INCREMENT=21;

```

```

--
-- AUTO_INCREMENT for table `user_level`
--
ALTER TABLE `user_level`
  MODIFY `id` int(10) UNSIGNED NOT NULL AUTO_INCREMENT,
  AUTO_INCREMENT=4;

--
-- AUTO_INCREMENT for table `votingkandidat`
--
ALTER TABLE `votingkandidat`
  MODIFY `id` int(10) UNSIGNED NOT NULL AUTO_INCREMENT,
  AUTO_INCREMENT=5;
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS
*/;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;

```

Index .php

```

<?php
session_start();
error_reporting(0);
// if ($_GET[admin]=="y") {

// if (isset($_SESSION[level])) {
//     echo "
<script>window.location.href='media.php?module=home'</script> ";
// }else{
include "atas.php" ;
include "login.php";

// }
// }else{

// echo "<meta http-equiv='refresh'
content='0;url=http://localhost/penjualanbaju/frontend/media.php
?module=home'>";

// }

?>

```

Berhasil.php

```
<?php
session_start();
include"config/koneksi.php";
$nama = $_SESSION['username'];
$user_level = $_SESSION['user_level'];
if(!isset($_SESSION['username'])) {

    header('location:login.php');
    error_reporting(0);
}

?>
<div class="row">

                                <div class="col-md-12">
                                    <div class="card-box card
shadow">

                                <div class="card-body">
                                    <center></center><br/>
                                    <span class="login100-form-title"><h2>
                                    Aplikasi Pemilihan Kandidat</h2><hr/>

                                    </span>
                                </div>
                            </div>
<script src="https://code.jquery.com/jquery-
3.1.1.min.js"></script>
<script
src="https://code.highcharts.com/highcharts.js"></script>
<script src="https://code.highcharts.com/highcharts-
more.js"></script>
<script
src="https://code.highcharts.com/modules/exporting.js"></script>

<style type="text/css">
    #container {
        min-width: 320px;
        max-width: 600px;
        margin: 0 auto;
    }
</style>
<?php
    switch($_GET[act]){
```

```

        default:
        ?>

                                <div class="row">
                                    <div class="col-md-12">
                                        <div class="card-box card
shadow">

                                            <div class="card-body">

                                                <h2 class="mb-
0">Grafik Hasil Voting</h2>

                                                <hr/>

                                <div id="container"></div>

                                <button type="button" class="btn btn-sm btn-primary mt-1 mb-1"
id="plain">Plain</button>
                                <button type="button" class="btn btn-sm btn-danger mt-1 mb-
1" id="inverted">Inverted</button>
                                <button type="button" class="btn btn-sm btn-warning mt-1
mb-1" id="polar">Polar</button>

                                <?php
                                $q=mysql_query("select count(a.idkandidat) as total,b.nama
from votingkandidat a left join v_user b on a.idkandidat=b.id
where b.id_level='3' group by a.idkandidat");

                                while ($d=mysql_fetch_array($q)) {
                                    $a[]=$d[nama];
                                    $b[]=$d[total];
                                }

                                $c=json_encode($b);
                                $d=str_replace('"', '', $c);

                                ?>

                                <script type="text/javascript">
                                var chart = Highcharts.chart('container', {

                                    title: {

```



```

        text: 'Grafik Hasil Vooting Kandidat'
    },

    subtitle: {
        text: 'Total Perolehan Suara'
    },

    xAxis: {
        categories: <?php echo json_encode($a); ?>
    },

    series: [{
        type: 'column',
        colorByPoint: true,
        data: <?php echo $d;?>,
        showInLegend: false
    }]
});

$('#plain').click(function () {
    chart.update({
        chart: {
            inverted: false,
            polar: false
        },
        subtitle: {
            text: 'Plain'
        }
    });
});

$('#inverted').click(function () {
    chart.update({
        chart: {
            inverted: true,
            polar: false
        },
        subtitle: {
            text: 'Inverted'
        }
    });
});

$('#polar').click(function () {
    chart.update({

```

```

        chart: {
            inverted: false,
            polar: true
        },
        subtitle: {
            text: 'Polar'
        }
    });
});
</script>

<?php
}

```

Setting.php

```

<?php
date_default_timezone_set('Asia/Jakarta');
error_reporting(0);
session_start();
include "config/koneksi.php";
$nama = $_SESSION['username'];
$user_level = $_SESSION['level'];
if(!isset($_SESSION['username'])) {

    header('location:index.php');
}
if (isset($_POST[simpanedit])) {

    mysql_query("UPDATE `pengaturan` SET
`Tanggal`='".$_POST[tanggal]'
,`JamMulai`='".$_POST[jammulai]',`JamSelesai`='".$_POST[jamselesai]'
WHERE id_pengaturan='".$_GET[id]'");
echo '<script type="text/javascript">
    window.location = "media.php?module=setting"
</script>';

}

```

```

switch($_GET[act]){
    default:
        ?>

        <div class="row">
            <div class="col-md-12">
                <div class="card-box card
shadow">

                    <div class="card-body">

                        <h2 class="mb-
0">Master Setting Pemilihan</h2>

                        <hr/>

                            <div class="table-
responsive">
                                <table id="example" class="table table-
striped table-bordered w-100 text-nowrap">
                                    <thead>
                                        <tr>
                                            <th class="wd-15p">No</th>
                                            <th class="wd-15p">Tanggal</th>
                                            <th class="wd-15p">Jam Mulai</th>
                                            <th class="wd-20p">Jam
Selesai</th>

                                            <th class="wd-10p">Aksi</th>
                                        </tr>
                                    </thead>
                                    <tbody>

                                        <?php
                                        $query=mysql_query("SELECT * from
pengaturan");

                                        $no;
                                        while ($q=mysql_fetch_array($query))
                                        {

                                            $no++;

```

```

        echo "
        <tr>
        <td>$no</td>
            <td>$q[Tanggal]</td>
            <td>$q[JamMulai]</td>
            <td>$q[JamSelesai] </td>

            <td>
            <a
href=\"media.php?module=setting&act=edit&id=$q[id_pengaturan]\"
><span class=\"badge badge-warning\">Edit</span></a>
            </td>
        </tr>";

    }

    ?>
    <!--    <tr>
            <td>Bella</td>
            <td>Chloe</td>
            <td>System Developer</td>
            <td>2018/03/12</td>
            <td>$654,765</td>
            <td>b.Chloe@datatables.net</td>
        </tr> -->

    </tbody>
</table>
</div>

<?php
    break;

    case 'edit':
        $edit=mysql_fetch_assoc(mysql_query("SELECT * from
pengaturan WHERE id_pengaturan='".$_GET[id]'""));

```

[illegible]

Login.php

```
<?php
    session_start();
    include "../config/koneksi.php";
    date_default_timezone_set("Asia/Jakarta");

    if(isset($_POST['username']) &&
isset($_POST['password'])){
        $username = $_POST['username'];
        $password = md5($_POST['password']);

        $select = mysql_query("SELECT * from
user WHERE username='$username' and `password`='$password' and
id_level in ('1','2') limit 1");
        $sql = mysql_fetch_array($select);

        // tutup sukses

        if(empty($sql)){

            echo "<div class=\"alert alert-
danger\"><center>
                <strong>Maaf!</strong> Username &&
password anda salah. tolong ulangi!</center>
            </div>";
            // jika sukses

        }else{
            $_SESSION['username'] =
$sql['username'];
            $_SESSION['password'] =
$sql['password'];
            $_SESSION['id'] = $sql['id'];
            $_SESSION['level']=$sql['id_level'];

            $_SESSION['StatusLogin'] = '1';

            echo "
<script>window.location.href='media.php?module=home'</script> ";
        }
    }

?>
```

```

<body class="bg-gradient-danger">
  <div class="limiter">
    <div class="container-login100">
      <div class="wrap-login100 p-5">

        <form class="login100-form validate-form"
method="post" action="">
          <center></center><br/>
          <span class="login100-form-title"><h2>
PENGEMBANGAN APLIKASI E-VOTE BERBASIS
MOBILE ANDROID</h2><hr/>

          </span>

          <div class="wrap-input100 validate-
input" data-validate = "Username reuired">
            <input class="input100"
type="text" name="username" placeholder="Username">
            <span class="focus-
input100"></span>
            <span class="symbol-input100">
              <i class="fa fa-user" aria-
hidden="true"></i>
            </span>
          </div>

          <div class="wrap-input100 validate-
input" data-validate = "Password is required">
            <input class="input100"
type="password" name="password" placeholder="Password">
            <span class="focus-
input100"></span>
            <span class="symbol-input100">
              <i class="fa fa-lock" aria-
hidden="true"></i>
            </span>
          </div>

          <div class="container-login100-form-
btn">
            <button type="submit" class="mt-2 btn
btn-block btn-danger mt-1 mb-1">Login</button>
          </div>

```

```
                </form>
            </div>
        </div>
    </div>
```

Mstadmin.php

```
<?php
    error_reporting(0);
    session_start();
    include "config/koneksi.php";
    $nama = $_SESSION['username'];
    $user_level = $_SESSION['level'];
    if(!isset($_SESSION['username'])) {

        header('location:index.php');
    }

    //simpan
    if (isset($_POST['submit'])) {

        $cekusername=mysql_num_rows(mysql_query("SELECT * from
user where username='".$_POST[username]'"));

        if ($cekusername<1) {
            $password=md5($_POST[password]);
            mysql_query("INSERT INTO user ( `username`, `password`,
`nama`, `id_level`,`alamat`,`phone`,`TanggalBuat`) values
('".$_POST[username]','.$password','.$_POST[nama]','.$_POST[level]','
$_POST[alamat]','.$_POST[phone]',NOW())");

            echo "<script>window.alert('Penambahan User Berhasil !!!')
window.location='media.php?module=mstadmin'</script>";
        }else{

            echo "<script>window.alert('Gagal,username sudah ada!!!')
window.location='media.php?module=mstadmin'</script>";
```



```

    }

    }elseif ($_GET[delete]=="y") {
        mysql_query("DELETE FROM `user` WHERE id='".$_GET[id]'");

        header('location:media.php?module=mstadmin');
    }elseif (isset($_POST[simpanedit])) {

        mysql_query("UPDATE `user` SET
`nama`='".$_POST[nama]',`phone`='".$_POST[phone]',`alamat`='".$_POST[a
lamat]' WHERE username='".$_POST[username]'");
echo '<script type="text/javascript">
        window.location = "media.php?module=mstadmin"
    </script>';

    }

    switch($_GET[act]){
        default:
            ?>

                                <div class="row">
                                    <div class="col-md-12">
                                        <div class="card-box card
shadow">

                                            <div class="card-body">

                                                <h2 class="mb-
0">Master User</h2>

                                                <hr/>

                                                <button type="button"
class="btn btn-sm btn-primary mt-1 mb-1" data-toggle="modal"
data-target="#largeModal">Tambah Data</button><br/><br/>

                                            <div class="table-
responsive">

```

```

        <table id="example" class="table table-
striped table-bordered w-100 text-nowrap">
        <thead>
        <tr>
            <th class="wd-15p">No</th>

            <th class="wd-15p">Username</th>
            <th class="wd-20p">Nama</th>
            <th class="wd-15p">Level</th>

        <th class="wd-10p">Aksi</th>
        </tr>
        </thead>
        <tbody>

        <?php
        $query=mysql_query("SELECT * from
v_user where id_level='1'");
        $no;
        while ($q=mysql_fetch_array($query))
        {

            $no++;

            echo "
            <tr>
            <td>$no</td>

                <td>$q[username]</td>
                <td>$q[nama] </td>
                <td>$q[NamaLevel] </td>

                <td>
                <a
href=\"media.php?module=mstadmin&act=edit&id=$q[id]\" ><span
class=\"badge badge-warning\">Edit</span></a>
                <a
href=\"media.php?module=mstadmin&delete=y&id=$q[id]\" ><span
class=\"badge badge-danger\">Hapus</span></a>
                </td>
            </tr>";

        }

```

```

        ?>
        <!--      <tr>
            <td>Bella</td>
            <td>Chloe</td>
            <td>System Developer</td>
            <td>2018/03/12</td>
            <td>$654,765</td>
            <td>b.Chloe@datatables.net</td>
        </tr> -->

    </tbody>
</table>
</div>

```

```

        <div class="modal fade" id="largeModal"
tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel"
aria-hidden="true">
            <div class="modal-dialog modal-dialog-centered
modal-lg" role="document">
                <div class="modal-content">
                    <div class="modal-header">
                        <h2 class="modal-title"
id="largeModalLabel">Tambah User</h2>
                        <button type="button" class="close" data-
dismiss="modal" aria-label="Close">
                            <span aria-hidden="true">&times;</span>
                        </button>
                    </div>
                    <div class="modal-body">

                        <form method="post" action="">

                            <div class="form-group">
                                <label class="form-
label">Nama</label>
                                <input type="text" class="form-
control" placeholder="Nama" name="nama">
                            </div>
                            <div class="form-group">
                                <label class="form-
label">Username</label>
                                <input type="text" class="form-
control" placeholder="Username" name="username" >
                            </div>

```

```

        <div class="form-group">
            <label class="form-
label">Password</label>
            <input type="text" class="form-
control" placeholder="Password" name="password">
        </div>

        <div class="form-group">
            <label class="form-
label">Alamat</label>
            <input type="text" class="form-
control" placeholder="Alamat" name="alamat" >
        </div>

        <div class="form-group">
            <label class="form-
label">Phone</label>
            <input type="text" class="form-
control" placeholder="Phone" name="phone" >
        </div>

        <div class="form-
group">
            <label for="cc-
number" class="control-label mb-1">Level</label>
            <?php

                $sql = mysql_query("SELECT * from user_level
where id='1'");
                echo "<select class=\"form-control\"
name=\"level\" >";

                while ($r = mysql_fetch_array($sql)) {

                    if ($stampil>Nama]==$r[level]) {
                        echo "<option value='<?php echo $r[id]>' selected>
<?php echo $r[level]> </option>";
                    }else{
                        echo "<option value='<?php echo $r[id]>'> <?php echo $r[level]>
</option>";
                    }
                }
            }
        }
    }
}

```

[illegible]

```

        <div class="form-group">
            <label class="form-
label">Nama</label>
                <input type="text" class="form-
control" placeholder="Nama" name="nama" value="<?php echo
$edit[nama]; ?>">
        </div>
        <div class="form-group">
            <label class="form-
label">Username</label>
                <input type="text" class="form-
control" readonly placeholder="Username" name="username"
value="<?php echo $edit[username]; ?> ">
        </div>
        <div class="form-group">
            <label class="form-
label">Alamat</label>
                <input type="text" class="form-
control" placeholder="Alamat" name="alamat" value="<?php echo
$edit[alamat]; ?>">
        </div>

        <div class="form-group">
            <label class="form-
label">Phone</label>
                <input type="text" class="form-
control" placeholder="Phone" name="phone" value="<?php echo
$edit[phone]; ?>">
        </div>

        <div class="form-
group">
            <label for="cc-
number" class="control-label mb-1">Level</label>
            <?php

                $sql = mysql_query("SELECT * from user_level
where id='1'");
                echo "<select class=\"form-control \"
name=\"level\" readonly>";

                while ($r = mysql_fetch_array($sql)) {

```

```

        if ($edit[id_level]==$r[id]) {
            echo "<option value='$r[id]' selected>
$r[level] </option>";
        }else{
            echo "<option value='$r[id]'> $r[level]
</option>";
        }
    }

    echo '</select>';

    ?>

</div>

<button type="submit" name="simpanedit"
class="mt-2 btn btn-block btn-success mt-1 mb-1">Simpan</button>
</form>

<?php
break;

}

?>

```

Mstdkandidat.php

```

<?php
    error_reporting(0);
    session_start();
    include "config/koneksi.php";
    $nama = $_SESSION['username'];
    $user_level = $_SESSION['level'];
    if(!isset($_SESSION['username'])) {

        header('location:index.php');
    }

```

```

//simpan
    if (isset($_POST['submit'])) {

        $target_dir = "assets/foto/";
        $target_file = $target_dir .
basename($_FILES["fileToUpload"]["name"]);
        $uploadOk = 1;
        $imageFileType =
strtolower(pathinfo($target_file,PATHINFO_EXTENSION));
        // Check if image file is a actual image or fake
image
        if(isset($_POST["submit"])) {
            $check =
getimagesize($_FILES["fileToUpload"]["tmp_name"]);
            if($check !== false) {
                echo "File is an image - " .
$check["mime"] . ".";
                $uploadOk = 1;
            } else {
                echo "File is not an image.";
                $uploadOk = 0;
            }
        }
        // Check if file already exists
        if (file_exists($target_file)) {

            echo "<script>window.alert('File sudah ada !!!')

window.location='media.php?module=mstkandidat'</script>";
            $uploadOk = 0;
        }
        // Check file size
        if ($_FILES["fileToUpload"]["size"] > 500000) {

            echo "<script>window.alert('File terlalu besar !!!')

window.location='media.php?module=mstkandidat'</script>";
            $uploadOk = 0;
        }
        // Allow certain file formats
        if($imageFileType != "jpg" && $imageFileType !=
"png" && $imageFileType != "jpeg"
&& $imageFileType != "gif" ) {

            echo "<script>window.alert('Sorry, only JPG,

```



```

JPEG, PNG & GIF files are allowed. !!!')

window.location='media.php?module=mstkandidat'</script>";

        $uploadOk = 0;
    }
    // Check if $uploadOk is set to 0 by an error
    if ($uploadOk == 0) {
        echo "<script>window.alert('Sorry, your file
was not uploaded. !!!')

window.location='media.php?module=mstkandidat'</script>";

        // if everything is ok, try to upload file
    } else {
        if
(move_uploaded_file($_FILES["fileToUpload"]["tmp_name"],
$target_file)) {

            echo "<script>window.alert('Foto berhasil
disimpan. !!!')

window.location='media.php?module=mstkandidat'</script>";

            $brkas=$_FILES['fileToUpload']['name'];

$cekusername=mysql_num_rows(mysql_query("SELECT * from user
where username='$_POST[username]'"));

        if ($cekusername<1) {
            $password=md5($_POST[password]);
            mysql_query("INSERT INTO user ( `username`, `password`,
`nama`,
`id_level`, `alamat`, `phone`, `TanggalBuat`, `Foto`, `noidentitas1`,
`wakil`, `noidentitas2`) values
('$_POST[username]', '$password', '$_POST[nama]', '$_POST[level]', '
$_POST[alamat]', '$_POST[phone]', NOW(), '$brkas', '$_POST[noidentit
as1]', '$_POST[wakil]', '$_POST[noidentitas2]')");

            echo "<script>window.alert('Penambahan User Berhasil !!!')

window.location='media.php?module=mstuser'</script>";
        }else{

            echo "<script>window.alert('Gagal, username sudah ada!!')

```

```

window.location='media.php?module=mstuser'</script>";

    }

        } else {
            echo "<script>window.alert('Sorry, there
was an error uploading your file. !!!')
window.location='media.php?module=mstkandidat'</script>";

            }
        }

}elseif ($_GET[delete]=="y") {
    mysql_query("DELETE FROM `user` WHERE id='$_GET[id]'");

    header('location:media.php?module=mstkandidat');
}elseif (isset($_POST[simpanedit])) {

    mysql_query("UPDATE `user` SET
`nama`='$_POST[nama]', `phone`='$_POST[phone]', `alamat`='$_POST[a
lamat]', `noidentitas1`='$_POST[noidentitas1]', `wakil`='$_POST[wa
kil]', `noidentitas2`='$_POST[noidentitas2]' WHERE
username='$_POST[username]'");
echo '<script type="text/javascript">
    window.location = "media.php?module=mstkandidat"
</script>';

}

switch($_GET[act]){
    default:
        ?>

<div class="row">
    <div class="col-md-12">
        <div class="card-box card
shadow">

```

```

<div class="card-body">

    <h2 class="mb-
0">Master Kandidat</h2>

    <hr/>

    <button type="button"
class="btn btn-sm btn-primary mt-1 mb-1" data-toggle="modal"
data-target="#largeModal">Tambah Data</button><br/><br/>

    <div class="table-
responsive">
        <table id="example" class="table table-
striped table-bordered w-100 text-nowrap">
            <thead>
                <tr>
                    <th class="wd-15p">No</th>
                    <th class="wd-15p">No
Identitas</th>

                    <th class="wd-15p">Username</th>
                    <th class="wd-20p">Nama</th>
                    <th class="wd-15p">Level</th>
                    <th class="wd-15p">Foto
Kandidat</th>

                    <th class="wd-
15p">Wakil</th>

                <th class="wd-10p">Aksi</th>
            </tr>
        </thead>
        <tbody>

            <?php
            $query=mysql_query("SELECT * from
v_user where id_level='3'");
            $no;
            while ($q=mysql_fetch_array($query))
            {

                $no++;

                echo "
                <tr>
                <td>$no</td>
                <td>$q[noidentitas1]</td>

```

```

        <td>{$q[username]}</td>
        <td>{$q[nama]} </td>
        <td>{$q[NamaLevel]} </td>
        ";

        ?>

        <td><a href=""
onclick="gambar('assets/foto/<?php echo $q[Foto] ?>')" data-
toggle="modal" data-target="#ambilgambar"><center></center></a></td>
        <?php
            echo"<td>{$q[wakil]} </td> <td>
            <a
href=\"media.php?module=mstkandidat&act=edit&id={$q[id]}\" ><span
class=\"badge badge-warning\">Edit</span></a>
            <a
href=\"media.php?module=mstkandidat&delete=y&id={$q[id]}\" ><span
class=\"badge badge-danger\">Hapus</span></a>
            </td>
        </tr>";

    }

    ?>
<!--    <tr>
        <td>Bella</td>
        <td>Chloe</td>
        <td>System Developer</td>
        <td>2018/03/12</td>
        <td>$654,765</td>
        <td>b.Chloe@datatables.net</td>
    </tr> -->

</tbody>
</table>
</div>

    <div class="modal fade" id="ambilgambar"
tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel"
aria-hidden="true">

```

```

        <div class="modal-dialog modal-dialog-centered
modal-lg" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <h2 class="modal-title"
id="largeModalLabel">Foto Kandidat</h2>
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close">
                        <span aria-hidden="true">&times;</span>
                    </button>
                </div>
                <div class="modal-body">

                    <p id="gbr" align="center" ></p>
                </div>
                <div class="modal-footer">
                    <button type="button" class="btn btn-
default" data-dismiss="modal">Tutup</button>
                </div>
            </div>
        </div>
        </div>

        <div class="modal fade" id="largeModal"
tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel"
aria-hidden="true">
            <div class="modal-dialog modal-dialog-centered
modal-lg" role="document">
                <div class="modal-content">
                    <div class="modal-header">
                        <h2 class="modal-title"
id="largeModalLabel">Tambah User</h2>
                        <button type="button" class="close" data-
dismiss="modal" aria-label="Close">
                            <span aria-hidden="true">&times;</span>
                        </button>
                    </div>
                    <div class="modal-body">

                        <form method="post" action=""
enctype="multipart/form-data">

                            <div class="form-group">
                                <label class="form-label">Nama
Ketua</label>

```

```

        <input type="text" class="form-
control" placeholder="Nama" name="nama">
    </div>
    <div class="form-group">
        <label class="form-label">No
Identitas</label>
        <input type="text" class="form-
control" placeholder="noidentitas1" name="noidentitas1"
value="<?php echo $edit[noidentitas1]; ?>">
    </div>
    <div class="form-group">
        <!-- <label class="form-
label">Username</label> -->
        <input type="hidden" class="form-
control" placeholder="Username" name="username" >
    </div>
    <div class="form-group">
        <!-- <label class="form-
label">Password</label> -->
        <input type="hidden" class="form-
control" placeholder="Password" name="password">
    </div>

    <div class="form-group">
        <label class="form-
label">Alamat</label>
        <input type="text" class="form-
control" placeholder="Alamat" name="alamat" >
    </div>

    <div class="form-group">
        <label class="form-label"> Nama
Wakil</label>
        <input type="text" class="form-
control" placeholder="Wakil" name="wakil" value="<?php echo
$edit[wakil]; ?>">
    </div>
    <div class="form-group">
        <label class="form-label">No
Identitas 2</label>
        <input type="text" class="form-
control" placeholder="noidentitas2" name="noidentitas2"
value="<?php echo $edit[noidentitas2]; ?>">
    </div>

    <div class="form-group">
        <label class="form-

```

```

label">Phone</label>
                <input type="text" class="form-
control" placeholder="Phone" name="phone" >
            </div>

                                <div class="form-
group">
                                <label for="cc-
number" class="control-label mb-1">Level</label>
                                <?php

                                $sql = mysql_query("SELECT * from user_level
where id='3'");
                                echo "<select class=\"form-control\"
name=\"level\" required>";

                                while ($r = mysql_fetch_array($sql)) {

                                    if ($stampil>Nama]==$r[level]) {
                                        echo "<option value='<div>
                                </div>

                                <div class="form-group">
                                <label class="form-label">Pilih Foto
Kandidat</label><br/>
                                <input type="file"
name="fileToUpload" id="fileToUpload">
                                </div>

                                </div>

```

[illegible]


```

Identitas</label>
        <input type="text" class="form-
control" placeholder="noidentitas1" name="noidentitas1"
value="<?php echo $edit[noidentitas1]; ?>">
    </div>
    <div class="form-group">
        <!-- <label class="form-
label">Username</label> -->
        <input type="hidden" class="form-
control" readonly placeholder="Username" name="username"
value="<?php echo $edit[username]; ?> ">
    </div>
    <div class="form-group">
        <label class="form-
label">Alamat</label>
        <input type="text" class="form-
control" placeholder="Alamat" name="alamat" value="<?php echo
$edit[alamat]; ?>">
    </div>
    <div class="form-group">
        <label class="form-
label">Wakil</label>
        <input type="text" class="form-
control" placeholder="Wakil" name="wakil" value="<?php echo
$edit[wakil]; ?>">
    </div>
    <div class="form-group">
        <label class="form-label">No
Identitas 2</label>
        <input type="text" class="form-
control" placeholder="noidentitas2" name="noidentitas2"
value="<?php echo $edit[noidentitas2]; ?>">
    </div>
    <div class="form-group">
        <label class="form-
label">Phone</label>
        <input type="text" class="form-
control" placeholder="Phone" name="phone" value="<?php echo
$edit[phone]; ?>">
    </div>
        <div class="form-
group">

```

```

<label for="cc-
number" class="control-label mb-1">Level</label>
<?php

        $sql = mysql_query("SELECT * from user_level
where id='3'");
        echo "<select class=\"form-control \"
name=\"level\" readonly>";

        while ($r = mysql_fetch_array($sql)) {

            if ($edit[id_level]==$r[id]) {
                echo "<option value='\"$r[id]\"' selected>
$r[level] </option>";
            }else{
                echo "<option value='\"$r[id]\"'> $r[level]
</option>";
            }
        }

        echo '</select>';

        ?>

</div>

<div
class="form-group">
        <label class="form-label">Pilih Foto
Kandidat</label><br/>
        <input type="file"
name="fileToUpload" id="fileToUpload">
        </div>

        <button type="submit" name="simpanedit"
class="mt-2 btn btn-block btn-success mt-1 mb-1">Simpan</button>
</form>

        <?php
        break;

    }

```

```

?>

<script language="javascript" type="text/javascript">
    function gambar(gambarnya){
        var maincontent = "";
        maincontent = "<p><img src='" + gambarnya + "'
width=\"600px\"></p>";
        document.getElementById("gbr").innerHTML = maincontent;
    }
</script>

```

Kode program splash screen

```

<?xml version="1.0" encoding="utf-8"?><!--
~ Copyright (c) Anis Saturrodiyah S.Kom
~ Aplikasi ini mempunyai copyright, dilarang memperjual belikan aplikasi
ini tanpa sepengetahuan programmer
-->

<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:layout_gravity="center"

    android:gravity="center"
    >
    <LinearLayout

        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_gravity="center"
        android:gravity="center"
        android:orientation="vertical">
        <ImageView
            android:id="@+id/y"
            android:layout_width="match_parent"
            android:layout_height="90dp"
            android:layout_gravity="center"
            android:src="@drawable/pemilihan" />

        <com.example.pemilihankandidat.customfonts.GoMytext
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:layout_marginTop="15dp"
            android:padding="15dp"
            android:gravity="center"
            android:text="PENGEMBANGAN APLIKASI E-VOTE BERBASIS MOBILE
ANDROID"

            android:textColor="#6F6F6F"
            android:textSize="16sp" />

```

```

        <ProgressBar
            android:id="@+id/splashProgress"
            style="?android:attr/progressBarStyleHorizontal"
            android:layout_width="150dp"
            android:layout_height="wrap_content"
            android:layout_marginTop="20dp" />
    </LinearLayout>

</LinearLayout>

```

Kode program login

```

<?php
session_start();
error_reporting(0);
include "koneksi.php";
$username=$_POST['Login'];
$password=$_POST['Password'];
if(!empty($username&&$password)){
$select = mysql_query("SELECT * from user WHERE username='$username' and
`password`=md5('$password') and id_level='2' limit 1");
$sql = mysql_fetch_array($select);
if(empty($sql)){
$response["success"] = 0;
$response["message"] = "User Atau Password Mungkin Salah!";
die(json_encode($response));
}else{
$response['level']      = $sql['id_level'];
$response['id']         = $sql['id'];
$response["success"]    = 1;
$response["message"]    = "Login Berhasil";
die(json_encode($response));
}}
?>

```

Kode program list kandidat

```

$result = mysql_query("select wakil,id,nama,username,Foto from v_user where
id_level='3'");
$cekquery=mysql_num_rows($result);
if ($cekquery<1) {
$response["success"] = 0;
$response["message"] = "kosong";
die(json_encode($response));
}else{
while($sql = mysql_fetch_array($result)){

```

```

$tmp = array();
$tmp['id']          = $sql['id'];
$tmp['nama']        = $sql['nama'];
$tmp['wakil']       = $sql['wakil'];
$tmp['gambar']      = $sql['Foto'];
$tmp["success"] = 1;
$tmp["message"] = "ada";
array_push($response, $tm
)}

header('Content-Type: application/json');
echo json_encode($response);
?>

```

Kode program simpan

```

$tgl=date('Y-m-d');
if(!empty($username&&$idkandidat)){
$select = mysql_query("SELECT * from votingkandidat  WHERE
userpilih='$username' and `Tanggal`='$tgl' ");
$cek=mysql_num_rows($select);
if ($cek==0) {
mysql_query("INSERT INTO `votingkandidat`(`idkandidat`, `userpilih`,
`TanggalBuat`, `Tanggal`) VALUES ('$idkandidat','$username',NOW(),'$tgl')");
$response["success"]          = 1;
$response["message"]          = "Kandidat Berhasil Dipilih";
die(json_encode($response));
}else{
$response["success"] = 2;
$response["message"] = "Anda sudah memilih kandidat";
die(json_encode($response));
}
}else{
$response["success"] = 3;
$response["message"] = "Gagal simpan!";
die(json_encode($response));
}
?>

```

Kode program perhitungan grafik

```

<?php
$q=mysql_query("select count(a.idkandidat) as total,b.nama from
votingkandidat a left join v_user b on a.idkandidat=b.id where b.id_level='3'
group by a.idkandidat");
while ($d=mysql_fetch_array($q)) {

```

```

        $a[]=$d[nama];
        $b[]=$d[total];
    }
    $c=json_encode($b);
    $d=str_replace('"', "'", $c);
?>
<script type="text/javascript">
    var chart = Highcharts.chart('container', {
        title: {
            text: 'Grafik Hasil Vooting Kandidat'
        },

        subtitle: {
            text: 'Total Perolehan Suara'
        },

        xAxis: {
            categories: <?php echo json_encode($a); ?>
        },

        series: [{
            type: 'column',
            colorByPoint: true,
            data: <?php echo $d;?>,
            showInLegend: false
        }]
    });

$('#plain').click(function () {
    chart.update({
        chart: {
            inverted: false,
            polar: false
        },
        subtitle: {
            text: 'Plain'
        }
    });
});

$('#inverted').click(function () {
    chart.update({
        chart: {
            inverted: true,
            polar: false
        },
        subtitle: {
            text: 'Inverted' } }));});

$('#polar').click(function () {
    chart.update({
        chart: {
            inverted: false,
            polar: true
        },

```

```
        subtitle: {  
            text: 'Polar'  
        }  
    });  
});
```